



**Cherry Forest Products**  
Lumber - Dimensional - Veneer

## Cherry Forest Products

24 Kerr Crescent, Puslinch, ON N0B 2J0

P - 519-763-1466 F - 519-763-7353

info@cherryforest.ca www.cherryforest.ca



The mark of responsible forestry

Aug 17-2019

Species & Grade	FBM	Length	FBM	Length	FBM	Length	FBM	Length	FBM	Length	Total (GRS)
4/4 Sel&Btr <b>rift/qtrd</b>											
ASH RW					646	(9'-10')					646
4/4 Sel&Btr											
ASH 4.0 - 5.49"			563	(8')							563
4/4 Sel&Btr											
ASH 5.5 - 7.49"			520	(8')							520
4/4 Sel&Btr											
ASH 7.5" & wdr			1,398	(8')	383	(9')	10,787	(9'-10')	4,634	(11'-12')	17,202
4/4 1 Com	330	(4')									
ASH RW	2,724	(4'-5')	24,626	(6'-8')	29,861	(9'-10')	3,413	(11'-12')			60,954
4/4 2 Com	1,118	(4'-5')									
ASH RW	1,669	(4'-6')	8,770	(6'-8')	62,777	(9'-10')	7,994	(11'-12')	2,857	(13'-14')	86,282

5/4 Sel&Btr <b>rift/qtrd</b>											
Ash RW					929	(9'-10')					929
5/4 Sel&Btr											
Ash RW			287	(7'-8')	117	(9'-10')					404
5/4 Sel&Btr											
Ash 5.5 - 8.49"					4,960	(9'-10')					4,960
5/4 1 Com											
Ash RW					2,115	(9'-10')	2,151	(11'-12')			4,266
5/4 2 Com											
Ash RW					857	(9'-10')	1,481	(11'-12')			2,338
5/4 outs											
Ash RW					122	(9'-10')	52	(12')			174

6/4 Sel&Btr											
Ash RW			536	(8')	1,753	(9'-10')	455	(11'-12')			2,744
6/4 2 Com											
Ash RW			73	(7'-8')							73
6/4 Outs											
Ash RW			1,314	(6'-8')	1,088	(9'-10')	292	(11'-12')			2,694

8/4 Sel&Btr											
Ash RW					1,266	(9'-10')					1,266

12/4 Sel&Btr											
Ash RW			296	(7'-8')							296

4/4 Sel&Btr											
Aspen RW	893	(6')			476	(9'-10)					1,369

4/4 Sel&Btr								
Basswood	RW		207 (6'-8')	222 (9'-10')	90 (11'-12')			519
4/4 1 Com								274
Basswood	RW		70 (5'-8')	163 (9'-10')	41 (11'-12')			
4/4 2 Com								116
Basswood	RW		53 (5'-8')	63 (9'-10')				

5/4 Sel&Btr								
Basswood	RW		5,997 (8')	3,960 (9'-10')	1,372 (11'-12')			11,329
5/4 1 Com								2,234
Basswood	RW		670 (5'-8')	1,289 (9'-10')	275 (11'-12')			
5/4 2 Com								2,073
Basswood	RW		486 (4'-8')	1,322 (9'-10')	265 (11'-12')			

4/4 Sel&Btr	sap&btr			358 (9'-10')				
Birch	RW		1,980 (8')	2,050 (9'-10')				4,388

4/4 Sel&Btr	90/50 Red				1,084 (11'-12')			
Cherry	RW			1,140 (9'-10')	434 (11'-12')			2,658

5/4 Sel&Btr	90/50 Red A							840
Cherry	RW		840 (8')					
5/4 Sel&Btr	80/50 Red							7,786
Cherry	RW		1,007 (8')	5,558 (9'-10')	1,222 (11'-12')			
5/4 1 Com	unsel							2,331
Cherry	RW	37 (4'-5')	1,341 (6'-8')	953 (9'-10')				
5/4 2 Com	unsel							11,764
Cherry	RW		5,939 (4'-8')	4,134 (9'-10')	1,691 (11'-12')			

6/4 Sel&Btr			1,410 (7')					
Cherry	RW		4,220 (8')	4,115 (9'-10')	1,037 (11'-12')	736 (13'-14')		11,518
6/4 1 Com								2,198
Cherry	RW	84 (5'-6')	938 (4'-8')	322 (7'-8')	378 (9'-10')	476 (11'-12')		
6/4 2 Com								589
Cherry	RW		433 (6'-8')	94 (9'-10')	62 (12')			

8/4 Sel&Btr	90/80 Red							2,279
Cherry	RW			2,279 (9'-10')				
8/4 Sel&Btr								4,664
Cherry	RW		2,074 (8')	2,590 (9'-10')				
8/4 1 Com								2,553
Cherry	RW		942 (6'-8')	139 (10')				

12/4 Sel&Btr								700
Cherry	RW		700 (7'-8')					

4/4 Sel&Btr	# 1 white	dressed 15/16"						360
Hard Maple	RW	360 (9'-10')						
4/4 Sel&Btr	# 1&2 white	dressed 15/16"	2,618 (6')					12,586
Hard Maple	RW	1,492 (9'-10')	8,476 (7')					

4/4 Sel&Btr	# 1&2 white								
Hard Maple	5.49" & und		2,163 (8')		2,023 (11'-12')				4,186
4/4 Sel&Btr	# 1&2 white								
Hard Maple	5.5 - 9.9"		9,626 (8')	18,513 (9'-10')	10,367 (11'-12')				38,506
4/4 Sel&Btr	# 1&2 white								
Hard Maple	6.5 & wdr	677 (6')		4,570 (9'-10')					5,247
4/4 Sel&Btr	sap&btr								
Hard Maple	RW		2,967 (8')	1,203 (9'-10')					4,171
4/4 Sel&Btr	sap&btr		316 (7')						
Hard Maple	4.0 - 4.99"		858 (8')	2,024 (9'-10')	46 (11'-12')				3,244
4/4 Sel&Btr	sap&btr		48 (7')						
Hard Maple	4.5 - 5.45"	65 (6')	823 (8')						936
4/4 Sel&Btr	sap&btr								
Hard Maple	5.0 - 5.49"	125 (6')	270 (7')	1,046 (9'-10')	42 (11'-12')				1,483
4/4 Sel&Btr	sap&btr								
Hard Maple	5 - 6"			1,086 (9'-10')					1,086
4/4 Sel&Btr	sap&btr								
Hard Maple	5.5 - 6.49"			1,238 (9'-10')	160 (11'-12')				1,398
4/4 Sel&Btr	sap&btr								
Hard Maple	10.0" & wdr			753 (9'-10')					753
4/4 Sel&Btr	brown	dressed 15/16"	999 (7'-8')	2,510 (9'-10')					
Hard Maple	RW	427 (6-8')	948 (6'-8')	7,067 (9'-10')	1,443 (11'-12')	292 (13'-14')			13,686
4/4 1 Com	# 1&2 white								
Hard Maple	RW					1,134 (13'-14')			1,134
4/4 1 Com	sap&btr								
Hard Maple	5.49" & und	45 (4'-5')	6,400 (6'-8')	3,646 (9'-10')	162 (11'-12')				10,253
4/4 1 Com	sap&btr								
Hard Maple	5.5" & wdr			15,557 (9'-10')	2,109 (11'-12')				17,666
4/4 1 Com	sap&btr								
Hard Maple	6.5" & und			13,980 (9'-10')	1,520 (11'-12')				15,500
4/4 1 Com	sap&btr								
Hard Maple	6.51" & wdr		20,377 (4'-8')	32,207 (9'-10')	16,507 (11'-12')				69,091

5/4 Sel&Btr	#1 white								
Hard Maple	RW			1,199 (9'-10')					1,199
5/4 Sel&Btr	# 1&2 white	74 (6')	4,831 (7'-8')						
Hard Maple	RW	4,379 (7')	13,959 (8')	14,108 (9'-10')	7,307 (11'-12')				44,658
5/4 Sel&Btr	sap&btr								
Hard Maple	RW	778 (6')							778
5/4 Sel&Btr	sap								
Hard Maple	RW		715 (7'-8')	304 (9'-10')	108 (11'-12')				1,127
5/4 1 Com	sap&btr								
Hard Maple	7.5" wdr		3,831 (6'-8')	3,665 (9'-10)	1,160 (11'-12')				8,656
5/4 2 Com									
Hard Maple	RW		1,437 (6'-8')		252 (11'-12')				1,689

6/4 Sel&Btr	# 1 white		1,707 (7')						
Hard Maple	RW		4,061 (8')	10,733 (9'-10')					16,501
6/4 Sel&Btr	# 1&2 white								
Hard Maple	RW		4,730 (8')	1,670 (9'-10')	2,638 (11'-12')				9,038

6/4 Sel&Btr	sap							
Hard Maple	RW					298	(11'-12')	298
6/4 1 Com	sap&btr							23,805
Hard Maple	RW		8,611	(4'-8')	10,556	(9'-10')	4,638	(11'-12')
6/4 2 Com								5,885
Hard Maple	RW		2,019	(6'-8')	2,694	(9'-10')	1,172	(11'-12')
6/4 Outs								228
Hard Maple	RW		123	(7'-8')	105	(9'-10')		

8/4 Sel&Btr	# 1 white				1,866	(9')		
Hard Maple	RW		2,464	(8')	3,095	(9'-10')		7,425
8/4 Sel&Btr	# 1&2 white							43,776
Hard Maple	RW		15,586	(8')	23,135	(9'-10')	5,055	(11'-12')
8/4 Sel&Btr	sap/btr							53
Hard Maple	RW		53	(7')				
8/4 Sel&Btr	sap							5,207
Hard Maple	RW		4,408	(8')			799	(11'-12')
8/4 1 Com	sap/btr							17,824
Hard Maple	RW		3,757	(6'-8')	9,891	(9'-10')	4,176	(11'-12')
8/4 1 Com	sap							1,150
Hard Maple	RW		383	(8')	342	(10')	425	(11'-12')
8/4 2 Com								10,368
Hard Maple	RW		2,889	(4'-8')	5,418	(9'-10')	2,061	(12')

4/4 Sel&Btr	unsel							2,239	
Hickory	4.89" & und		1,225	(6'-8')	967	(9'-10')	47	(11'-12')	
4/4 Sel&Btr	unsel							2,485	
Hickory	4.9 - 6.99"		1,123	(6'-8')	1,005	(9'-10')	357	(11'-12')	
4/4 Sel&Btr	unsel							336	
Hickory	7.0" & wdr		117	(7'-8')	174	(9'-10')	45	(11'-12')	
4/4 1 Com								4,086	
Hickory	4.89" & und		1,832	(4'-8')	1,588	(9'-10')	666	(11'-12')	
4/4 1 Com								3,503	
Hickory	4.9 - 6.99"		1,168	(4'-8')	1,639	(9'-10')	696	(11'-12')	
4/4 2 Com								3,246	
Hickory	4.9 - 6.99"		2,113	(4'-8')	1,133	(9'-10')			
4/4 Outs/Frame	dressed							3,526	
Hickory	RW	100	(4'-5')	1,121	(6'-8')	1,738	(9'-10')	567	(11'-12')

5/4 Sel&Btr								1,257
Hickory	RW	95	(6')		1,162	(9'-10')		
5/4 1 Com								5,783
Hickory	RW		1,162	(6'-8')	2,783	(9'-10')	525	(11'-12')
							1,099	(11'-14')
							214	(14'-16')
5/4 2 Com								785
Hickory	RW		222	(7'-8')	486	(9'-10')	77	(6'-10')

4/4 Sel&Btr	Bright							23,589
Poplar	RW		2,205	(9'-10')	5,807	(11'-12')	12,099	(13'-14')
							3,478	(15'-16')
4/4 Sel&Btr	Bright							1,108
Poplar	10" & wdr		1,108	(9'-10')				

4/4 Sel&Btr	Stain		3,496 (9'-10')	3,386 (11'-12')				
Poplar	RW		4,475 (9'-12')	2,939 (11'-12')				14,296
5/4 Sel&Btr	Stain							2,902
Poplar	RW			2,902 (11'-12')				
8/4 Sel&Btr	Bright			3,865 (11'-12')				12,979
Poplar	RW	1,030 (7'-8')	1,264 (9'-10')	3,013 (11'-12')	699 (13'-14')	3,108 (15'-16')		
8/4 Sel&Btr	Stain				2,559 (13'-14')			17,024
Poplar	RW	779 (7'-8')	2,442 (9'-10')	3,287 (11'-12')	3,896 (13'-14')	4,061 (15'-16')		
12/4 Sel&Btr								1,180
Poplar	RW	948 (7'-8')		232 (11'-12')				

4/4 Sel&Btr	Wheat			dressed 15/16"				25,051
Red Oak	RW			25,051 (9'-10')				
4/4 Sel&Btr	Rift							1,230
Red Oak	RW			1,230 (9'-10')				
4/4 Sel&Btr	dressed	dressed 15/16"	dressed 15/16"	dressed 15/16"	dressed 15/16"			14,748
Red Oak	RW	4,332 (7'-8')	746 (9')	8,120 (9'-10')	1,551 (11'-12')			
4/4 Sel&Btr								893
Red Oak	4.0 - 5.0"			893 (9'-10')				
4/4 Sel&Btr								220
Red Oak	10.0" & wdr							
4/4 2 Com			6,872 (6'-8')	4,479 (9'-10')	1,549 (11'-12')	105 (14')		19,185
Red Oak	RW		2,782 (4'-8')	1,065 (9'-10')	1,229 (11'-12')	1,103 (13'-16')		

5/4 Sel&Btr			1,578 (8')					14,017
Red Oak	RW	939 (6')	5,054 (8')	3,587 (9'-10')	2,859 (11'-12')			
5/4 Sel&Btr	9.5" & wdr							113
Red Oak	RW		113 (8')					
5/4 1 Com								3,533
Red Oak	RW		308 (6'-8')	1,217 (9'-10')	2,008 (11'-12')			

6/4 Sel&Btr			3,698 (8')	1,128 (9')	1,208 (9-10')	1,998 (15'-16')		14,929
Red Oak	RW	696 (8')	3,972 (8')	285 (9')	1,364 (11')	582 (13'-16')		
6/4 2 Com								682
Red Oak	RW		163 (6'-8')	519 (9'-10')				

8/4 Sel&Btr						1,509 (15'-16')		4,208
Red Oak	RW					2,699 (13'-16')		
8/4 2 Com								753
Red Oak	RW		157 (6'-8')	520 (9'-10')	76 (12')			

10/4 Sel&Btr				1,063 (9'-10')				3,561
Red Oak	RW		1,068 (7'-8')	701 (10')	728 (11'-12')			

6/4 Sel&Btr	Plain Sawn	twisted						126
Sapelli	RW	126 (8')						
4/4 Sel&Btr	Qtrd							2,821
Sapelli	RW				2,821 (11')			
6/4 Sel&Btr	Qtrd							1,573
Sapelli	RW		1,050 (8')		523 (11')			

8/4 Sel&Btr	Qtrd							
Sapelli	RW		201 (8')			350 (11'-12')	852 (13')	1,403

4/4 Sel&Btr			1,751 (8')	415 (9'-10')	220 (9'-10')			
Soft Maple	RW	3,099 (7'-8')	535 (9')	4,061 (9'-10')	1,248 (10')	603 (11'-12')		11,931
4/4 Sel&Btr	unsel							
Soft Maple	RW		2,144 (8')	3,752 (9'-10')	7,346 (11'-12')	3,250 (13'-16')		16,492
4/4 1 Com AD				247 (9'-10')				
Soft Maple	RW		7,621 (4'-8')	5,007 (9'-10')	285 (11'-12')	311 (13'-14')		13,471
4/4 PR WHND								
Soft Maple	RW		19,519 (6'-8')					19,519
4/4 1CB WHND				2,298 (9')				
Soft Maple	RW			14,431 (9'-10')	4,402 (11'-12')	1,111 (13'-14')		22,242
4/4 1C WHND								
Soft Maple	RW		3,324 (6'-8')					3,324

5/4 Sel&Btr				341 (10')				
Soft Maple	RW		2,271 (6'-8')	629 (9'-10')	162 (11'-12')	64 (13'-14')		3,467
5/4 1 Com								
Soft Maple	RW		5,812 (4'-8')		1,734 (11'-12')	173 (13'-14')		7,719
5/4 PR WHND								
Soft Maple	RW		9,878 (6'-8')	207 (9'-10')				10,085

6/4 1CB WHND								
Soft Maple	RW		6,183 (5'-8')	14,163 (9'-10')	616 (11'-12')			20,962
6/4 1&2 Com WHND								
Soft Maple	RW				2,467 (11'-12')			2,467

8/4 Sel&Btr		1,030 (7'-8')	4,025 (6'-8')	1,017 (9'-10')	1,601 (11'-12')	592 (11'-12')		
Soft Maple	RW	4,124 (7'-8')	5,662 (9'-10')	3,909 (9'-10')	3,055 (11'-12')	903 (13'-16')		25,919
8/4 1 Com		dressed 1-3/4"			3,015 (11'-12')			
Soft Maple	RW	1,084 (7'-8')		3,536 (9'-10')	3,012 (11'-12')			10,647
8/4 PR WHND		dressed 1-3/4"	dressed 1-3/4"					
Soft Maple	RW	162 (8')	145 (10'-12')					307
8/4 1CB WHND		Twist / Bow	63 (4'-5')	14,480 (6'-8')				
Soft Maple	RW	3,084 (8'-12')	283 (6'-7')	19,880 (9'-10')	1,802 (11'-12')			39,592

10/4 Sel&Btr								
Soft Maple	RW		1,237 (7'-8')	1,917 (9'-10')				3,154
10/4 1 Com								
Soft Maple	RW			8,842 (9'-10')	6,412 (11'-12')	372 (12'-16')		15,626
10/4 2CB WHND								
Soft Maple	RW		1,662 (7'-8')	517 (9'-10')	5,058 (11'-12')			7,237

12/4 Sel&Btr		dressed			430 (11'-12')			
Soft Maple	RW	660 (8'-10')			1,041 (11'-12')			2,131
12/4 2CB WHND		dressed - HVY						
Soft Maple	RW	1,088 (8'-10')	3,322 (6'-8')	4,084 (9'-10')	3,291 (11'-12')	1,925 (13'-16')		13,710

4/4 Sel&Btr	90/80 black							
Walnut	RW		682 (8')	1,046 (9'-10')	620 (11'-12')			2,348

4/4 Sel&Btr	90/80 ro rules		666 (7')					3,773
Walnut	RW	866 (6'-7')	1,944 (8')				297 (13'-16')	
4/4 Sel&Btr	rft&qtrd							4,924
Walnut	RW		2,490 (7'-8')	2,083 (9'-10')	351 (11')			
4/4 Sel&Btr								12,258
Walnut	RW	3,094 (6')	1,917 (8')	2,505 (10')	2,891 (12')	1,850 (13'-16')		
4/4 Sel&Btr								4,003
Walnut	4.89" & und		2,031 (7'-8')	1,137 (9'-10')	835 (11'-12')			
4/4 Sel&Btr								7,774
Walnut	4.9 - 5.749"		2,855 (7'-8')	3,401 (9'-10')	1,518 (11'-12')			
4/4 Sel&Btr								7,137
Walnut	5.75 - 6.99"		3,999 (6'-8')	2,205 (9'-10')	933 (11'-12')			
4/4 Sel&Btr								4,417
Walnut	6.5" & wdr		1,274 (8')	1,969 (9'-10')	1,174 (11'-12')			
4/4 1 Com								6,752
Walnut	RW	212 (4'-5')	2,143 (4'-8')	1,635 (9'-10')	1,627 (11'-12')	1,135 (13'-16')		
4/4 1 Com								451
Walnut	4.99" und		451 (5'-8')					
4/4 1 Com								12,202
Walnut	5.74" & und	684 (4'-5')	3,305 (4'-8')	3,952 (9'-10')				
4/4 1 Com								8,746
Walnut	5.75 - 6.99"		3,715 (4'-8')	3,211 (9'-10')	1,820 (11'-12')			
4/4 2 Com								11,875
Walnut	RW	372 (4'-5')	3,418 (4'-8')	6,222 (9'-10')	1,096 (11'-12')	767 (13'-16')		

5/4 Sel&Btr	100/80 ro rules		291 (7')					3,143
Walnut	RW	184 (6')	905 (8')	1,218 (9'-10')	545 (11'-12')			
5/4 Sel&Btr			836 (6'-8')		70 (11')			3,427
Walnut	RW	66 (6')	1,591 (8')	617 (9'-10')	247 (11'-12')			
5/4 1 Com								422
Walnut	RW		204 (4'-8')	159 (9'-10')	59 (12')			

6/4 Sel&Btr	100/80 ro rules		952 (7')					8,865
Walnut	RW	101 (6')	1,980 (8')	3,679 (9'-10')	1,418 (11'-12')	735 (13'-14')		
6/4 Sel&Btr								993
Walnut	RW		261 (7'-8')	471 (9'-10')	261 (11'-12')			
6/4 1 Com								316
Walnut	RW		220 (8')	96 (9'-10')				

8/4 Sel&Btr	90/80 ro rules							3,684
Walnut	RW			2,198 (9'-10')	847 (11'-12')	639 (13'-16')		
8/4 Sel&Btr	ro rules							12,422
Walnut	RW		3,022 (8')	9,400 (9'-10')				
8/4 Sel&Btr			773 (8')					6,171
Walnut	RW		1,933 (9')	3,465 (10')				
8/4 1 Com								2,638
Walnut	RW			2,638 (9'-10')				
8/4 2 Com								8,281
Walnut	RW		4,312 (6'-8')	2,395 (9'-10')	1,382 (11'-12')	192 (13'-16')		

4/4 Sel&Btr White Oak	plain sawn RW				155 (11'-12')	3,350 (11'-12') 117 (11'-12')		3,623
4/4 Sel&Btr White Oak	plain sawn 5.0 - 5.6"	4,379 (6')			542 (9'-10')	641 (11'-12')		5,562
4/4 Sel&Btr White Oak	plain sawn 5.0 - 5.74"	65 (6')			341 (9'-10')			406
4/4 Sel&Btr White Oak	plain sawn 5.75 - 6.4"	2,735 (6')	3,587 (7') 3,864 (6'-8')					10,186
4/4 Sel&Btr White Oak	plain sawn 5.75 - 6.9"		2,728 (6'-8')			671 (11'-12')		3,399
4/4 Sel&Btr White Oak	plain sawn 7.75 - 8.9"	1,402 (6') 1,686 (7')	4,051 (6'-8')	4,441 (9'-10')				11,580
4/4 Sel&Btr White Oak	plain sawn 10" & wdr		716 (8')					716
4/4 Sel&Btr White Oak	plain sawn 10.5" & wdr		1,211 (7'-8')	1,603 (9'-10')				2,814
4/4 1 Com White Oak	plain sawn RW		373 (4'-8')	174 (9'-10')	238 (11'-12')			785
4/4 1 Com White Oak	plain sawn 6.5 - 7.49"		1,504 (4'-8')	1,679 (9'-10')	593 (11'-12')			3,776
4/4 2 Com White Oak	plain sawn RW		258 (4'-8')		257 (11'-12')			515
4/4 2 Com White Oak	plain sawn 5.5 - 6.49"		2,289 (6'-8')					2,289
4/4 2 Com White Oak	plain sawn 6.5 - 7.49"		836 (6'-8')	4,438 (9'-10')	1,821 (11'-12')			7,095
4/4 3 Com White Oak	plain sawn RW		4,959 (5'-8')	6,153 (9'-10')	3,907 (11'-12')	190 (13'-14')		15,209

5/4 Sel&Btr White Oak	plain sawn RW		1,086 (8') 535 (8')	3,156 (9'-10')				4,777
5/4 1 Com White Oak	plain sawn RW		1,737 (6'-8')	1,264 (9'-10')	139 (11'-12')			3,140
5/4 Outs White Oak	plain sawn RW		353 (6'-9')		102 (12')			455

6/4 Sel&Btr White Oak	plain sawn RW		1,046 (6'-8') 2,790 (8')	5,872 (9'-10')	2,116 (11'-12') 3,109 (11'-12')	476 (13'-14')		15,409
--------------------------	------------------	--	-----------------------------	----------------	------------------------------------	---------------	--	--------

8/4 Sel&Btr White Oak	plain sawn RW			1,154 (9')	3,644 (11'-12')	743 (13'-14') 303 (13'-14')		5,844
--------------------------	------------------	--	--	------------	-----------------	--------------------------------	--	-------

10/4 Sel&Btr White Oak	plain sawn RW		658 (7'-8')	1,309 (9'-10')	541 (11'-12')			2,507
---------------------------	------------------	--	-------------	----------------	---------------	--	--	-------

4/4 Sel&Btr White Oak	rift 4.0 - 5.49"		76 (6'-8')					76
4/4 Sel&Btr White Oak	rift 7.75" & wdr	328 (6')						328



5/4 Sel&Btr	rift		952 (7')					
White Oak	RW		897 (8')	2,120 (9'-10')	1,658 (11'-12')			5,627

8/4 Sel&Btr	rift							174
White Oak	RW	174 (6')						

4/4 Sel&Btr	qtrd							85
White Oak	4.5 - 5.625"		85 (7'-8')					

4/4 Sel&Btr	qtrd							5,123
White Oak	5.75 - 6.99"		1,475 (7'-8')	2,000 (9'-10')	1,457 (11'-12')	191 (13'-14')		

4/4 Sel&Btr	qtrd							696
White Oak	7.0 - 7.74"			239 (9'-10')	457 (11'-12')			

4/4 Sel&Btr	qtrd							1,815
White Oak	7.75 - 8.99"		626 (6'-8')	770 (9'-10')	287 (11'-12')	132 (13'-14')		

4/4 Sel&Btr	qtrd							347
White Oak	9.0" & wdr			224 (9'-10')	123 (11'-12')			

5/4 Sel&Btr	qtrd	dressed 1-3/16"	112 (6'-7')					7,427
White Oak	RW	84 (7')	2,440 (7'-8')	3,395 (9'-10')	1,396 (11'-12')			

6/4 Sel&Btr	qtrd							4,757
White Oak	RW		2,170 (8')	1,320 (9'-10')	1,267 (11'-12')			

8/4 Sel&Btr	qtrd	71 (6')						1,997
White Oak	RW	461 (7')	914 (7'-8')	622 (9'-10')				

4/4 1 Com	rift&qtrd							1,405
White Oak	RW		729 (4'-8')	676 (9'-10')				