



**Cherry Forest Products**  
Lumber - Dimensional - Veneer

## Cherry Forest Products

24 Kerr Crescent, Puslinch, ON N0B 2J0

P - 519-763-1466 F - 519-763-7353

info@cherryforest.ca www.cherryforest.ca



The mark of  
responsible forestry

Dec 04-2017

| Species & Grade | FBM   | Length  | FBM    | Length  | FBM    | Length   | FBM    | Length    | FBM | Length | Total (GRS) |
|-----------------|-------|---------|--------|---------|--------|----------|--------|-----------|-----|--------|-------------|
| 4/4 Sel&Btr     |       |         |        |         |        |          |        |           |     |        |             |
| ASH 6.5" & wdr  |       |         | 777    | (7'-8') |        |          |        |           |     |        | 777         |
| 4/4 Sel&Btr     |       |         |        |         |        |          |        |           |     |        |             |
| ASH 7.5 - 9.01" |       |         | 811    | (8')    |        |          |        |           |     |        | 811         |
| 4/4 Sel&Btr     |       |         |        |         |        |          |        |           |     |        |             |
| ASH 7.5" & wdr  |       |         | 2,571  | (8')    | 3,860  | (9'-10') | 3,560  | (11'-12') |     |        | 9,991       |
| 4/4 1 Com       | 465   | (4'-5') |        |         |        |          |        |           |     |        |             |
| ASH RW          | 1,642 | (4'-6') | 23,488 | (6'-8') | 44,172 | (9'-10') | 10,772 | (11'-12') |     |        | 80,539      |
| 4/4 1 Com       |       |         |        |         |        |          |        |           |     |        |             |
| ASH 6.49" & und |       |         |        |         | 1,150  | (9'-10') |        |           |     |        | 1,150       |

|             |  |  |       |         |       |          |     |           |  |  |       |
|-------------|--|--|-------|---------|-------|----------|-----|-----------|--|--|-------|
| 5/4 Sel&Btr |  |  |       |         |       |          |     |           |  |  |       |
| Ash RW      |  |  | 1,180 | (8')    | 1,987 | (9'-10') |     |           |  |  | 3,167 |
| 5/4 1 Com   |  |  |       |         |       |          |     |           |  |  |       |
| Ash RW      |  |  | 286   | (6'-8') | 3,567 | (9'-10') | 611 | (11'-12') |  |  | 4,464 |

|             |     |      |     |         |     |          |       |           |  |  |       |
|-------------|-----|------|-----|---------|-----|----------|-------|-----------|--|--|-------|
| 6/4 Sel&Btr |     |      |     |         |     |          |       |           |  |  |       |
| Ash RW      | 100 | (6') |     |         |     |          | 1,054 | (11'-12') |  |  | 1,154 |
| 6/4 1 Com   |     |      | 117 | (6'-8') | 464 | (9'-10') | 129   | (11'-12') |  |  |       |
| Ash RW      |     |      | 52  | (8')    | 205 | (10')    | 324   | (12')     |  |  | 1,291 |

|                 |    |      |       |         |       |          |       |           |  |  |        |
|-----------------|----|------|-------|---------|-------|----------|-------|-----------|--|--|--------|
| 8/4 Sel&Btr     |    |      | 899   | (7')    |       |          |       |           |  |  |        |
| Ash RW          | 71 | (6') | 6,233 | (8')    | 285   | (9'-10') | 5,241 | (11'-12') |  |  | 12,729 |
| 8/4 Sel&Btr     |    |      |       |         |       |          |       |           |  |  |        |
| Ash 5.5 - 6.49" |    |      |       |         |       |          | 170   | (12')     |  |  | 170    |
| 8/4 2 Com       |    |      |       |         |       |          |       |           |  |  |        |
| Ash RW          |    |      | 1,374 | (6'-8') | 1,179 | (9'-10') |       |           |  |  | 2,553  |

|             |       |         |  |  |  |  |  |  |  |  |       |
|-------------|-------|---------|--|--|--|--|--|--|--|--|-------|
| 4/4 Sel&Btr |       |         |  |  |  |  |  |  |  |  |       |
| Aspen RW    | 2,473 | (6'-7') |  |  |  |  |  |  |  |  | 2,473 |

|             |     |         |  |  |  |  |  |  |  |  |     |
|-------------|-----|---------|--|--|--|--|--|--|--|--|-----|
| 5/4 Sel&Btr |     |         |  |  |  |  |  |  |  |  |     |
| Basswood RW | 164 | (6'-8') |  |  |  |  |  |  |  |  | 164 |

|             |         |  |       |      |  |  |  |  |  |  |       |
|-------------|---------|--|-------|------|--|--|--|--|--|--|-------|
| 4/4 Sel&Btr | sap&btr |  |       |      |  |  |  |  |  |  |       |
| Birch RW    |         |  | 2,143 | (8') |  |  |  |  |  |  | 2,143 |

|                   |           |  |       |      |       |          |       |           |  |  |       |
|-------------------|-----------|--|-------|------|-------|----------|-------|-----------|--|--|-------|
| 4/4 Sel&Btr       | 90/80 Red |  |       |      |       |          |       |           |  |  |       |
| Cherry 6.5 - 7.4" |           |  |       |      | 1,197 | (9'-10') |       |           |  |  | 1,197 |
| 4/4 Sel&Btr       | 90/80 Red |  |       |      |       |          |       |           |  |  |       |
| Cherry 6.5" & wdr |           |  | 5,212 | (8') |       |          | 1,692 | (11'-12') |  |  | 6,904 |

|                       |                          |          |             |                |                 |                 |       |
|-----------------------|--------------------------|----------|-------------|----------------|-----------------|-----------------|-------|
| 4/4 Sel&Btr<br>Cherry | 90/50 Red<br>RW          |          | 1,108 (8')  |                | 2,322 (11'-12') | 1,411 (13'-16') | 4,841 |
| 4/4 Sel&Btr<br>Cherry | 90/50 Red<br>6.5" & wdr  |          |             | 985 (9'-10')   | 709 (11'-12')   |                 | 1,694 |
| 4/4 Sel&Btr<br>Cherry | Unsel<br>RW              | 134 (6') | 937 (7'-8') | 453 (9'-10')   | 86 (11'-12')    | 102 (13'-16')   | 1,712 |
| 4/4 1 Com<br>Cherry   | 90/80 Red<br>RW          |          |             | 2,292 (9'-10') |                 |                 | 2,292 |
| 4/4 1 Com<br>Cherry   | 90/80 Red<br>5.5 - 6.49" |          |             | 845 (9'-10')   |                 |                 | 845   |

|                       |                 |            |            |                |                 |               |        |
|-----------------------|-----------------|------------|------------|----------------|-----------------|---------------|--------|
| 5/4 Sel&Btr<br>Cherry | 90/80 Red<br>RW |            | 5,025 (8') | 4,629 (9'-10') | 3,961 (11'-12') | 676 (13'-16') | 14,291 |
| 5/4 Sel&Btr<br>Cherry | 90/50 Red<br>RW | 1,085 (6') |            |                |                 |               | 1,085  |
| 5/4 Sel&Btr<br>Cherry | RW              |            | 85 (7'-8') | 1,252 (9'-10') | 1,192 (11'-12') |               | 2,529  |

|                       |                 |  |            |          |                 |  |       |
|-----------------------|-----------------|--|------------|----------|-----------------|--|-------|
| 6/4 Sel&Btr<br>Cherry | 90/80 Red<br>RW |  | 1,358 (8') | 241 (9') | 2,129 (11'-12') |  | 3,728 |
|-----------------------|-----------------|--|------------|----------|-----------------|--|-------|

|                       |                 |  |            |                |                 |  |       |
|-----------------------|-----------------|--|------------|----------------|-----------------|--|-------|
| 8/4 Sel&Btr<br>Cherry | 90/80 Red<br>RW |  | 1,582 (8') | 5,810 (9'-10') | 2,581 (11'-12') |  | 9,973 |
|-----------------------|-----------------|--|------------|----------------|-----------------|--|-------|

|                           |                            |          |                             |                                  |                 |                                |        |
|---------------------------|----------------------------|----------|-----------------------------|----------------------------------|-----------------|--------------------------------|--------|
| 4/4 Sel&Btr<br>Hard Maple | # 1 white<br>RW            |          |                             | dressed 15/16"<br>3,195 (9'-10') |                 |                                | 3,195  |
| 4/4 Sel&Btr<br>Hard Maple | # 1&2 white<br>RW          | 903 (6') | 1,023 (7'-8')<br>4,591 (8') | 3,671 (9'-10')                   | 2,547 (11'-12') | 564 (13'-14')<br>776 (13'-14') | 14,075 |
| 4/4 Sel&Btr<br>Hard Maple | # 1&2 white<br>3.5 - 3.99" |          |                             | 225 (10')                        | 499 (11'-12')   |                                | 724    |
| 4/4 Sel&Btr<br>Hard Maple | # 1&2 white<br>4.0 - 4.4"  |          | 240 (7'-8')                 | 454 (9'-10')                     | 34 (11'-12')    |                                | 728    |
| 4/4 Sel&Btr<br>Hard Maple | # 1&2 white<br>4.5 - 4.9"  |          | 958 (7'-8')                 |                                  | 1,462 (11'-12') |                                | 2,420  |
| 4/4 Sel&Btr<br>Hard Maple | # 1&2 white<br>5.0 - 5.49" |          |                             |                                  | 79 (11'-12')    |                                | 79     |
| 4/4 Sel&Btr<br>Hard Maple | # 1&2 white<br>5.5 - 6.49" |          | 1,981 (7'-8')               | 1,227 (9'-10')                   | 307 (11'-12')   |                                | 3,515  |
| 4/4 Sel&Btr<br>Hard Maple | # 1&2 white<br>6.5 - 7.74" |          |                             | 566 (9'-10')                     | 1,496 (11'-12') |                                | 2,062  |
| 4/4 Sel&Btr<br>Hard Maple | # 1&2 white<br>6.5 - 9.9"  |          | 870 (7')<br>1,010 (8')      |                                  |                 |                                | 1,880  |
| 4/4 Sel&Btr<br>Hard Maple | # 1&2 white<br>6.5" & wdr  | 636 (6') | 1,147 (7')<br>1,975 (8')    | 2,510 (9'-10')                   | 1,242 (11'-12') |                                | 7,510  |
| 4/4 Sel&Btr<br>Hard Maple | # 1&2 white<br>7.5 - 8.49" |          |                             |                                  | 1,459 (11'-12') |                                | 1,459  |
| 4/4 Sel&Btr<br>Hard Maple | # 1&2 white<br>8.5 - 9.9"  |          |                             |                                  | 3,213 (11'-12') |                                | 3,213  |
| 4/4 Sel&Btr<br>Hard Maple | # 1&2 white<br>9.0 - 9.9"  |          |                             | 555 (9'-10')                     | 641 (11'-12')   |                                | 1,196  |

|             |                     |                |               |                 |                 |                 |  |        |
|-------------|---------------------|----------------|---------------|-----------------|-----------------|-----------------|--|--------|
| 4/4 Sel&Btr | sap&btr             |                |               |                 |                 |                 |  | 639    |
| Hard Maple  | 4.0 - 4.4"          |                | 313 (8')      | 266 (9'-10')    | 60 (11'-12')    |                 |  |        |
| 4/4 Sel&Btr | sap&btr             |                | 842 (7')      |                 |                 |                 |  | 6,401  |
| Hard Maple  | 4.5 - 5.74"         | 380 (6')       | 1,776 (8')    | 2,264 (9'-10')  | 1,139 (11'-12') |                 |  |        |
| 4/4 Sel&Btr | sap&btr             |                |               |                 |                 |                 |  | 1,851  |
| Hard Maple  | 5.5 - 6.49"         |                | 1,156 (6'-8') | 465 (9'-10')    | 230 (11'-12')   |                 |  |        |
| 4/4 Sel&Btr | sap&btr             |                |               |                 |                 |                 |  | 2,799  |
| Hard Maple  | 5.74 - 6.49"        |                | 1,412 (6'-8') | 890 (9'-10')    | 497 (11'-12')   |                 |  |        |
| 4/4 Sel&Btr | sap&btr             |                |               |                 |                 |                 |  | 1,982  |
| Hard Maple  | 10.0" & wdr         |                | 432 (8')      | 555 (9'-10')    | 995 (11'-12')   |                 |  |        |
| 4/4 Sel&Btr | sap                 |                |               |                 |                 |                 |  | 913    |
| Hard Maple  | RW                  |                |               | 693 (9'-10')    | 220 (11'-12')   |                 |  |        |
| 4/4 Sel&Btr | sap                 |                |               |                 |                 |                 |  | 548    |
| Hard Maple  | 3.5 - 4.99"         |                |               | 151 (10')       | 397 (11'-12')   |                 |  |        |
| 4/4 Sel&Btr | sap                 |                |               |                 |                 |                 |  | 818    |
| Hard Maple  | 6.5 - 9.9"          |                |               |                 | 818 (11'-12')   |                 |  |        |
| 4/4 1 Com   | # 1&2 white         | dressed 15/16" |               |                 |                 |                 |  | 628    |
| Hard Maple  | RW                  | 628 (10'-12')  |               |                 |                 |                 |  |        |
| 4/4 1 Com   | sap&btr             |                |               |                 |                 |                 |  | 2,034  |
| Hard Maple  | 4.5 - 4.99"         |                | 1,055 (4'-8') | 726 (9'-10')    | 253 (11'-12')   |                 |  |        |
| 4/4 1 Com   | sap&btr             |                |               |                 |                 |                 |  | 2,628  |
| Hard Maple  | 4.5 - 5.49"         |                |               | 1,987 (9'-10')  | 641 (11'-12')   |                 |  |        |
| 4/4 1 Com   | sap&btr             |                |               |                 |                 |                 |  | 18,359 |
| Hard Maple  | 5.5 - 6.4"          |                | 1,668 (6'-8') | 15,730 (9'-10') | 961 (11'-12')   |                 |  |        |
| 4/4 1 Com   | sap&btr             |                |               |                 |                 |                 |  | 411    |
| Hard Maple  | 8.5" & wdr          |                |               |                 | 411 (11'-12')   |                 |  |        |
| 4/4 1 Com   | sap&btr             |                |               |                 |                 |                 |  | 1,966  |
| Hard Maple  | 4.49 und, 5.5-8.49" |                |               |                 | 1,966 (11'-12') |                 |  |        |
| 4/4 1 Com   | brown               |                |               |                 |                 |                 |  | 4,802  |
| Hard Maple  | RW                  |                | 1,951 (4'-8') | 2,050 (9'-10')  | 801 (11'-12')   |                 |  |        |
| 4/4 2 Com   |                     |                |               |                 |                 |                 |  | 15,390 |
| Hard Maple  | RW                  | 881 (4'-5')    | 8,042 (6'-8') | 2,238 (9'-10')  | 3,187 (11'-12') | 1,042 (13'-16') |  |        |

|             |     |  |            |  |  |  |  |       |
|-------------|-----|--|------------|--|--|--|--|-------|
| 4/4 Sel&Btr | "N" |  | 407 (7')   |  |  |  |  | 7,248 |
| Hard Maple  | RW  |  | 6,841 (8') |  |  |  |  |       |

|            |         |  |               |                |                 |  |  |       |
|------------|---------|--|---------------|----------------|-----------------|--|--|-------|
| 5/4 1 Com  | sap&btr |  |               |                |                 |  |  | 9,863 |
| Hard Maple | RW      |  | 4,286 (4'-8') | 2,533 (9'-10') | 3,044 (11'-12') |  |  |       |
| 5/4 2 Com  |         |  |               |                |                 |  |  | 6,277 |
| Hard Maple | RW      |  | 2,369 (5'-8') | 949 (9'-10')   | 2,959 (11'-12') |  |  |       |

|             |             |          |               |                |                 |  |  |        |
|-------------|-------------|----------|---------------|----------------|-----------------|--|--|--------|
| 6/4 Sel&Btr | # 1&2 white |          | 1,411 (7')    |                |                 |  |  | 6,980  |
| Hard Maple  | RW          | 331 (6') |               | 2,571 (9'-10') | 2,667 (11'-12') |  |  |        |
| 6/4 1 Com   |             |          |               |                |                 |  |  | 13,127 |
| Hard Maple  | RW          |          | 3,705 (6'-8') | 6,407 (9'-10') | 3,015 (11'-12') |  |  |        |
| 6/4 2 Com   |             |          |               |                |                 |  |  | 2,023  |
| Hard Maple  | RW          |          | 761 (6'-8')   | 683 (9'-10')   | 579 (11'-12')   |  |  |        |

|             |             |                  |               |                |  |               |  |        |
|-------------|-------------|------------------|---------------|----------------|--|---------------|--|--------|
| 8/4 Sel&Btr | # 1&2 white | dressed 1-15/16" | 5,145 (7'-8') | 4,673 (9'-10') |  |               |  | 16,496 |
| Hard Maple  | RW          | 229 (8')         | 4,877 (8')    | 1,441 (9'-10') |  | 132 (13'-15') |  |        |

|            |         |  |               |                |                 |               |  |  |       |
|------------|---------|--|---------------|----------------|-----------------|---------------|--|--|-------|
| 8/4 1 Com  | sap/btr |  |               |                |                 |               |  |  |       |
| Hard Maple | RW      |  | 3,754 (5'-8') | 1,928 (9'-10') | 1,418 (11'-12') | 82 (13'-16')  |  |  | 7,182 |
| 8/4 2 Com  |         |  |               |                |                 |               |  |  |       |
| Hard Maple | RW      |  | 3,757 (6'-8') | 2,958 (9'-10') | 1,716 (11'-12') | 351 (13'-16') |  |  | 8,782 |

|                |               |             |               |                |                                |                                    |        |
|----------------|---------------|-------------|---------------|----------------|--------------------------------|------------------------------------|--------|
| 4/4 Sel&Btr    | 90/80 Hrtwood |             |               |                |                                |                                    |        |
| Hickory        | RW            |             | 1,425 (8')    |                |                                |                                    | 1,425  |
| 4/4 1C&Btr     |               |             |               |                |                                |                                    |        |
| Hickory        | 5.0 - 5.99"   |             |               |                |                                | 1,117 (13'-16')                    | 1,117  |
| 4/4 1-3 Com    |               |             |               |                |                                |                                    |        |
| Hickory        | 4.99" & und   | 76 (4'-5')  | 8,100 (4'-8') | 8,789 (9'-10') | 1,374 (11')<br>3,686 (11'-12') | 264 (13'-14')<br>4,605 (13'-16')   | 26,894 |
| 4/4 1-3 Com    |               |             |               |                |                                |                                    |        |
| Hickory        | 5.0 - 6.49"   | 163 (4'-5') |               | 7,207 (9'-10') | 9,145 (11'-12')                | 1,476 (13'-14')<br>2,914 (13'-16') | 20,905 |
| 4/4 1-3 Com    |               |             |               |                |                                |                                    |        |
| Hickory        | 9.5" & wdr    |             |               |                |                                | 1,093 (13'-16')                    | 1,093  |
| 4/4 2C&Btr     |               |             |               |                |                                |                                    |        |
| Hickory        | RW            | 526 (4'-6') |               |                |                                |                                    | 526    |
| 4/4 2 Com      |               |             |               |                |                                |                                    |        |
| Hickory        | 5.0 - 5.99"   |             |               | 1,150 (9'-10') |                                | 1,190 (13'-16')                    | 2,340  |
| 4/4 Outs/Frame | dressed       |             |               |                |                                |                                    |        |
| Hickory        | RW            | 140 (4'-6') | 1,173 (6'-8') | 866 (9'-10')   | 525 (11'-12')                  |                                    | 2,704  |

|             |    |         |            |                |                 |                 |        |
|-------------|----|---------|------------|----------------|-----------------|-----------------|--------|
| 5/4 Sel&Btr |    |         | 390 (7')   |                |                 | 1,602 (13'-14') |        |
| Hickory     | RW | 55 (6') | 1,489 (8') | 1,873 (9'-10') | 4,140 (11'-12') | 1,827 (13'-16') | 11,376 |
| 5/4 1 Com   |    |         |            |                |                 |                 |        |
| Hickory     | RW |         | 95 (5'-8') | 363 (9'-10')   | 525 (11'-12')   |                 | 983    |

|             |        |            |                                  |                                |                 |                                    |        |
|-------------|--------|------------|----------------------------------|--------------------------------|-----------------|------------------------------------|--------|
| 4/4 Sel&Btr | Bright |            | 8,745 (8')                       |                                | 3,437 (13'-14') | 6.9-7.5"                           |        |
| Poplar      | RW     | 738 (7')   | 13,271 (9'-10')                  | 9,462 (11'-12')                | 4,692 (15'-16') | 1,968 (15'-16')                    | 42,313 |
| 4/4 Sel&Btr | Stain  |            |                                  |                                |                 |                                    |        |
| Poplar      | RW     |            | 423 (7'-8')                      | 1,261 (9'-10')                 | 383 (11'-12')   |                                    | 2,066  |
| 5/4 Sel&Btr | Stain  |            |                                  |                                |                 |                                    |        |
| Poplar      | RW     |            | 1,391 (7'-8')                    | 1,786 (9'-10')                 | 1,030 (11'-12') | 580 (13'-14')<br>2,325 (15'-16')   | 7,113  |
| 6/4 Sel&Btr | Stain  |            |                                  |                                |                 |                                    |        |
| Poplar      | RW     | 2,830 (8') | 1,218 (9'-10')<br>6,435 (9'-10') | 333 (11'-12')<br>552 (11'-12') |                 | 2,146 (15'-16')<br>1,951 (15'-16') | 16,758 |
| 7/4 Sel&Btr | Stain  |            |                                  |                                |                 |                                    |        |
| Poplar      | RW     |            | 1,672 (7'-8')                    | 1,136 (9'-10')                 | 1,559 (11'-12') | 1,417 (13'-14')<br>3,917 (15'-16') | 9,701  |
| 8/4 Sel&Btr | Stain  |            |                                  |                                |                 |                                    |        |
| Poplar      | RW     |            | 5,086 (7'-8')                    | 6,814 (9'-10')                 | 7,960 (11'-12') | 4,647 (13'-14')<br>2,367 (15'-16') | 26,874 |

|             |         |         |                                 |                                  |                                   |                                    |        |
|-------------|---------|---------|---------------------------------|----------------------------------|-----------------------------------|------------------------------------|--------|
| 4/4 Sel&Btr | Wheat   |         | dressed 15/16"                  | dressed 15/16"                   | dressed 15/16"                    |                                    |        |
| Red Oak     | RW      |         | 3,064 (7'-8')                   | 2,125 (9'-10')                   | 2,275 (11'-12')                   |                                    | 7,464  |
| 4/4 Sel&Btr | Rift    |         |                                 |                                  |                                   |                                    |        |
| Red Oak     | RW      | 76 (6') | 2,865 (7'-8')                   | 4,360 (9'-10')                   | 1,324 (11'-12')                   |                                    | 8,625  |
| 4/4 Sel&Btr | Qtrd    |         |                                 |                                  |                                   |                                    |        |
| Red Oak     | RW      | 44 (6') | 2,342 (7'-8')                   | 2,049 (9'-10')                   | 532 (11'-12')                     |                                    | 4,967  |
| 4/4 Sel&Btr | dressed |         |                                 |                                  |                                   |                                    |        |
| Red Oak     | RW      |         | dressed 15/16"<br>3,392 (7'-8') | dressed 15/16"<br>7,221 (9'-10') | dressed 15/16"<br>3,172 (11'-12') |                                    | 13,785 |
| 4/4 Sel&Btr | rough   |         |                                 |                                  |                                   |                                    |        |
| Red Oak     | RW      |         | 2,450 (7')                      | 2,295 (9'-10')                   |                                   | 1,653 (13'-14')<br>1,046 (15'-16') | 7,444  |

|             |              |                |                |                 |                                    |        |
|-------------|--------------|----------------|----------------|-----------------|------------------------------------|--------|
| 4/4 Sel&Btr |              |                |                |                 |                                    | 970    |
| Red Oak     | 5.5 - 6.49"  |                | 970 (8')       |                 |                                    |        |
| 4/4 Sel&Btr |              |                |                |                 |                                    | 20,093 |
| Red Oak     | 5.75 - 6.99" |                | 4,741 (6'-8')  | 13,834 (9'-10') | 1,518 (11'-12')                    |        |
| 4/4 Sel&Btr |              |                |                |                 |                                    | 9,114  |
| Red Oak     | 6.5 - 9.9"   |                |                | 9,114 (9'-10')  |                                    |        |
| 4/4 Sel&Btr |              |                |                |                 |                                    | 17,036 |
| Red Oak     | 7.0 - 9.9"   |                |                | 13,923 (9'-10') | 3,113 (11'-12')                    |        |
| 4/4 Sel&Btr |              |                |                |                 |                                    | 11,965 |
| Red Oak     | 10.0" & wdr  |                | 4,543 (8')     | 6,035 (9'-10')  | 1,387 (11'-12')                    |        |
| 4/4 1 Com   | Wheat        |                | dressed 15/16" | dressed 15/16"  |                                    | 6,492  |
| Red Oak     | RW           |                | 4,566 (7'-8')  | 1,926 (9'-10')  |                                    |        |
| 4/4 1 Com   | Rift/Qtrd    |                |                |                 |                                    | 5,967  |
| Red Oak     | RW           | 270 (4'-6')    | 2,379 (4'-8')  | 2,685 (9'-10')  | 633 (11'-12')                      |        |
| 4/4 1 Com   |              | dressed 15/16" |                |                 |                                    | 8,929  |
| Red Oak     | RW           | 2,990 (7'-8')  |                |                 | 2,014 (13'-14')<br>3,925 (13'-16') |        |
| 4/4 1 Com   |              |                |                |                 |                                    | 6,385  |
| Red Oak     | 4.0 - 4.99"  |                | 2,216 (4'-8')  | 3,338 (9'-10')  | 831 (11'-12')                      |        |
| 4/4 1 Com   |              |                |                |                 |                                    | 3,028  |
| Red Oak     | 5.0 - 5.49"  |                | 950 (7'-8')    | 1,446 (9'-10')  | 632 (11'-12')                      |        |
| 4/4 1 Com   |              |                |                |                 |                                    | 10,076 |
| Red Oak     | 5.0 - 5.99"  |                | 3,535 (6'-8')  | 6,500 (9'-10')  | 41 (11'-12')                       |        |
| 4/4 1 Com   |              |                |                |                 |                                    | 1,573  |
| Red Oak     | 5.5 - 5.99"  |                | 508 (7'-8')    |                 | 1,065 (11'-12')                    |        |
| 4/4 1 Com   |              |                |                |                 |                                    | 5,341  |
| Red Oak     | 6.0 - 6.49"  |                | 1,043 (6'-8')  | 4,106 (9'-10')  | 192 (11'-12')                      |        |
| 4/4 1 Com   | 3.9" & und & |                |                |                 |                                    | 2,758  |
| Red Oak     | 5.5-6.4"     |                | 1,248 (6'-8')  | 1,510 (9'-10')  |                                    |        |
| 4/4 1 Com   |              |                |                |                 |                                    | 1,039  |
| Red Oak     | 6.5 - 7.99"  |                | 143 (6'-8')    | 153 (9'-10')    | 743 (11'-12')                      |        |
| 4/4 1 Com   |              |                |                |                 |                                    | 49,318 |
| Red Oak     | 7.5" & wdr   |                | 10,254 (7'-8') | 32,367 (9'-10') | 6,697 (11'-12')                    |        |
| 4/4 1 Com   |              |                |                |                 |                                    | 1,790  |
| Red Oak     | 9.5" & wdr   |                | 1,790 (6'-8')  |                 |                                    |        |
| 4/4 2 Com   |              |                |                |                 |                                    | 2,224  |
| Red Oak     | 6.5 - 7.49"  |                | 1,239 (4'-8')  | 436 (9'-10')    | 549 (11'-12')                      |        |

|             |             |                 |               |                |                 |           |        |
|-------------|-------------|-----------------|---------------|----------------|-----------------|-----------|--------|
| 5/4 Sel&Btr |             | 458 (6')        | 1,416 (7')    | 3,790 (9')     | 1,937 (11')     |           | 29,459 |
| Red Oak     | RW          | 3,474 (7')      | 6,369 (8')    | 2,623 (10')    | 9,850 (12')     |           |        |
| 5/4 Sel&Btr | 4.0 - 5.0"  |                 |               |                |                 |           | 474    |
| Red Oak     | RW          |                 |               | 474 (9'-10')   |                 |           |        |
| 5/4 Sel&Btr | 10.0" & wdr |                 |               |                |                 |           | 9,027  |
| Red Oak     | RW          |                 | 1,565 (8')    | 1,612 (9'-10') | 5,850 (11'-12') |           |        |
| 5/4 1 Com   |             | dressed 1-3/16" |               |                |                 |           | 2,290  |
| Red Oak     | RW          | 1,000 (7'-8')   | 1,011 (6'-8') |                |                 | 279 (16') |        |

|             |    |  |  |           |  |  |     |
|-------------|----|--|--|-----------|--|--|-----|
| 6/4 Sel&Btr |    |  |  |           |  |  | 961 |
| Red Oak     | RW |  |  | 961 (10') |  |  |     |

|             |    |  |             |                |               |                 |        |
|-------------|----|--|-------------|----------------|---------------|-----------------|--------|
| 8/4 Sel&Btr |    |  |             |                |               | 2,915 (14')     |        |
| Red Oak     | RW |  | 7,587 (8')  |                |               | 2,754 (15'-16') | 13,256 |
| 8/4 Sel&Btr |    |  |             | 593 (9')       | 2,915 (11')   | 1,762 (13'-14') |        |
| Red Oak     | RW |  | 1,008 (7')  | 1,871 (10')    | 1,591 (12')   | 2,138 (15'-16') | 11,878 |
| 8/4 1 Com   |    |  |             |                |               |                 |        |
| Red Oak     | RW |  | 842 (7'-8') | 1,208 (9'-10') | 329 (11'-12') |                 | 2,379  |

|             |            |          |             |               |                 |              |       |
|-------------|------------|----------|-------------|---------------|-----------------|--------------|-------|
| 4/4 Sel&Btr | Plain Sawn |          |             | 283 (9')      |                 |              |       |
| Sapelli     | RW         |          | 107 (7'-8') | 582 (10'-11') | 1,074 (11'-12') | 2,528 (13')  | 4,574 |
| 4/4 1 Com   | Plain Sawn |          | Twist       |               |                 |              |       |
| Sapelli     | RW         |          | 57 (6'-8')  |               |                 |              | 57    |
| 4/4 Sel&Btr | Qtrd       |          | 146 (8')    |               |                 |              |       |
| Sapelli     | RW         | 423 (7') | 1,742 (8')  | 1,259 (10')   | 1,617 (10'-11') | 3,292 (13')  | 8,479 |
| 5/4 Sel&Btr | Qtrd       |          |             |               |                 |              |       |
| Sapelli     | RW         |          |             | 897 (10')     | 1,074 (12')     |              | 1,971 |
| 5/4 Sel&Btr | Qtrd       |          |             |               |                 |              |       |
| Sapelli     | 7.75" wdr  |          |             |               |                 | 733 (14-16') | 733   |
| 6/4 Sel&Btr | Qtrd       |          |             |               | 1,518 (13')     |              |       |
| Sapelli     | RW         |          |             |               | 689 (14')       |              | 2,207 |
| 8/4 Sel&Btr | Plain Sawn |          |             |               |                 |              |       |
| Sapelli     | RW         |          | 390 (7')    |               |                 |              | 390   |
| 8/4 Sel&Btr | Qtrd       |          |             | 1,957 (9')    |                 | 1,329 (14')  |       |
| Sapelli     | RW         |          | 1,532 (7')  | 926 (10')     | 2,192 (11')     | 1,261 (15')  | 9,197 |

|              |                |                |                |                 |                 |                |        |
|--------------|----------------|----------------|----------------|-----------------|-----------------|----------------|--------|
| 4/4 Sel&Btr  |                |                |                |                 |                 |                |        |
| Soft Maple   | RW             |                | 1,963 (8')     |                 | 4,979 (11'-12') |                | 6,942  |
| 4/4 Sel&Btr  | selects        |                |                |                 |                 |                |        |
| Soft Maple   | RW             |                | 2,863 (7'-8')  | 4,286 (9'-10')  | 798 (11'-12')   | 215 (13'-16')  | 8,162  |
| 4/4 1 Com    | Brown          | dressed 15/16" | dressed 15/16" |                 |                 |                |        |
| Soft Maple   | RW             | 1,045 (5'-8')  | 761 (9'-10')   |                 |                 |                | 1,806  |
| 4/4 1 Com AD |                |                |                |                 |                 |                |        |
| Soft Maple   | RW             | 1,049 (4'-5')  | 5,290 (6'-8')  | 4,862 (9'-10')  | 2,012 (11'-12') |                | 13,213 |
| 4/4 1CB WHND |                |                |                |                 |                 |                |        |
| Soft Maple   | RW             | 1,255 (4'-5')  | 15,547 (6'-8') | 3,901 (9'-10')  | 5,117 (11'-12') |                | 25,820 |
| 4/4 1CB WHND | dressed 15/16" | dressed 15/16" | dressed 15/16" | dressed 15/16"  | dressed 15/16"  | dressed 15/16" |        |
| Soft Maple   | RW             | 5,988 (6'-8')  | 479 (9'-10')   | 3,477 (11'-12') | 4,766 (13'-14') | 955 (15'-16')  | 15,666 |
| 4/4 1C WHND  |                | dressed 15/16" | dressed 15/16" |                 |                 |                |        |
| Soft Maple   | RW             | 870 (6'-8')    | 716 (9'-10')   |                 |                 |                | 1,586  |
| 4/4 2C WHND  |                |                |                |                 |                 |                |        |
| Soft Maple   | RW             | 2,847 (4'-5')  | 4,646 (6'-8')  | 6,259 (9'-10')  | 1,739 (11'-12') | 263 (13'-14')  | 15,754 |

|             |    |                 |                 |                |                 |               |       |
|-------------|----|-----------------|-----------------|----------------|-----------------|---------------|-------|
| 5/4 Sel&Btr |    |                 |                 |                |                 |               |       |
| Soft Maple  | RW |                 |                 | 977 (9'-10')   |                 |               | 977   |
| 5/4 1 Com   |    |                 |                 |                |                 |               |       |
| Soft Maple  | RW |                 | 2,006 (5'-8')   |                | 1,279 (11'-12') |               | 3,285 |
| 5/4 PR WHND |    |                 |                 |                |                 |               |       |
| Soft Maple  | RW |                 |                 | 3,095 (9'-10') | 2,155 (11'-12') | 803 (13'-16') | 6,053 |
| 5/4 WHND    |    | dressed 1-3/16" | dressed 1-3/16" |                |                 |               |       |
| Soft Maple  | RW | 312 (6'-8')     | 1,313 (9'-10')  | 3,256 (6'-8')  | 2,169 (11'-12') |               | 7,050 |

|              |    |  |               |                |               |       |
|--------------|----|--|---------------|----------------|---------------|-------|
| 6/4 Sel&Btr  |    |  |               |                |               |       |
| Soft Maple   | RW |  | 5,914 (6'-8') |                | 861 (11'-12') | 6,775 |
| 6/4 1 Com    |    |  |               |                |               | 772   |
| Soft Maple   | RW |  | 772 (5'-8')   |                |               |       |
| 6/4 1CB WHND |    |  |               |                |               | 6,340 |
| Soft Maple   | RW |  | 4,430 (4'-8') | 1,910 (9'-10') |               |       |
| 6/4 2C WHND  |    |  |               |                |               | 5,330 |
| Soft Maple   | RW |  | 3,087 (4'-8') | 2,243 (9'-10') |               |       |

|              |    |                |                |                |                 |               |        |
|--------------|----|----------------|----------------|----------------|-----------------|---------------|--------|
| 8/4 Sel&Btr  |    |                | 8,064 (7'-8')  | 2,805 (9'-10') | 750 (11'-12')   |               | 18,140 |
| Soft Maple   | RW |                | 3,535 (6'-8')  | 2,737 (9'-10') |                 | 248 (13'-14') |        |
| 8/4 1 Com    |    | dressed 1-7/8" |                |                |                 |               | 12,537 |
| Soft Maple   | RW | 166 (7'-8')    | 6,115 (6'-8')  |                | 5,702 (11'-12') | 554 (13'-14') |        |
| 8/4 1CB WHND |    | dressed 1-7/8" | dressed 1-3/4" | 18,556 (6'-8') |                 |               | 33,717 |
| Soft Maple   | RW | 911 (7'-10')   | 417 (9'-10')   | 7,166 (9'-10') | 5,674 (11'-12') | 993 (13'-14') |        |
| 8/4 2C WHND  |    |                |                |                |                 |               | 12,692 |
| Soft Maple   | RW |                | 3,107 (7'-8')  | 5,711 (9'-10') | 3,389 (11'-12') | 485 (13'-14') |        |

|               |    |  |               |                |                 |  |        |
|---------------|----|--|---------------|----------------|-----------------|--|--------|
| 10/4 Sel&Btr  |    |  |               |                |                 |  | 7,451  |
| Soft Maple    | RW |  |               | 2,661 (9'-10') | 4,790 (11'-12') |  |        |
| 10/4 1 Com    |    |  |               |                |                 |  | 3,579  |
| Soft Maple    | RW |  |               | 2,100 (9'-10') | 1,479 (11'-12') |  |        |
| 10/4 2CB WHND |    |  |               |                |                 |  | 12,442 |
| Soft Maple    | RW |  | 2,817 (5'-8') | 5,052 (9'-10') | 4,573 (11'-12') |  |        |
| 10/4 OUTS     |    |  |               |                |                 |  | 141    |
| Soft Maple    | RW |  | 141 (7'-8')   |                |                 |  |        |

|               |    |                |  |                 |  |  |        |
|---------------|----|----------------|--|-----------------|--|--|--------|
| 12/4 2CB WHND |    | dressed 2-3/4" |  |                 |  |  | 11,499 |
| Soft Maple    | RW | 411 (10')      |  | 11,088 (9'-10') |  |  |        |

|             |             |  |                |                |                 |               |        |
|-------------|-------------|--|----------------|----------------|-----------------|---------------|--------|
| 4/4 Sel&Btr | rift&qtrd   |  |                |                |                 |               | 7,802  |
| Walnut      | RW          |  | 2,655 (7'-8')  | 3,794 (9'-10') | 1,353 (11'-12') |               |        |
| 4/4 Sel&Btr |             |  |                |                |                 |               | 1,747  |
| Walnut      | RW          |  | 1,747 (7'-8')  |                |                 |               |        |
| 4/4 Sel&Btr |             |  |                |                |                 |               | 942    |
| Walnut      | 5.0 - 5.49" |  |                |                | 942 (11'-12')   |               |        |
| 4/4 Sel&Btr |             |  |                |                |                 |               | 959    |
| Walnut      | 5.5" & wdr  |  |                |                |                 | 959 (13'-14') |        |
| 4/4 Sel&Btr |             |  | 708 (7')       |                |                 |               | 1,648  |
| Walnut      | 7.0" & wdr  |  | 940 (8')       |                |                 |               |        |
| 4/4 Sel&Btr |             |  |                |                |                 |               | 434    |
| Walnut      | 9.5" & wdr  |  | 434 (8')       |                |                 |               |        |
| 4/4 1 Com   |             |  |                |                |                 |               | 480    |
| Walnut      | RW          |  |                |                |                 | 480 (13'-15') |        |
| 4/4 2 Com   |             |  |                |                |                 |               | 24,161 |
| Walnut      | RW          |  | 24,161 (6'-8') |                |                 |               |        |

|             |             |  |          |  |  |  |     |
|-------------|-------------|--|----------|--|--|--|-----|
| 5/4 Sel&Btr | 90/70 black |  |          |  |  |  | 240 |
| Walnut      | RW          |  | 240 (8') |  |  |  |     |

|             |                |         |          |                |                 |  |       |
|-------------|----------------|---------|----------|----------------|-----------------|--|-------|
| 5/4 Sel&Btr | 90/70 ro rules |         |          |                |                 |  |       |
| Walnut      | RW             |         | 854 (8') | 2,753 (9'-10') |                 |  | 3,607 |
| 5/4 Sel&Btr | 90/70 MX rules |         |          |                |                 |  |       |
| Walnut      | RW             | 30 (6') |          |                |                 |  | 30    |
| 5/4 Sel&Btr |                |         |          |                |                 |  |       |
| Walnut      | RW             |         | 321 (7') | 738 (10')      | 2,977 (11'-12') |  | 4,036 |

|             |          |                 |            |                |                 |  |       |
|-------------|----------|-----------------|------------|----------------|-----------------|--|-------|
| 6/4 Sel&Btr | ro rules |                 |            |                |                 |  |       |
| Walnut      | RW       |                 | 1,852 (8') |                | 1,958 (11'-12') |  | 3,810 |
| 6/4 Sel&Btr | MX rules |                 |            |                |                 |  |       |
| Walnut      | RW       | 739 (6')        | 2,684 (7') | 1,066 (9'-10') |                 |  | 4,489 |
| 6/4 Sel&Btr |          | dressed 1-7/16" |            |                |                 |  |       |
| Walnut      | RW       | 274 (8'-10')    |            |                | 518 (11')       |  | 792   |

|             |                  |                  |            |                |                 |  |       |
|-------------|------------------|------------------|------------|----------------|-----------------|--|-------|
| 8/4 Sel&Btr | 90/80 ro rules   |                  |            |                |                 |  |       |
| Walnut      | RW               |                  | 1,613 (8') | 1,236 (9'-10') | 933 (11'-12')   |  | 3,782 |
| 8/4 Sel&Btr | ro rules - unsel | dressed 1-15/16" |            |                |                 |  |       |
| Walnut      | RW               | 854 (11'-12')    |            | 1,274 (9'-10') | 1,539 (11'-12') |  | 3,667 |

|              |                  |  |  |                |  |  |       |
|--------------|------------------|--|--|----------------|--|--|-------|
| 10/4 Sel&Btr | ro rules - unsel |  |  |                |  |  |       |
| Walnut       | RW               |  |  | 1,033 (9'-10') |  |  | 1,033 |

|             |              |               |               |                |                 |                 |        |
|-------------|--------------|---------------|---------------|----------------|-----------------|-----------------|--------|
| 4/4 Sel&Btr | plain sawn   |               |               |                |                 |                 |        |
| White Oak   | RW           |               | 933 (8')      |                |                 | 477 (13'-14')   | 1,410  |
| 4/4 Sel&Btr | plain sawn   |               |               |                |                 |                 |        |
| White Oak   | 4.0 - 4.99"  |               | 382 (6'-8')   | 538 (9'-10')   | 277 (11'-12')   |                 | 1,197  |
| 4/4 Sel&Btr | plain sawn   |               |               |                |                 |                 |        |
| White Oak   | 5.0 - 5.74"  |               | 1,139 (7'-8') | 1,956 (9'-10') | 1,232 (11'-12') | 980 (13'-14')   | 5,307  |
| 4/4 Sel&Btr | plain sawn   |               |               |                |                 |                 |        |
| White Oak   | 5.75 - 6.75" |               |               | 2,355 (9'-10') | 1,439 (11'-12') |                 | 3,794  |
| 4/4 Sel&Btr | plain sawn   |               |               |                |                 |                 |        |
| White Oak   | 6.76 - 7.74" |               | 1,963 (7'-8') | 4,820 (9'-10') | 492 (11'-12')   | 1,172 (13'-14') | 8,447  |
| 4/4 Sel&Btr | plain sawn   |               |               |                |                 |                 |        |
| White Oak   | 7.75 - 8.99" |               | 2,123 (6'-8') | 3,821 (9'-10') | 3,000 (11'-12') |                 | 8,944  |
| 4/4 Sel&Btr | plain sawn   |               |               |                |                 |                 |        |
| White Oak   | 9.0" & wdr   |               | 1,923 (6'-8') | 3,759 (9'-10') | 2,204 (11'-12') | 965 (13'-14')   | 8,851  |
| 4/4 Sel&Btr | plain sawn   |               |               |                |                 |                 |        |
| White Oak   | 10.0" & wdr  |               | 389 (6'-8')   | 1,855 (9'-10') |                 |                 | 2,244  |
| 4/4 1 Com   | plain sawn   |               |               |                |                 |                 |        |
| White Oak   | 6.0 - 6.99"  |               |               | 1,060 (9'-10') | 1,936 (11'-12') |                 | 2,996  |
| 4/4 1 Com   | plain sawn   |               |               |                |                 |                 |        |
| White Oak   | 6.5 - 7.75"  |               | 2,598 (5'-8') |                |                 |                 | 2,598  |
| 4/4 2 Com   | plain sawn   |               |               |                |                 |                 |        |
| White Oak   | 6.5 - 7.75"  |               | 806 (6'-8')   |                |                 |                 | 806    |
| 4/4 123 Com | plain sawn   |               |               |                |                 |                 |        |
| White Oak   | 7.0 - 7.75"  |               | 2,552 (4'-8') | 2,116 (9'-10') | 1,827 (11'-12') | 211 (13'-14')   | 6,706  |
| 4/4 123 Com | plain sawn   |               |               |                |                 |                 |        |
| White Oak   | 7.0 - 10.99" | 3,121 (4'-6') | 9,151 (6'-8') | 7,847 (9'-10') | 1,503 (11'-12') |                 | 21,622 |
| 4/4 123 Com | plain sawn   |               |               |                |                 |                 |        |
| White Oak   | 7.76" & wdr  | 102 (4'-6')   | 6,202 (6'-8') | 8,245 (9'-10') | 3,524 (11'-12') |                 | 18,073 |



|             |            |  |  |       |          |  |       |           |
|-------------|------------|--|--|-------|----------|--|-------|-----------|
| 5/4 Sel&Btr | plain sawn |  |  | 3,039 | (9'-10') |  |       | 6,466     |
| White Oak   | RW         |  |  | 1,918 | (9'-10') |  | 1,509 | (13'-14') |

|             |            |                 |         |     |      |       |          |           |
|-------------|------------|-----------------|---------|-----|------|-------|----------|-----------|
| 6/4 Sel&Btr | plain sawn | dressed 1-7/16" |         |     |      | 533   | (11')    |           |
| White Oak   | RW         | 212             | (7'-8') | 142 | (8') | 2,528 | (9'-10') | 1,511     |
|             |            |                 |         |     |      |       |          | (11'-12') |

|             |            |  |       |      |       |          |           |           |
|-------------|------------|--|-------|------|-------|----------|-----------|-----------|
| 8/4 Sel&Btr | plain sawn |  |       |      |       | 1,522    | (11'-12') |           |
| White Oak   | RW         |  | 2,603 | (8') | 3,785 | (9'-10') | 674       | (11'-12') |
|             |            |  |       |      |       |          |           | 8,584     |

|             |              |  |     |         |          |          |           |           |
|-------------|--------------|--|-----|---------|----------|----------|-----------|-----------|
| 4/4 Sel&Btr | rift         |  |     |         |          |          |           | 1,509     |
| White Oak   | 5.0 - 5.6"   |  |     | 1,509   | (9'-10') |          |           |           |
| 4/4 Sel&Btr | rift         |  |     |         |          |          |           | 3,761     |
| White Oak   | 5.0 - 5.75"  |  | 896 | (8')    | 1,567    | (9'-10') | 1,298     | (11'-12') |
| 4/4 Sel&Btr | rift         |  |     |         |          |          |           | 787       |
| White Oak   | 6.5 - 7.9"   |  | 787 | (7')    |          |          |           |           |
| 4/4 Sel&Btr | rift         |  |     |         |          |          |           | 1,547     |
| White Oak   | 7.0 - 7.6"   |  | 465 | (6'-7') | 1,082    | (9'-10') |           |           |
| 4/4 Sel&Btr | rift         |  |     |         |          |          |           | 726       |
| White Oak   | 7.0 - 7.74"  |  |     |         |          | 726      | (11'-12') |           |
| 4/4 Sel&Btr | rift         |  |     |         |          |          |           | 748       |
| White Oak   | 7.75 - 10.4" |  |     |         | 748      | (9'-10') |           |           |
| 4/4 Sel&Btr | rift         |  |     |         |          |          |           | 100       |
| White Oak   | 10.5" wdr    |  |     |         | 100      | (9'-10') |           |           |

|             |      |  |  |       |          |       |           |       |
|-------------|------|--|--|-------|----------|-------|-----------|-------|
| 5/4 Sel&Btr | rift |  |  |       |          |       |           | 2,190 |
| White Oak   | RW   |  |  | 1,148 | (9'-10') | 1,042 | (11'-12') |       |

|             |      |  |       |      |       |          |       |           |
|-------------|------|--|-------|------|-------|----------|-------|-----------|
| 6/4 Sel&Btr | rift |  |       |      |       |          |       | 9,221     |
| White Oak   | RW   |  | 1,818 | (8') | 5,910 | (9'-10') | 1,493 | (11'-12') |

|             |      |                  |      |      |       |       |          |           |
|-------------|------|------------------|------|------|-------|-------|----------|-----------|
| 8/4 Sel&Btr | rift | dressed 1-15/16" | 174  | (6') | 1,092 | (8')  |          |           |
| White Oak   | RW   | 689              | (8') | 784  | (7')  | 2,924 | (9'-10') | 947       |
|             |      |                  |      |      |       |       |          | (11'-12') |
|             |      |                  |      |      |       |       | 679      | (13'-15') |

|             |            |  |     |         |  |  |  |     |
|-------------|------------|--|-----|---------|--|--|--|-----|
| 4/4 Sel&Btr | qtrd       |  |     |         |  |  |  | 310 |
| White Oak   | 7.0 - 7.6" |  | 310 | (6'-8') |  |  |  |     |

|             |            |                 |                 |       |          |       |          |           |
|-------------|------------|-----------------|-----------------|-------|----------|-------|----------|-----------|
| 5/4 Sel&Btr | qtrd - S2S | dressed 1-3/16" | dressed 1-3/16" | 112   | (6'-7')  | 2,712 | (9'-10') |           |
| White Oak   | RW         | 1,036           | (7'-8')         | 1,276 | (9'-10') | 605   | (8')     | 1,286     |
|             |            |                 |                 |       |          |       |          | (11'-12') |

|             |      |    |      |       |      |       |          |           |
|-------------|------|----|------|-------|------|-------|----------|-----------|
| 6/4 Sel&Btr | qtrd |    | 420  | (7')  |      |       |          | 11,061    |
| White Oak   | RW   | 29 | (6') | 3,082 | (8') | 5,975 | (9'-10') | 1,555     |
|             |      |    |      |       |      |       |          | (11'-12') |

|             |      |                  |                  |     |      |       |          |           |
|-------------|------|------------------|------------------|-----|------|-------|----------|-----------|
| 8/4 Sel&Btr | qtrd | dressed 1-15/16" | dressed 1-15/16" |     |      | 642   | (9'-10') |           |
| White Oak   | RW   | 200              | (6'-7')          | 451 | (8') | 2,519 | (6'-8')  | 1,613     |
|             |      |                  |                  |     |      |       |          | (11'-12') |

|             |            |  |  |  |  |  |     |           |
|-------------|------------|--|--|--|--|--|-----|-----------|
| 4/4 Sel&Btr | rift&qtrd  |  |  |  |  |  |     | 802       |
| White Oak   | 7.0" & wdr |  |  |  |  |  | 802 | (13'-16') |

|             |              |  |  |  |       |          |       |           |
|-------------|--------------|--|--|--|-------|----------|-------|-----------|
| 4/4 Sel&Btr | rift&qtrd    |  |  |  |       |          |       | 9,319     |
| White Oak   | 7.75 - 10.4" |  |  |  | 7,015 | (9'-10') | 2,304 | (11'-12') |

|             |             |  |               |                |                 |  |       |
|-------------|-------------|--|---------------|----------------|-----------------|--|-------|
| 4/4 Sel&Btr | rift&qtrd   |  |               |                |                 |  |       |
| White Oak   | 10.5" & wdr |  | 1,215 (6'-8') | 1,544 (9'-10') | 1,991 (11'-12') |  | 4,750 |

|           |           |            |            |             |  |  |     |
|-----------|-----------|------------|------------|-------------|--|--|-----|
| 6/4 1 Com | rift&qtrd |            |            |             |  |  |     |
| White Oak | RW        | 43 (4'-6') | 37 (7'-8') | 95 (9'-10') |  |  | 175 |