



Cherry Forest Products
Lumber - Dimensional - Veneer

Cherry Forest Products

24 Kerr Crescent, Puslinch, ON N0B 2J0

P - 519-763-1466 F - 519-763-7353

info@cherryforest.ca www.cherryforest.ca



The mark of responsible forestry

Oct 08-2019

Species & Grade	FBM	Length	FBM	Length	FBM	Length	FBM	Length	FBM	Length	Total (GRS)	
4/4 Sel&Btr rift/qtrd ASH RW					646	(9'-10')					646	
4/4 Sel&Btr ASH 4.0 - 5.49"					515	(9'-10')					515	
4/4 Sel&Btr ASH 7.5" & wdr			1,725	(8')	9,867	(9'-10')	9,270	(11'-12')			20,862	
4/4 1 Com ASH RW			3,751	(6'-8')	8,370	(9'-10')	2,036	(11'-12')	1,804	(13'-14')	786 (15'-16')	16,747
4/4 1 Com ASH 4.0 - 4.74"					97	(9'-10')					97	
4/4 1 Com ASH 4.75 - 5.49"			7,427	(6'-8')	4,246	(9'-10')	1,446	(11'-12')			13,119	
4/4 1 Com ASH 5.49" & und	2,315	(4'-5')									2,315	
4/4 1 Com ASH 5.5 - 6.4"					1,215	(9'-10')					1,215	
4/4 2 Com ASH RW					79,806	(9'-10')	7,994	(11'-12')			87,800	

5/4 Sel&Btr rift/qtrd Ash RW					929	(9'-10')					929
5/4 Sel&Btr Ash RW			287	(7'-8')	427	(9'-10')					714
5/4 Sel&Btr Ash 5.5 - 8.49"					4,179	(9'-10')					4,179
5/4 1 Com Ash RW					3,642	(9'-10')	2,151	(11'-12')			5,793
5/4 2 Com Ash RW					1,256	(9'-10')					1,256
5/4 outs Ash RW					174	(9'-10')					174

6/4 Sel&Btr Ash RW			1,005	(7')	2,611	(8')	5,551	(9'-10')	1,914	(11'-12')		11,081
6/4 1 Com Ash RW			1,946	(6'-8')	1,677	(9'-10')	411	(11'-12')			4,034	
6/4 2 Com Ash RW			1,616	(6'-8')	1,221	(9'-10')	307	(11'-12')			3,144	

8/4 Sel&Btr Ash RW	464	(6')	1,047	(8')	6,016	(9'-10')	5,765	(11'-12')			13,292
8/4 1 Com Ash RW			6,512	(6'-8')	3,296	(9'-10')	2,100	(11'-12')			11,908

8/4 2 Com								
Ash	RW		3,268 (6'-8')	1,057 (9'-10')	582 (11'-12')			4,907

4/4 2 Com								
Basswood	RW		2,954 (4'-8')	2,212 (9'-10')	768 (11'-12')			5,934

5/4 Sel&Btr								
Basswood	RW		5,997 (8')	2,689 (9'-10')	1,372 (11'-12')			10,058

4/4 Sel&Btr	sap&btr		574 (6'-8')	1,020 (9'-10')				
Birch	RW		1,980 (8')	2,050 (9'-10')	215 (11'-12')			5,839
4/4 1 Com	sap&btr							
Birch	RW		220 (5'-8')	464 (9'-10')				684

4/4 Sel&Btr	90/90 Red							
Cherry	5.0" & wdr		501 (8')	638 (9'-10')	940 (11'-12')			2,079
4/4 Sel&Btr	90/50 Red							
Cherry	5.0" & wdr	1,326 (6')			1,084 (11'-12')			2,410
4/4 1 Com								
Cherry	RW	604 (4'-5')						604
4/4 2 Com								
Cherry	RW	1,144 (4'-6')	17,710 (4'-8')	11,398 (9'-10')	3,795 (11'-12')			34,047

5/4 Sel&Btr	90/50 Red C							
Cherry	RW		943 (7'-8')					943
5/4 Sel&Btr	90/50 Red							
Cherry	RW		354 (8')		627 (11'-12')			981
5/4 Sel&Btr	80/50 Red							
Cherry	RW			437 (9'-10')	1,222 (11'-12')			1,659
5/4 Sel&Btr	sappy							
Cherry	RW		386 (8')					386
5/4 1 Com	unsel							
Cherry	RW	37 (4'-5')	1,903 (6'-8')	1,523 (9'-10')	168 (12')			3,631
5/4 2 Com	unsel							
Cherry	RW		6,106 (4'-8')	4,197 (9'-10')	1,745 (11'-12')			12,048

6/4 Sel&Btr								
Cherry	RW		2,770 (7')					
Cherry	RW		8,867 (8')	11,181 (9'-10')	1,799 (11'-12')	736 (13'-14')		25,353
6/4 Sel&Btr	sappy							
Cherry	RW		801 (8')					801
6/4 1 Com								
Cherry	RW	84 (5'-6')	938 (4'-8')	832 (7'-8')	316 (9'-10')	476 (11'-12')		2,646
6/4 2 Com								
Cherry	RW		479 (6'-8')	189 (9'-10')	62 (12')			730

8/4 Sel&Btr	90/80 Red							
Cherry	RW			2,279 (9'-10')				2,279
8/4 Sel&Btr								
Cherry	RW		416 (8')	1,310 (9'-10')				1,726
8/4 1 Com								
Cherry	RW		942 (6'-8')	139 (10')				2,553

12/4 Sel&Btr Cherry RW			700 (7'-8')				700
---------------------------	--	--	-------------	--	--	--	-----

4/4 Sel&Btr Hard Maple	# 1 white RW			dressed 15/16" 360 (9'-10')			360
4/4 Sel&Btr Hard Maple	# 1&2 white RW			dressed 15/16" 1,492 (9'-10')			1,492
4/4 Sel&Btr Hard Maple	# 1&2 white 4.0 - 4.99"			931 (9'-10')	222 (11'-12')		1,153
4/4 Sel&Btr Hard Maple	# 1&2 white 5.0 - 5.49"			834 (9'-10')			834
4/4 Sel&Btr Hard Maple	# 1&2 white 5.49" & und		1,963 (8')		2,023 (11'-12')		3,986
4/4 Sel&Btr Hard Maple	# 1&2 white 5.5 - 6.99"		4,750 (7'-8')	4,334 (9'-10')	1,377 (11'-12')		10,461
4/4 Sel&Btr Hard Maple	# 1&2 white 5.5 - 9.9"			6,311 (9'-10')	2,161 (11'-12')		8,472
4/4 Sel&Btr Hard Maple	# 1&2 white 6.5 & wdr			2,422 (9'-10')			2,422
4/4 Sel&Btr Hard Maple	# 1&2 white 7.0 - 7.74"		1,741 (7'-8')	1,792 (9'-10')			3,533
4/4 Sel&Btr Hard Maple	# 1&2 white 9.0 - 9.9"		1,204 (7'-8')	1,163 (9'-10')	292 (11'-12')		2,659
4/4 Sel&Btr Hard Maple	# 1&2 white 10.0" & wdr		1,348 (7'-8')	2,110 (9'-10')			3,458
4/4 Sel&Btr Hard Maple	sap&btr RW		1,991 (8')	1,203 (9'-10')			3,195
4/4 Sel&Btr Hard Maple	sap&btr 4.0 - 4.99"		858 (8')	2,024 (9'-10')			2,882
4/4 Sel&Btr Hard Maple	sap&btr 4.5 - 5.45"		823 (8')				823
4/4 Sel&Btr Hard Maple	sap&btr 5.0 - 5.49"			1,046 (9'-10')			1,046
4/4 Sel&Btr Hard Maple	sap&btr 5 - 6"			1,086 (9'-10')			1,086
4/4 Sel&Btr Hard Maple	sap&btr 5.5 - 6.49"			1,238 (9'-10')	160 (11'-12')		1,398
4/4 Sel&Btr Hard Maple	sap RW		1,141 (6'-8')	1,665 (9'-10')	295 (11'-12')		3,101
4/4 Sel&Btr Hard Maple	brown RW		1,851 (6'-8')	4,786 (9'-10')	1,443 (11'-12')		8,080
4/4 Cabinet Hard Maple	RW			dressed 15/16" 1,464 (9'-10')			1,464
4/4 1 Com Hard Maple	sap&btr RW		18,548 (6'-8')	14,007 (9'-10')	7,659 (11'-12')	1,527 (13'-14')	41,741
4/4 1 Com Hard Maple	sap&btr 5.5" & wdr			15,557 (9'-10')	648 (11'-12')		16,205
4/4 1 Com Hard Maple	sap&btr 5.75 - 6.49"		3,538 (4'-8')	2,781 (9'-10')	1,237 (11'-12')		7,556

4/4 1 Com	sap&btr							
Hard Maple	6.5" & und			13,980	(9'-10')	1,520	(11'-12')	15,500
4/4 1 Com	sap&btr							14,994
Hard Maple	6.51" & wdr		749	(4'-8')	14,245	(9'-10')		

5/4 Sel&Btr	#1 white							1,199
Hard Maple	RW			1,199	(9'-10')			
5/4 Sel&Btr	# 1&2 white	74	(6')	4,831	(7'-8')			34,792
Hard Maple	RW	4,670	(7')	14,896	(8')	6,953	(9'-10')	3,368
5/4 Sel&Btr	sap&btr							778
Hard Maple	RW	778	(6')					
5/4 Sel&Btr	sap							615
Hard Maple	RW			146	(7'-8')	304	(9'-10')	165
5/4 1 Com	sap&btr							6,396
Hard Maple	7.49" und			3,009	(6'-8')	2,597	(9'-10')	790
5/4 1 Com	sap&btr							8,148
Hard Maple	7.5" wdr			4,111	(6'-8')	2,780	(9'-10')	1,257
5/4 2 Com								124
Hard Maple	RW			39	(8')	85	(9'-10)	

6/4 Sel&Btr	# 1 white			1,707	(7')			16,595
Hard Maple	RW			4,173	(8')	10,715	(9'-10')	
6/4 Sel&Btr	# 1&2 white							8,261
Hard Maple	RW			2,803	(8')	1,650	(9'-10')	3,808
6/4 Sel&Btr	sap							298
Hard Maple	RW					298	(11'-12')	
6/4 1 Com	sap&btr							26,566
Hard Maple	RW			9,197	(4'-8')	12,731	(9'-10')	4,638
6/4 2 Com								5,997
Hard Maple	RW			2,019	(6'-8')	2,806	(9'-10')	1,172
6/4 Outs								105
Hard Maple	RW					105	(9'-10')	

8/4 Sel&Btr	# 1 white							1,053
Hard Maple	RW			1,053	(8')			
8/4 Sel&Btr	# 1&2 white							25,298
Hard Maple	RW			5,458	(8')	19,410	(9'-10')	430
8/4 Sel&Btr	sap							4,112
Hard Maple	RW			4,112	(8')			
8/4 1 Com	sap/btr							18,127
Hard Maple	RW			4,047	(6'-8')	9,669	(9'-10')	4,411
8/4 1 Com	sap							1,150
Hard Maple	RW			383	(8')	342	(10')	425
8/4 2 Com								10,486
Hard Maple	RW			3,007	(4'-8')	5,418	(9'-10')	2,061

4/4 Sel&Btr	90/80 Hrtwood							11,686
Hickory	RW			4,400	(6'-8')	5,249	(9'-10')	2,037
4/4 Sel&Btr	unsel							2,192
Hickory	4.89" & und			1,225	(6'-8')	967	(9'-10')	

4/4 Sel&Btr Hickory	unsel 4.9 - 6.99"		4,351 (6'-8')	4,504 (9'-10')	1,851 (11'-12')		10,706
4/4 Sel&Btr Hickory	unsel 7.0" & wdr		1,920 (6'-8')	2,189 (9'-10')			4,109
4/4 1 Com Hickory	unsel RW		200 (7'-8')				200
4/4 1 Com Hickory	4.89" & und		2,552 (4'-8')	901 (9'-10')	538 (11'-12')		3,991
4/4 1 Com Hickory	4.9 - 6.99"		5,046 (4'-8')	7,029 (9'-10')	3,235 (11'-12')		15,310
4/4 1-3 Com Hickory	4.99" & und				1,465 (11'-12')		1,465
4/4 1&2 Com Hickory	7.5" & wdr		9,524 (6'-8')	10,146 (9'-10')	4,011 (11'-12')		23,681
4/4 2 Com Hickory	RW	114 (4'-5')	15,069 (6'-8')	14,291 (9'-10')	4,457 (11'-12')		33,931

5/4 Sel&Btr Hickory	RW	95 (6')					95
5/4 1 Com Hickory	RW		1,162 (6'-8')	1,287 (9'-10')	525 (11'-12')	214 (14'-16')	4,287

4/4 Sel&Btr Poplar	Bright RW		3,879 (9'-10')		2,170 (13'-14')		6,049
4/4 Sel&Btr Poplar	Bright 10" & wdr		1,108 (9'-10')				1,108
4/4 Sel&Btr Poplar	Stain RW			2,116 (9'-10')	329 (11'-12')	5,110 (11'-12')	8,121
8/4 Sel&Btr Poplar	Bright RW		136 (8')	3,085 (11'-12')	2,851 (11'-12')		6,072

4/4 Sel&Btr Red Oak	Wheat RW	dressed 15/16" 3,739 (8')	dressed 15/16" 9,274 (9'-10')	dressed 15/16" 11,953 (9'-10')	dressed 15/16" 5,533 (11'-12')		30,499
4/4 Sel&Btr Red Oak	Rift RW			1,230 (9'-10')			1,230
4/4 Sel&Btr Red Oak	dressed RW	dressed 15/16" 3,290 (7'-8')	dressed 15/16" 746 (9')	dressed 15/16" 5,593 (9'-10')			9,630
4/4 Sel&Btr Red Oak	rough RW	517 (6')	2,979 (8')	3,872 (9'-10')	1,116 (11'-12')	837 (14'-16')	9,321
4/4 Sel&Btr Red Oak	4.0 - 5.0"		1,653 (8')				1,653
4/4 Sel&Btr Red Oak	4.0 - 5.49"			1,005 (9'-10')			1,005
4/4 Sel&Btr Red Oak	5.5 - 5.9"			761 (10')			761
4/4 Sel&Btr Red Oak	6.0" & wdr			1,225 (9'-10')	423 (11'-12')		1,648
4/4 Sel&Btr Red Oak	6.0 - 7.6"			1,190 (10')			1,190
4/4 Sel&Btr Red Oak	7.75 - 9.49"			1,068 (9'-10')			1,068

4/4 Sel&Btr									
Red Oak	9.5" & wdr			1,172	(10')				1,172
4/4 1 Com			3,570	(7'-8')	8,636	(9'-10')			16,632
Red Oak	5.49" & und		2,265	(7'-8')	2,161	(9'-10')			

5/4 Sel&Btr		939	(6')	1,063	(8')		1,401	(11'-12')		6,711
Red Oak	RW	58	(8')	2,046	(8')		1,204	(11'-12')		
5/4 1 Com										4,628
Red Oak	RW			308	(6'-8')	2,312	(9'-10')	2,008	(11'-12')	

6/4 Sel&Btr				3,173	(8')	1,364	(11')	1,567	(12')	4,333	(11'-12')	22,434
Red Oak	RW	172	(6')	3,846	(9'-10')	1,502	(11'-12')	3,604	(11'-12')	2,873	(13'-16')	
6/4 2 Com												952
Red Oak	RW			298	(6'-8')	654	(9'-10')					

8/4 Sel&Btr				3,681	(6'-8')	3,880	(9'-10')					29,697
Red Oak	RW	1,911	(8')	3,728	(9'-10')	651	(9'-10')	14,495	(11'-12')	1,351	(15'-16')	
8/4 1 Com												125
Red Oak	RW					125	(8'-10')					
8/4 2 Com												233
Red Oak	RW			157	(6'-8')			76	(12')			

10/4 Sel&Btr												349
Red Oak	RW					349	(10')					

6/4 Sel&Btr	Plain Sawn	twisted					732	(13')	228	(15')		2,410
Sapelli	RW	126	(8')			549	(11'-12')	329	(14')	446	(16')	
8/4 Sel&Btr	Plain Sawn								747	(13'-14')		4,614
Sapelli	RW			373	(8')	704	(9'-10')	750	(11'-12')	2,040	(15'-16')	
4/4 Sel&Btr	Qtrd											4,476
Sapelli	RW					1,395	(10')	2,607	(11')	474	(15')	
4/4 Sel&Btr	Qtrd											542
Sapelli	7.75 - 10.5"					542	(10')					
6/4 Sel&Btr	Qtrd			516	(8')	1,154	(10')	1,812	(13')	1,162	(15')	8,798
Sapelli	RW			291	(9')	1,583	(12')	753	(14')	1,527	(16')	
8/4 Sel&Btr	Qtrd							1,034	(11'-12')	1,034	(14'-15')	5,621
Sapelli	RW			683	(8')			1,742	(13')	1,128	(15'-16')	

4/4 Sel&Btr				1,974	(8')							5,532
Soft Maple	RW			2,065	(7'-8')	1,492	(9'-10')					
4/4 Sel&Btr	unsel											8,524
Soft Maple	RW					1,178	(9'-10')	7,346	(11'-12')			
4/4 1 Com AD												4,777
Soft Maple	RW			4,777	(4'-8')							
4/4 PR WHND												9,476
Soft Maple	RW			9,476	(6'-8')							
4/4 1CB WHND						1,165	(9')					6,951
Soft Maple	RW					4,357	(9'-10')	1,429	(11'-12')			

5/4 Sel&Btr												10,565
Soft Maple	RW			5,964	(6'-8')	3,227	(9'-10')	1,374	(11'-12')			

5/4 1 Com							18,760
Soft Maple	RW		7,617 (6'-8')	7,014 (9'-10')	4,129 (11'-12')		
5/4 PR WHND							55,634
Soft Maple	RW		25,729 (6'-8')	22,001 (9'-10')	7,904 (11'-12')		
5/4 1CB WHND							324
Soft Maple	RW			324 (9')			
5/4 2 Com WHND							584
Soft Maple	RW	584 (4'-6')					

6/4 1 Com				1,290 (9'-10')			2,229
Soft Maple	RW		349 (7'-8')	590 (9'-10')			
6/4 1CB WHND							26,187
Soft Maple	RW		458 (5'-8')	24,234 (9'-10')	1,495 (11'-12')		

8/4 Sel&Btr			4,635 (6'-8')	6,162 (9'-10')	1,601 (11'-12')	592 (11'-12')	22,028
Soft Maple	RW		4,124 (7'-8')	2,600 (9'-10')	2,314 (11'-12')		
8/4 1 Com				543 (9')	1,495 (11'-12')		12,040
Soft Maple	RW		1,292 (7'-8')	4,821 (9'-10')	3,889 (11'-12')		
8/4 PR WHND		dressed 1-3/4"	dressed 1-3/4"				307
Soft Maple	RW	162 (8')	145 (10'-12')				
8/4 1CB WHND							5,821
Soft Maple	RW			5,821 (9'-10')			

10/4 Sel&Btr				277 (9'-10')			1,801
Soft Maple	RW		195 (7'-8')	1,329 (9'-10')			
10/4 1 Com							15,254
Soft Maple	RW			8,842 (9'-10')	6,412 (11'-12')		
10/4 2CB WHND							6,487
Soft Maple	RW		1,662 (7'-8')		4,825 (11'-12')		

12/4 Sel&Btr				440 (9')	430 (11'-12')	335 (13'-14')	5,802
Soft Maple	RW			3,017 (10')	1,275 (11'-12')	304 (16')	
12/4 1 Com				1,174 (9')		1,243 (13'-14')	9,394
Soft Maple	RW			5,874 (10')	266 (11'-12')	837 (15'-16')	
12/4 2CB WHND		dressed - HVY		2,558 (9'-10')			7,430
Soft Maple	RW	1,088 (8'-10')	850 (6'-8')	1,353 (9'-10')	1,582 (11'-12')		

4/4 Sel&Btr	90/80 black						4,139
Walnut	RW		1,864 (8')	974 (9'-10')	1,301 (11'-12')		
4/4 Sel&Btr	90/80 ro rules	586 (6')	2,541 (7')				15,967
Walnut	RW	866 (6'-7')	5,842 (8')	4,166 (9'-10')	1,880 (11'-12')	86 (13'-14')	
4/4 Sel&Btr	rift&qtrd						4,924
Walnut	RW		2,490 (7'-8')	2,083 (9'-10')	351 (11')		
4/4 Sel&Btr							7,926
Walnut	RW	341 (6')	1,917 (8')	926 (10')	2,891 (12')	1,850 (13'-16')	
4/4 Sel&Btr							4,003
Walnut	4.89" & und		2,031 (7'-8')	1,137 (9'-10')	835 (11'-12')		
4/4 Sel&Btr							6,621
Walnut	4.9 - 5.749"		2,855 (7'-8')	2,248 (9'-10')	1,518 (11'-12')		
4/4 Sel&Btr							4,098
Walnut	5.75 - 6.49"		3,165 (7'-8')		933 (11'-12')		

4/4 Sel&Btr								834
Walnut	5.75 - 6.99"		834 (6'-8')					
4/4 Sel&Btr								3,246
Walnut	6.5" & wdr		1,274 (8')	798 (9'-10')	1,174 (11'-12')			
4/4 1 Com								145
Walnut	RW		45 (8')	65 (9'-10')	35 (11'-12')			
4/4 1 Com								8,272
Walnut	5.75 - 6.99"		3,241 (4'-8')	3,211 (9'-10')	1,820 (11'-12')			
4/4 1 Com								902
Walnut	5.75 - 7.49"		902 (4'-8')					
4/4 2 Com								11,275
Walnut	RW	372 (4'-5')	3,418 (4'-8')	5,622 (9'-10')	1,096 (11'-12')	767 (13'-16')		

5/4 Sel&Btr	100/80 ro rules							1,498
Walnut	RW			953 (9'-10')	545 (11'-12')			

6/4 Sel&Btr	100/80 ro rules		631 (7')					14,322
Walnut	RW		3,363 (8')	5,580 (9'-10')	3,592 (11'-12')	1,156 (13'-14')		
6/4 Sel&Btr	90/80 black						196 (13'-15')	196
Walnut	RW							
6/4 Sel&Btr			1,532 (7')					14,412
Walnut	RW		5,604 (8')	5,418 (9'-10')	1,496 (11'-12')	362 (13'-14')		
6/4 1 Com								2,228
Walnut	RW		889 (6'-8')	836 (9'-10')	503 (11'-12')			
6/4 2 Com								111
Walnut	RW		111 (6'-8')					

8/4 Sel&Btr	90/80 ro rules	dressed 1-15/16"	830 (7')					5,069
Walnut	RW	267 (6')	2,762 (8')	571 (9'-10')		639 (13'-16')		
8/4 Sel&Btr	90/80 black							775
Walnut	RW			517 (9'-10')	258 (11'-12')			
8/4 Sel&Btr	ro rules	dressed 1-15/16"						21,335
Walnut	RW	823 (11'-12')	5,896 (8')	13,089 (9'-10')	1,527 (11'-12')			
8/4 Sel&Btr	WAL rules							2,232
Walnut	RW			791 (9'-10')	1,441 (11'-12')			
8/4 Sel&Btr		dressed 1-15/16"	1,758 (7')	1,933 (9')				8,354
Walnut	RW	425 (9'-10')	773 (8')	3,465 (10')				
8/4 1 Com								5,643
Walnut	RW		1,698 (5'-8')	3,945 (9'-10')				
8/4 2 Com								8,283
Walnut	RW		4,854 (6'-8')	1,855 (9'-10')	1,382 (11'-12')	192 (13'-16')		

4/4 Sel&Btr	plain sawn							8,204
White Oak	RW	815 (6'-7')	1,868 (6'-8')	2,793 (9'-10')	2,728 (11'-12')			
4/4 Sel&Btr	plain sawn							1,640
White Oak	5.0 - 5.6"		999 (8')		641 (11'-12')			
4/4 Sel&Btr	plain sawn		2,021 (7')					2,972
White Oak	5.0 - 5.74"		610 (8')	341 (9'-10')				
4/4 Sel&Btr	plain sawn		3,587 (7')					7,743
White Oak	5.75 - 6.4"	2,057 (6')	2,099 (6'-8')					

4/4 Sel&Btr White Oak	plain sawn 5.75 - 6.9"				671 (11'-12')		671
4/4 Sel&Btr White Oak	plain sawn 8.0 - 8.9"		593 (6'-8')	559 (9'-10')	230 (11'-12')		1,382
4/4 1 Com White Oak	plain sawn RW		598 (4'-8')	435 (9'-10')	401 (11'-12')		1,434
4/4 1 Com White Oak	plain sawn 6.5 - 7.49"		1,504 (4'-8')	1,246 (9'-10')			2,750
4/4 2 Com White Oak	plain sawn RW		373 (4'-8')	95 (9'-10')	339 (11'-12')		807
4/4 2 Com White Oak	plain sawn 5.5 - 6.49"		700 (6'-8')				700
4/4 2 Com White Oak	plain sawn 6.5 - 7.49"		836 (6'-8')	4,438 (9'-10')	1,821 (11'-12')		7,095
4/4 2 Com White Oak	plain sawn 9.0" & wdr		973 (7'-8')				973
4/4 3 Com White Oak	plain sawn RW			517 (9'-10')			517
5/4 Sel&Btr White Oak	plain sawn RW		698 (7') 2,134 (8')	1,086 (8') 3,536 (9'-10')	1,022 (11'-12')		8,476
5/4 Outs White Oak	plain sawn RW		420 (6'-9')		102 (12')		522
6/4 Sel&Btr White Oak	plain sawn RW		1,046 (6'-8') 1,002 (8')	3,396 (9'-10')	3,109 (11'-12')		8,553
8/4 Sel&Btr White Oak	plain sawn RW			736 (9'-10')	2,104 (11'-12')	743 (13'-14')	3,583
10/4 Sel&Btr White Oak	plain sawn RW			1,345 (9'-10')			1,345

4/4 Sel&Btr White Oak	rift RW		367 (6'-7')	764 (8')			1,131
4/4 Sel&Btr White Oak	rift 4.0 - 5.49"		76 (6'-8')				76
5/4 Sel&Btr White Oak	rift RW		952 (7')	552 (9'-10')	1,658 (11'-12')		3,162

4/4 Sel&Btr White Oak	qtrd 4.5 - 5.625"		85 (7'-8')				85
4/4 Sel&Btr White Oak	qtrd 7.0 - 7.74"				457 (11'-12')		457
4/4 Sel&Btr White Oak	qtrd 9.0" & wdr			224 (9'-10')	123 (11'-12')		347
5/4 Sel&Btr White Oak	qtrd RW	dressed 1-3/16"	112 (6'-7') 84 (7')	2,440 (7'-8')	3,395 (9'-10')	1,396 (11'-12')	7,427
6/4 Sel&Btr White Oak	qtrd RW			1,320 (9'-10')	1,267 (11'-12')		2,587
8/4 Sel&Btr White Oak	qtrd RW		71 (6') 461 (7')	852 (7'-8')			1,313

4/4 1 Com White Oak	rift&qtrd RW		729 (4'-8')	676 (9'-10')			1,405
------------------------	-----------------	--	-------------	--------------	--	--	-------