



DESCRIPTION:

- 100% Acrylic coating formulated to form a protective and decorative surface on concrete pool decks.
- May be applied to unpainted concrete or over old paint if it is properly bonded to the surface.
- Formulated to be highly resistant to the pool chemical environment.
- Solid color, eggshell sheen brings new life to concrete pool decks.
- Not recommended for vehicle traffic or garage floors.

ORDERING:

- Available in 1 gallon cans and 5 gallon buckets.
- Coverage Rate: approximately 200 sq. ft., per coat, over porous concrete.

PRODUCT	NO	SIZE	UPC	Case Size (L x W x H)	Case Qty.	Pallet Qty.
SEE PRODUCT DETAILS ON PAGE 3						

STORAGE & HANDLING:

- **Warning!** If you scrape, sand, or remove old paint, you may release lead dust. Lead is toxic. Exposure to lead dust can cause serious illness, such as brain damage. Especially in children. Pregnant women should also avoid exposure. Wear an NIOSH-approved respirator to control lead exposure.
- To avoid breathing vapors and spray mist, open windows and doors or use other means to ensure fresh air entry during application and drying.
- If you experience eye watering, headaches or dizziness, increase fresh air.
- A dust mask does not provide protection against vapors.
- Use only with adequate ventilation.
- Wash thoroughly after handling.
- Clean up carefully with a HEPA vacuum and a wet mop.
- **KEEP AWAY FROM CHILDREN.**
- **KEEP FROM FREEZING**
- **FIRST AID: In case of skin contact**, wash thoroughly with soap and water. If any product remains, gently rub petroleum jelly, vegetable or mineral/baby oil onto skin, then wash again with soap and water. Repeated applications may be needed. Remove contaminated clothing. **For eye contact**, flush immediately with large amounts of water, for at least 15 minutes. **If swallowed**, get medical attention immediately. **If inhalation causes physical discomfort**, move to fresh air. **If discomfort persists** or any breathing difficulty occurs, get medical help.

PRECAUTIONS:

- Before you start, find out how to protect yourself and your family by contacting the **National Lead Information Hotline at 1-800-424-LEAD or log on to www.epa.gov/lead.**
- **Warning! Irritant!** Harmful if swallowed, when tinted, contains ethylene glycol which can cause severe kidney damage when ingested and has been shown to cause birth defects in laboratory animals.
- Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.
- May cause eye, nose and throat irritation.
- Do not take internally.
- Do not breathe vapors or spray mist.
- Avoid contact with skin and eyes. Wear eye protection and protective clothing.
- **For emergency information call (800) 545-2643.**
- For additional safety information, refer to the Safety Data Sheet for this product.
- If properly used, a respirator may offer additional protection. Obtain professional advice before using.
- Close container after each use.



WARNING: This product can expose you to chemicals including Titanium Dioxide and Magnesium Aluminum Silicate, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

9020 POOL DECK CONCRETE STAIN


PROPERTIES	
Weight per Gallon	10.49 lbs.
Color(s)	See chart below
Gloss	Eggshell
VOC Content	48 Grams per Liter (cal.)
Viscosity	75 KU @ 75° F
Solid Content by Weight	40.0%
Solid Content by Volume	32.7%
Resin	100% Acrylic
Flash Point	None
Dry Time @ 70° F & 50% RH Drying times are influenced by ambient temperature and relative humidity.	<ul style="list-style-type: none"> Allow 4 hours drying time between coats. 2 coats are recommended

- New concrete should be at least 45 days old, prior to coating to reduce the possibility of the occurrence of efflorescence.
- Some surfaces such as inclined and wet areas may require a slip resistant additive for safety. Add Anvil #9102 Talon Grip Slip Resistant Additive to the final coat.

APPLICATION

- Hand stir product thoroughly before application.
- To ensure uniform color, all containers of the same color must be intermixed and stirred periodically during application.
- Apply in thin multiple coats by brush, roller or spray.
- Avoid heavy application resulting in runs, ponding, flood coating or puddling
- Two thin coats are recommended.
- Do not dilute.
- Do not apply if the threat of rain is imminent or if the air/surface temperature is expected to be below 50° F within the first 24 hours of application.
- Do not apply in extreme heat of day or in direct hot sunlight.

COLORS:



CLEANUP:

Clean immediately with warm, soapy water.

DIRECTIONS FOR USE AND SURFACE PREPARATION

- Proper preparation will ensure maximum adhesion, durability, and uniform coloration.
- The pool deck surface must be clean and free of all wax, suntan oils, grease, mildew and all other surface contaminants.
- To clean pool deck surface, use Anvil #1450 Concrete & Masonry Cleaner & Etcher.
- Rinse thoroughly with plenty of clean water, allow to dry COMPLETELY.
- Glossy surfaces must be dulled.
- Anvil #1750 Grip-Tite Bonding Primer should be used to achieve maximum possible adhesion.
- Algae bacteria and mildew must be removed prior to using Anvil Pool Deck Coating. Use ordinary household bleach at a ratio of (1) part bleach to (1) part water. Scrub thoroughly and rinse thoroughly, allow to dry.

9020 POOL DECK CONCRETE STAIN

PRODUCT	NO	SIZE	UPC	Case Size (L x W x H)	Case Qty.	Pallet Qty.
9020 POOL DECK STAIN WHITE TB	902001	1G	760428902019	14" x 14" x 8"	4	54 Cases
9020 POOL DECK STAIN WHITE TB	902005	5G	760428902057	12" x 12" x 15"	1	36 Cases
9025 POOL DECK STAIN BEACH SAND	902501	1G	760428902514	14" x 14" x 8"	4	54 Cases
9025 POOL DECK STAIN BEACH SAND	902505	5G	760428902552	12" x 12" x 15"	1	36 Cases
9026 POOL DECK STAIN SABLE GRAY	902601	1G	760428902613	14" x 14" x 8"	4	54 Cases
9026 POOL DECK STAIN SABLE GRAY	902605	5G	760428902651	12" x 12" x 15"	1	36 Cases
9027 POOL DECK STAIN ADOBE	902701	1G	760428902712	14" x 14" x 8"	4	54 Cases
9027 POOL DECK STAIN ADOBE	902705	5G	760428902750	12" x 12" x 15"	1	36 Cases
9028 POOL DECK STAIN NAVAJO BUFF	902801	1G	760428902811	14" x 14" x 8"	4	54 Cases
9028 POOL DECK STAIN NAVAJO BUFF	902805	5G	760428902859	12" x 12" x 15"	1	36 Cases