



Cherry Forest Products
Lumber - Dimensional - Veneer

Cherry Forest Products

24 Kerr Crescent, Puslinch, ON N0B 2J0

P - 519-763-1466 F - 519-763-7353

info@cherryforest.ca www.cherryforest.ca



The mark of responsible forestry

May 13-2019

Species & Grade	FBM	Length	FBM	Length	FBM	Length	FBM	Length	FBM	Length	Total (GRS)
4/4 Sel&Btr <i>rift/qtrd</i>											763
ASH RW					763	(9'-10')					
4/4 Sel&Btr W1F											622
ASH 6.0 - 7.49"			622	(7'-8')							
4/4 Sel&Btr											957
ASH 4.0 - 5.49"	957	(6')									
4/4 Sel&Btr											520
ASH 5.5 - 7.49"			520	(8')							
4/4 Sel&Btr											11,934
ASH 7.5" & wdr			5,805	(8')	4,662	(9'-10')	1,467	(11'-12')			
4/4 1 Com											10,283
ASH RW			1,936	(6'-8')	8,347	(9'-10')					
4/4 1 Com											7,664
ASH 7.5" & wdr			2,828	(6'-8')	4,836	(9'-10')					

5/4 Sel&Btr <i>rift/qtrd</i>											929
Ash RW					929	(9'-10')					
5/4 Sel&Btr			3,739	(8')	2,111	(9'-10')	3,469	(10')			13,611
Ash RW	620	(7')	2,090	(9')	357	(9'-10')	1,225	(11'-12')			
5/4 1 Com											235
Ash RW									235	(13'-14')	
5/4 2 Com											733
Ash RW					733	(9'-10')					

6/4 Outs											4,735
Ash RW			3,253	(6'-8')	1,128	(9'-10')	354	(11'-12')			

8/4 Sel&Btr											16,370
Ash RW	129	(6')			14,796	(9'-10')	1,445	(11'-12')			
8/4 Outs											2,027
Ash RW			468	(6'-8')	1,216	(9'-10')	343	(11'-12')			

4/4 Sel&Btr											1,928
Aspen RW	893	(6')			1,035	(9'-10')					

5/4 Sel&Btr			1,786	(7')							11,291
Basswood RW			7,384	(8')			2,121	(11'-12')			
5/4 2 Com											2,742
Basswood RW			1,208	(6'-8')	909	(9'-10')	625	(11'-12')			

4/4 Sel&Btr <i>sap&btr</i>											358
Birch RW					358	(9'-10')					

4/4 Sel&Btr Cherry	90/50 Red RW		465 (7'-8')	2,330 (9'-10')	1,084 (11'-12')		3,879
4/4 Sel&Btr Cherry	80/50 Red 5.0" & wdr		1,122 (8')	477 (9'-10')			1,599
4/4 Sel&Btr Cherry	Sappy RW		671 (8')		409 (11'-12')		1,080
4/4 1 Com Cherry	RW		7,343 (6'-8')	5,520 (9'-10')	887 (11'-12')		13,750
4/4 2 Com Cherry	RW		3,746 (4'-8')	2,269 (9'-10')	1,140 (11'-12')		7,155

5/4 Sel&Btr Cherry	90/50 Red A RW		1,903 (8')				1,903
5/4 Sel&Btr Cherry	90/50 Red RW	dressed 1-3/16" 428 (9'-10')					428
5/4 Sel&Btr Cherry	80/50 Red RW	139 (6')	407 (7')	1,007 (8')			1,553
5/4 1 Com Cherry	unsel RW	37 (4'-5')	1,341 (6'-8')	953 (9'-10')			2,331
5/4 2 Com Cherry	unsel RW		5,939 (4'-8')	4,134 (9'-10')	1,691 (11'-12')		11,764

6/4 Sel&Btr Cherry	RW	88 (6')	430 (7')	1,743 (8')	2,385 (9'-10')	736 (13'-14')	5,382
6/4 1 Com Cherry	RW		322 (7'-8')		98 (12')		420
6/4 2 Com Cherry	RW		76 (8')	37 (9'-10')			113

8/4 Sel&Btr Cherry	RW	34 (6')	209 (7')	2,149 (8')	3,044 (9'-10')		5,436
8/4 1 Com Cherry	RW		942 (6'-8')	1,472 (9'-10')	139 (10')		2,553

4/4 Sel&Btr Hard Maple	# 1&2 white 9.5" & wdr				692 (11'-12')		692
4/4 Sel&Btr Hard Maple	sap&btr RW		2,967 (8')	1,203 (9'-10')			4,171
4/4 Sel&Btr Hard Maple	brown RW	dressed 15/16" 318 (9'-10')	523 (6'-8')				841
4/4 1 Com Hard Maple	sap&btr 6.5" & und		1,766 (4'-8')				1,766
4/4 1 Com Hard Maple	sap&btr 6.6" & wdr		3,387 (6'-8')				3,387
4/4 123 Com Hard Maple	7.5 - 9.49" RW			6,351 (9'-10')	3,965 (11'-12')		10,316
4/4 2 Com Hard Maple	RW		4,478 (6'-8')	2,025 (9'-10')	1,833 (11'-12')		8,336

5/4 Sel&Btr Hard Maple	# 1&2 white RW		4,831 (7'-8')	768 (9'-10')			5,599
---------------------------	-------------------	--	---------------	--------------	--	--	-------

5/4 1 Com	sap&btr							627
Hard Maple	RW			627	(9'-10')			

6/4 Sel&Btr	# 1&2 white		2,104	(7')	2,811	(9'-10')			13,959
Hard Maple	RW	452	(6')	4,730	(8')	2,907	(9'-10')	955	(11'-12')
6/4 Sel&Btr	sap								1,422
Hard Maple	RW			75	(8')	1,347	(9'-10')		
6/4 1 Com	sap&btr								14,946
Hard Maple	RW			5,512	(4'-8')	5,916	(9'-10')	3,518	(11'-12')
6/4 2 Com									3,625
Hard Maple	RW			1,336	(6'-8')	1,507	(9'-10')	782	(11'-12')
6/4 Outs									228
Hard Maple	RW			123	(7'-8')	105	(9'-10')		

8/4 Sel&Btr	# 1 white				3,046	(9')			8,605
Hard Maple	RW			2,464	(8')	3,095	(9'-10')		
8/4 Sel&Btr	# 1 white								62
Hard Maple	5.5 - 6.49"					62	(9'-10')		
8/4 Sel&Btr	# 1&2 white								3,052
Hard Maple	RW			3,052	(8')				
8/4 Sel&Btr	sap/btr								2,641
Hard Maple	RW					2,641	(10')		
8/4 Sel&Btr	S2W								1,441
Hard Maple	RW					1,441	(9')		
8/4 1 Com	sap/btr								11,802
Hard Maple	RW			4,080	(6'-8')	6,455	(9'-10')	1,267	(11'-12')
8/4 2 Com									5,682
Hard Maple	RW			1,607	(4'-8')	3,046	(9'-10')	1,029	(12')

4/4 Sel&Btr	80/70 Hrtwood							1,324	(11'-12')	1,324
Hickory	RW							1,324	(11'-12')	
4/4 Sel&Btr	90/70 Hrtwood									1,052
Hickory	6.5" & wdr					484	(9'-10')	568	(11'-12')	
4/4 Sel&Btr	unsel									1,871
Hickory	4.89" & und			1,045	(6'-8')	826	(9'-10')			
4/4 1 Com	unsel									385
Hickory	RW							385	(13'-16')	
4/4 1 Com										3,594
Hickory	4.89" & und			1,520	(4'-8')	1,295	(9'-10')	779	(11'-12')	

5/4 1 Com										1,291	
Hickory	RW					247	(9'-10')	830	(11'-12')	214	(14'-16')

4/4 Sel&Btr	Stain									657
Poplar	RW					657	(11'-12')			
5/4 Sel&Btr	Stain									4,321
Poplar	RW					4,321	(11'-12')			
8/4 Sel&Btr	Stain							403	(13'-14')	4,053
Poplar	RW							3,650	(13'-14')	
12/4 Sel&Btr										1,180
Poplar	RW	948	(7'-8')			232	(11'-12')			

4/4 Sel&Btr	Wheat			dressed 15/16"				
Red Oak	RW			14,882	(9'-10')			14,882
4/4 Sel&Btr	Rift							
Red Oak	RW			1,230	(9'-10')	796	(11'-12')	2,026
4/4 Sel&Btr	dressed	dressed 15/16"	dressed 15/16"	dressed 15/16"	dressed 15/16"			
Red Oak	RW	1,057	(7'-8')	746	(9')	10,424	(9'-10')	4,589
4/4 Sel&Btr	rough	1,644	(6')	1,555	(7'-8')	775	(9')	
Red Oak	RW	3,699	(7')	5,423	(8')	6,609	(9'-10')	19,705
4/4 Sel&Btr	rough			2,295	(9')	3,797	(10')	
Red Oak	RW	2,997	(8')	4,892	(9'-10')	1,929	(11')	3,622
						4,190	(12')	439
								927
4/4 Sel&Btr				2,943	(8')			
Red Oak	4.0 - 5.0"			2,789	(7'-8')			265
								(13'-16')
4/4 Sel&Btr						951	(9'-10')	
Red Oak	10.0" & wdr					330	(9'-10')	1,281
4/4 1 Com								
Red Oak	5.0 - 5.49"			658	(4'-8')			658
4/4 1 Com								
Red Oak	7.5" & wdr			1,807	(4'-8')	5,621	(9'-10')	2,493
								(11'-12')
								313
								(13'-16')
4/4 2 Com								
Red Oak	5.5 - 6.99"					252	(9'-10')	252
4/4 2 Com		dressed 15/16"						
Red Oak	6.0 - 6.75"	1,083	(5'-8')	3,130	(6'-8')	5,631	(9'-10')	9,844
4/4 2 Com								
Red Oak	7.5 - 9.9"	438	(4'-6')	2,428	(6'-8')	4,219	(9'-10')	2,131
								(11'-12')

5/4 Sel&Btr								
Red Oak	RW	1,611	(6')	988	(7')	1,076	(7'-8')	7,488
								(9')
5/4 Sel&Btr	9.5" & wdr							
Red Oak	RW			689	(8')	3,375	(9'-10')	4,064
5/4 1 Com								
Red Oak	RW					2,452	(9'-10')	2,452
5/4 2 Com								
Red Oak	RW	191	(6')			779	(9'-10')	970
5/4 Outs								
Red Oak	RW	42	(5')	930	(4'-8')	1,033	(9'-10')	570
								(11'-12')

6/4 Sel&Btr								
Red Oak	RW					1,977	(9')	
						2,436	(9'-10')	4,441
								(11'-12')
6/4 2 Com								
Red Oak	RW			163	(6'-8')	519	(9'-10')	682

8/4 Sel&Btr		dressed 1-15/16"						
Red Oak	RW	1,025	(11'-12')	347	(6')	1,827	(10')	1,552
								(11'-12')
								834
								(13')
								920
								(13'-14')
8/4 1 Com								
Red Oak	RW			1,382	(4'-8')	3,515	(9'-10')	1,779
								(11'-12')
8/4 2 Com								
Red Oak	RW			157	(6'-8')	520	(9'-10')	76
								(12')

4/4 Sel&Btr	Plain Sawn							
Sapelli	RW	466	(6'-7')					466

4/4 Sel&Btr	Qtrd		262 (7')					
Sapelli	RW		813 (8')				2,456 (14')	3,531
6/4 Sel&Btr	Qtrd							
Sapelli	RW					1,228 (14')		1,228
8/4 Sel&Btr	Qtrd							
Sapelli	RW					575 (12'-16')		575

4/4 Sel&Btr								
Soft Maple	RW		2,917 (7'-8')					2,917
4/4 1 Com AD								
Soft Maple	RW		1,829 (4'-8')			1,748 (11'-12')		3,577
4/4 PR WHND								
Soft Maple	RW		21,175 (6'-8')					21,175
4/4 1CB WHND								
Soft Maple	RW			14,370 (9'-10')				14,370
4/4 1C WHND								
Soft Maple	RW		7,416 (6'-8')					7,416

5/4 Sel&Btr								
Soft Maple	RW			1,899 (9'-10')		1,032 (11'-12')		2,931
5/4 1 Com								
Soft Maple	RW		2,616 (4'-8')	3,400 (9'-10')		2,296 (11'-12')		8,312
5/4 PR WHND								
Soft Maple	RW		4,480 (6'-8')					4,480
5/4 1 Com WHND		dressed 1-1/8"						
Soft Maple	RW	118 (9'-10')						118
5/4 1&2 Com WHND								
Soft Maple	RW	2,042 (4'-5')	4,882 (6'-8')	9,410 (9'-10')		4,458 (11'-12')		20,792

6/4 Sel&Btr								
Soft Maple	RW	143 (6'-7')						143
6/4 1 Com								
Soft Maple	RW		2,372 (6'-8')	816 (9'-10')			290 (13'-14')	3,478
6/4 PR WHND								
Soft Maple	RW			101 (9'-10')		6,371 (11'-12')		6,472
6/4 1CB WHND								
Soft Maple	RW		20,216 (5'-8')	21,319 (9'-10')		3,005 (11'-12')		44,540
6/4 1CB WHND TWIST / BOW								
Soft Maple	RW		1,559 (6'-8')	2,800 (9'-10')		1,114 (11'-12')		5,473
6/4 1&2 Com WHND								
Soft Maple	RW					6,770 (11'-12')	1,286 (13'-14')	8,056
6/4 2 Com WHND								
Soft Maple	RW		17,633 (6'-8')	9,442 (9'-10')		958 (11'-12')		28,033
6/4 OUTS								
Soft Maple	RW		860 (6'-8')	455 (9'-10')		534 (11'-12')		1,849

8/4 1 Com		dressed 1-7/8"						
Soft Maple	RW	271 (8')	1,064 (6'-8')	346 (9'-10')				1,681
8/4 1CB WHND								
Soft Maple	RW	63 (4'-5')	11,102 (7'-8')	1,323 (9'-10')				12,488

8/4 2C WHND								
Soft Maple	RW		3,210 (5'-8')	2,952 (9'-10')	1,548 (11'-12')			7,710

10/4 1 Com								1,340
Soft Maple	RW			1,340 (9'-10')				
10/4 2CB WHND								4,974
Soft Maple	RW		563 (7'-8')		4,411 (11'-12')			

12/4 Sel&Btr								1,041
Soft Maple	RW				1,041 (11'-12')			
12/4 2CB WHND								1,925
Soft Maple	RW					1,925 (13'-16')		

4/4 Sel&Btr	90/80 ro rules		848 (7')					4,777
Walnut	RW	866 (6'-7')	2,025 (8')	1,038 (9'-10')				
4/4 Sel&Btr	ro rules - unsel							637
Walnut	7.0" & wdr	dressed 15/16"						
		637 (8'-10')						
4/4 Sel&Btr	rift&qtrd							6,422
Walnut	RW		2,490 (7'-8')	3,581 (9'-10')	351 (11')			
4/4 Sel&Btr		545 (6'-7')	254 (7'-8')					2,818
Walnut	4.89" & und	276 (7')	457 (8')	904 (9'-10')	382 (11'-12')			
4/4 Sel&Btr								4,025
Walnut	7.0" & wdr		332 (7')	1,462 (9'-10')	1,299 (11'-12')	932 (13'-14')		
4/4 Sel&Btr			1,025 (7')					1,625
Walnut	8.5" & wdr	199 (6')	401 (8')					
4/4 1 Com								592
Walnut	RW					592 (13'-16')		
4/4 1 Com								568
Walnut	4.99" und		451 (5'-8')			117 (11'-12')		
4/4 1 Com			3,305 (4'-8')					14,924
Walnut	5.74" & und	700 (4'-5')	4,389 (6'-8')	4,735 (9'-10')	1,795 (11'-12')			
4/4 2 Com								6,275
Walnut	RW	47 (4'-5')	970 (7'-8')	4,565 (9'-10')			693 (13'-16')	
4/4 2 Com								1,565
Walnut	7.49" & und	213 (4'-5')		1,352 (9'-10')				
4/4 2 Com								2,141
Walnut	7.5" & wdr		1,645 (5'-8')	496 (9'-10')				

5/4 Sel&Btr	100/80 ro rules							1,472
Walnut	RW	184 (6')	1,288 (8')					
5/4 Sel&Btr			477 (6'-8')					2,546
Walnut	RW		1,591 (8')	379 (9'-10')	99 (11'-12')			

6/4 Sel&Btr	100/80 ro rules		60 (7')					5,873
Walnut	RW		2,805 (8')	3,008 (9'-10')				
6/4 Sel&Btr	ro rules							576
Walnut	RW			576 (9')				
6/4 Sel&Btr			480 (7')					585
Walnut	RW		105 (8')					
6/4 1 Com								440
Walnut	RW		115 (8')	325 (8'-10')				

8/4 Sel&Btr	90/80 ro rules		1,424 (7')	899 (9')				13,338
Walnut	RW		4,141 (8')	3,755 (9'-10')	2,480 (11'-12')	639 (13'-16')		
8/4 Sel&Btr	ro rules							15,949
Walnut	RW		4,389 (7'-8')	10,020 (9'-10')	1,540 (11'-12')			
8/4 Sel&Btr	WAL rules							1,595
Walnut	RW			1,425 (9'-10')	170 (11'-12')			
8/4 Sel&Btr								3,429
Walnut	RW		1,043 (7'-8')	2,386 (9'-10')				
8/4 1 Com								5,962
Walnut	RW		2,401 (6'-8')	3,561 (9'-10')				
8/4 2 Com								8,621
Walnut	RW	340 (4'-5')	4,312 (6'-8')	2,395 (9'-10')	1,382 (11'-12')	192 (13'-16')		

4/4 Sel&Btr	plain sawn	checking						1,143
White Oak	RW	941 (6'-10')				202 (13'-14')		
4/4 Sel&Btr	plain sawn							512
White Oak	4.0 - 4.89"		512 (7'-8')					
4/4 Sel&Btr	plain sawn							1,788
White Oak	5.0 - 5.6"		1,788 (7'-8')					
4/4 Sel&Btr	plain sawn							515
White Oak	5.0 & wdr		515 (6'-8')					
4/4 Sel&Btr	plain sawn							237
White Oak	6.25" & und				237 (11'-12')			
4/4 Sel&Btr	plain sawn							364
White Oak	7.75 - 8.9"		364 (7'-8')					
4/4 Sel&Btr	plain sawn							2,786
White Oak	9.0 - 10.4"		649 (7'-8')	2,137 (9'-10')				
4/4 Sel&Btr	plain sawn							149
White Oak	9.0 - 10.75"					149 (13'-16')		
4/4 Sel&Btr	plain sawn							1,044
White Oak	10" & wdr		316 (6'-8')	728 (9'-10')				
4/4 Sel&Btr	plain sawn							7,667
White Oak	10.5" & wdr		2,840 (6'-8')	2,445 (9'-10')	2,295 (11'-12')	87 (13')		
4/4 2 Com	plain sawn							2,319
White Oak	5.24" und			2,319 (9'-10')				
4/4 2 Com	plain sawn							2,289
White Oak	5.5 - 6.49"		2,289 (4'-8')					
4/4 2 Com	plain sawn							3,381
White Oak	6.5 - 7.49"		1,665 (4'-8')	1,115 (9'-10')	601 (11'-12')			

5/4 Sel&Btr	plain sawn							1,374
White Oak	RW	373 (6')	1,001 (7'-8')					
5/4 1 Com	plain sawn							2,189
White Oak	RW		908 (6'-8')	804 (9'-10')		477 (13'-14')		
5/4 Outs	plain sawn							455
White Oak	RW		353 (6'-9')		102 (12')			

6/4 Sel&Btr	plain sawn							7,296
White Oak	RW		2,919 (6'-8')	1,058 (9'-10')	2,117 (11'-12')	432 (13'-14')	486 (15'-16')	

8/4 Sel&Btr	plain sawn								
White Oak	RW				828	(11'-12')	743	(13'-14')	1,572
8/4 Sel&Btr	rift	174	(6')		1,280	(9')			8,092
White Oak	RW	784	(7')	1,692	(7'-8')	2,104	(10')	2,058	(11'-12')
4/4 Sel&Btr	qtrd								189
White Oak	5.74" & und		189	(6'-8')					
4/4 Sel&Btr	qtrd								883
White Oak	7.0 - 7.74"					883	(11'-12')		
5/4 Sel&Btr	qtrd - S2S	dressed 1-3/16"							196
White Oak	RW	84	(7')	112	(6'-7')				
6/4 Sel&Btr	qtrd				882	(9')			5,886
White Oak	RW		2,417	(8')	1,320	(9'-10')	1,267	(11'-12')	
8/4 Sel&Btr	qtrd	dressed 1-15/16"	914	(7'-8')	1,005	(9'-10')			8,168
White Oak	RW	451	(8')	3,717	(6'-8')	2,081	(9'-10')		
4/4 1 Com	rift&qtrd								1,727
White Oak	RW		729	(4'-8')	676	(9'-10')	322	(11'-12')	