



Cherry Forest Products
Lumber - Dimensional - Veneer

Cherry Forest Products

24 Kerr Crescent, Puslinch, ON N0B 2J0

P - 519-763-1466 F - 519-763-7353

info@cherryforest.ca www.cherryforest.ca



The mark of
responsible forestry

Mar 12-2018

Species & Grade	FBM	Length	FBM	Length	FBM	Length	FBM	Length	FBM	Length	Total (GRS)
5/4 Sel&Btr											
Ash RW			191	(8')			3,217	(11'-12')			3,408
5/4 1 Com											378
Ash RW			103	(8')	128	(9'-10')	147	(11'-12')			
5/4 2 Com											1,493
Ash RW			804	(7'-8')	380	(9'-10')	309	(11'-12')			

6/4 Sel&Btr											2,994
Ash RW	100	(6')			1,393	(9'-10')	1,501	(11'-12')			
6/4 2 Com											456
Ash RW			293	(5'-8')	163	(10')					

8/4 Sel&Btr											1,027
Ash RW							1,027	(11'-12')			
8/4 2 Com											2,107
Ash RW			928	(6'-8')	1,179	(9'-10')					

4/4 Sel&Btr											1,613
Aspen RW	1,613	(6'-7')									

5/4 Sel&Btr											164
Basswood RW	164	(6'-8')									

4/4 2 Com											2,622
Cherry RW	280	(4'-5')	774	(5'-8')	1,366	(9'-10')	202	(11'-12')			

5/4 Sel&Btr	90/50 Red										2,219
Cherry RW		920	(6'-7')			1,299	(9'-10')				

6/4 Sel&Btr	90/80 Red										2,220
Cherry RW				1,358	(8')			862	(11'-12')		

8/4 Sel&Btr	90/80 Red										7,729
Cherry RW				724	(8')	4,667	(9'-10')	2,338	(11'-12')		

4/4 Sel&Btr	# 1&2 white										1,611
Hard Maple RW		770	(6')	841	(7')						
4/4 Sel&Btr	# 1&2 white			572	(7')						1,876
Hard Maple	6.5 - 9.9"	330	(6')	974	(8')						
4/4 Sel&Btr	# 1&2 white										555
Hard Maple	9.0 - 9.9"					555	(9'-10')				

4/4 Sel&Btr	sap&btr						
Hard Maple	4.5 - 4.99"		491 (6'-8')		127 (11'-12')		618
4/4 Sel&Btr	sap&btr						2,234
Hard Maple	5.0 - 5.749"		1,252 (6'-8')	834 (9'-10')	148 (11'-12')		
4/4 Sel&Btr	sap&btr						1,750
Hard Maple	5.75 - 6.49"		880 (6'-8')	707 (9'-10')	163 (11'-12')		
4/4 Sel&Btr	sap&btr						1,209
Hard Maple	10.0" & wdr		253 (8')	867 (9'-10')	89 (11'-12')		
4/4 1 Com	sap&btr			1,336 (9'-10')			4,485
Hard Maple	RW		1,952 (6'-8')	247 (9'-10')	950 (11'-12')		
4/4 1 Com	sap&btr						1,160
Hard Maple	5.0 - 5.49"			1,160 (9'-10')			
4/4 1 Com	sap&btr						147
Hard Maple	5.5 - 6.4"			147 (10')			
4/4 1 Com	sap&btr						7,938
Hard Maple	5.99" & und		3,089 (5'-8')	3,597 (9'-10')	1,252 (11'-12')		
4/4 2 Com							21,876
Hard Maple	RW		5,673 (5'-8')	11,223 (9'-10')	4,980 (11'-12')		

5/4 Sel&Btr	brown						
Hard Maple	RW			42 (10')			42
5/4 2 Com							3,198
Hard Maple	RW		239 (5'-8')		2,959 (11'-12')		

6/4 Sel&Btr	# 1&2 white						
Hard Maple	RW	331 (6')	1,218 (7')				1,549
6/4 1 Com							12,094
Hard Maple	RW		2,672 (6'-8')	6,407 (9'-10')	3,015 (11'-12')		
6/4 1 Com	sap						120
Hard Maple	RW		120 (6'-8')				
6/4 2 Com							2,090
Hard Maple	RW		828 (6'-8')	683 (9'-10')	579 (11'-12')		

8/4 Sel&Btr	# 1&2 white	dressed 1-15/16"	153 (7')				
Hard Maple	RW	229 (8')	7,875 (8')	3,665 (9'-10')	1,141 (11'-12')		13,063
8/4 1 Com	# 1&2 white						6,672
Hard Maple	RW		2,407 (6'-8')	3,022 (9'-10')	1,243 (11'-12')		
8/4 1 Com	sap/btr						7,182
Hard Maple	RW		3,754 (5'-8')	1,928 (9'-10')	1,418 (11'-12')	82 (13'-16')	
8/4 2 Com							11,068
Hard Maple	RW		4,758 (6'-8')	3,520 (9'-10')	2,439 (11'-12')	351 (13'-16')	

4/4 Sel&Btr	90/80 Hrtwood						
Hickory	RW				935 (11'-12')		935
4/4 1C&Btr							7,840
Hickory	5.0 - 5.99"		2,687 (4'-8')	2,671 (9'-10')	2,482 (11'-12')		
4/4 1-3 Com					1,374 (11')	996 (13'-14')	41,943
Hickory	4.99" & und	76 (4'-5')	14,325 (4'-8')	10,556 (9'-10')	8,227 (11'-12')	6,389 (13'-16')	
4/4 1-3 Com							13,666
Hickory	5.0 - 6.49"			5,983 (9'-10')	7,683 (11'-12')		

4/4 1-3 Com							1,970
Hickory	9.5" & wdr		653 (4'-8')	1,317 (9'-10')			
4/4 2 Com							1,067
Hickory	RW					1,067 (13'-16')	
4/4 2 Com							7,849
Hickory	5.0 - 5.99"	526 (4'-6')	2,388 (4'-8')	2,394 (9'-10')	1,351 (11'-12')	1,190 (13'-16')	
4/4 Outs/Frame	dressed			932 (5'-10')			4,322
Hickory	RW	140 (4'-6')	1,173 (6'-8')	866 (9'-10')	979 (11'-12')	232 (13'-16')	

5/4 Sel&Btr							3,462
Hickory	RW	55 (6')	390 (7')		3,017 (11'-12')		
5/4 1 Com							620
Hickory	RW		95 (5'-8')		525 (11'-12')		

4/4 Sel&Btr	Bright						2,113
Poplar	RW	738 (7')			1,375 (11'-12')		
4/4 Sel&Btr	Stain			1,828 (11'-12')	1,260 (13'-14')	1,343 (15'-16')	15,834
Poplar	RW	2,986 (7'-8')	1,785 (9'-10')	2,057 (11'-12')	1,526 (13'-14')	3,049 (15'-16')	
5/4 Sel&Btr	Stain						4,230
Poplar	RW	2,295 (7'-8')			841 (13'-14')	1,095 (15'-16')	
7/4 Sel&Btr	Stain						9,250
Poplar	RW	1,672 (7'-8')	1,136 (9'-10')	1,559 (11'-12')	966 (13'-14')	3,917 (15'-16')	
8/4 Sel&Btr	Stain						602
Poplar	RW		204 (9'-10')	398 (11'-12')			

4/4 Sel&Btr	Wheat		dressed 15/16"				834
Red Oak	RW		834 (8')				
4/4 Sel&Btr	Rift		2,865 (7'-8')				15,861
Red Oak	RW	22 (6')	2,024 (8')	11,100 (9'-10')	2,603 (11'-12')	112 (13')	
4/4 Sel&Btr	Qtrd		953 (7'-8')				7,775
Red Oak	RW		2,380 (8')	4,061 (9'-10')	1,334 (11'-12')		
4/4 Sel&Btr	R&Q						829
Red Oak	RW	829 (6'-7')					
4/4 Sel&Btr	dressed		dressed 15/16"	dressed 15/16"			16,533
Red Oak	RW		6,245 (8')	10,288 (9'-10')			
4/4 Sel&Btr	rough			3,436 (9'-10')			8,750
Red Oak	RW		2,472 (7')	2,274 (10')		568 (13'-14')	
4/4 Sel&Btr							4,018
Red Oak	5.75 - 6.99"		1,679 (6'-8')	2,213 (9'-10')		126 (13'-16')	
4/4 Sel&Btr							12,175
Red Oak	7.0 - 9.9"			9,931 (9'-10')	2,244 (11'-12')		
4/4 Sel&Btr							3,331
Red Oak	10.0" & wdr		400 (8')	1,865 (9'-10')	1,066 (11'-12')		
4/4 1 Com	Wheat		dressed 15/16"	dressed 15/16"			6,492
Red Oak	RW		4,566 (7'-8')	1,926 (9'-10')			
4/4 1 Com	Rift/Qtrd						17,206
Red Oak	RW	699 (4'-6')	5,715 (4'-8')	8,647 (9'-10')	1,997 (11'-12')	148 (13')	
4/4 1 Com		dressed 15/16"	918 (4'-6')			2,014 (13'-14')	34,386
Red Oak	RW	2,990 (7'-8')	5,706 (7'-8')	19,535 (9'-10')	3,451 (11'-12')	690 (13'-15')	

4/4 1 Com						
Red Oak	4.0 - 4.99"		787 (4'-8')			787
4/4 1 Com						
Red Oak	5.0 - 5.49"		950 (7'-8')		632 (11'-12')	1,582
4/4 1 Com						
Red Oak	6.0 - 6.99"			139 (9'-10')		139
4/4 1 Com						
Red Oak	7.5" & wdr		7,378 (7'-8')	14,195 (9'-10')	6,697 (11'-12')	28,270

5/4 Sel&Btr			3,413 (7')	1,709 (9')	12,789 (10')	1,130 (11')	
Red Oak	RW		988 (8')	2,340 (9')	1,235 (10')	4,132 (12')	27,736
5/4 Sel&Btr	4.0 - 5.0"						
Red Oak	RW			474 (9'-10')			474
5/4 Sel&Btr	10.0" & wdr						
Red Oak	RW			5,855 (9'-10')	4,084 (11'-12')		9,939
5/4 1 Com		dressed 1-3/16"					
Red Oak	RW	1,000 (7'-8')	2,275 (6'-8')	3,504 (9'-10')	1,775 (11'-12')		8,554
5/4 2 Com							
Red Oak	RW		486 (6'-8')	439 (9'-10')	157 (11'-12')		1,082

6/4 Sel&Btr			1,966 (7')	1,235 (9')	1,408 (11')		
Red Oak	RW	274 (6')	4,971 (8')	478 (10')	2,426 (12')	2,823 (13'-16')	15,581
6/4 1 Com		dressed					
Red Oak	RW	527 (10')	77 (7')	653 (9')	117 (11'-12')		1,374
6/4 2 Com							
Red Oak	RW		493 (7'-8')	479 (10')			972

8/4 FAS							
Red Oak	RW				2,766 (11')	1,824 (13'-14')	4,590
8/4 Sel&Btr							
Red Oak	RW		4,926 (8')	3,314 (9')	1,198 (11')	879 (15'-16')	26,524
8/4 Sel&Btr							
Red Oak	RW				1,476 (11')	890 (13'-14')	3,427
8/4 1 Com							
Red Oak	RW		2,640 (7'-8')	3,548 (9'-10')	943 (11'-12')	438 (13'-14')	7,569

4/4 Sel&Btr	Plain Sawn			283 (9')			
Sapelli	RW			582 (10'-11')	1,074 (11'-12')	2,528 (13')	4,467
4/4 1 Com	Plain Sawn						
Sapelli	RW		Twist 57 (6'-8')				57
8/4 Sel&Btr	Plain Sawn						
Sapelli	RW		390 (7')				390
4/4 Sel&Btr	Qtrd		1,742 (8')	1,617 (10'-11')	316 (13')		
Sapelli	RW		1,259 (10')	1,666 (13')	1,095 (14')	699 (15')	8,394
5/4 Sel&Btr	Qtrd						
Sapelli	RW			897 (10')	1,074 (12')		1,971
6/4 Sel&Btr	Qtrd						
Sapelli	RW			841 (9')			841
8/4 Sel&Btr	Qtrd						
Sapelli	RW		624 (7')	926 (10')	1,096 (11')		2,646

4/4 Sel&Btr		789 (6')	3,259 (7')	240 (6'-8')	1,264 (10')		
Soft Maple	RW	200 (6')	1,051 (8')	2,475 (7'-8')	1,434 (11'-12')		9,923
4/4 1 Com AD							
Soft Maple	RW		3,892 (7'-8')				3,892
4/4 1CB WHND							
Soft Maple	RW		12,952 (6'-8')	4,993 (9'-10')	1,232 (11'-12')		19,177
4/4 1CB WHND	dressed 15/16"	dressed 15/16"	dressed 15/16"	dressed 15/16"			
Soft Maple	RW	1,785 (6'-8')	1,717 (9'-10')	3,389 (11'-12')			6,891

5/4 Sel&Btr							
Soft Maple	RW	422 (6'-7')	1,956 (8')	3,164 (9'-10')	873 (11'-12')	213 (13'-14')	6,628
5/4 1 Com							
Soft Maple	RW		1,242 (5'-8')				1,242
5/4 PR WHND							
Soft Maple	RW		6,124 (6'-8')	1,249 (9'-10')			7,373
5/4 1 Com WHND	dressed 1-1/8"						
Soft Maple	RW	215 (9'-10')					215
5/4 1&2 Com WHND							
Soft Maple	RW			2,396 (9'-10')		3,417 (13'-14')	5,813
5/4 OUTS							
Soft Maple	RW				624 (11'-12')		624

6/4 Sel&Btr							
Soft Maple	RW		10,400 (6'-8')	4,157 (9'-10')	578 (11'-12')		15,135
6/4 1 Com							
Soft Maple	RW		1,873 (6'-8')	5,717 (9'-10')			7,590
6/4 1CB WHND							
Soft Maple	RW		23,355 (6'-8')	17,827 (9'-10')	12,697 (11'-12')	2,891 (13'-14')	56,770
6/4 1CB WHND	TWIST / BOW						
Soft Maple	RW		1,857 (8')				1,857

8/4 Sel&Btr							
Soft Maple	RW		3,445 (6'-8')				3,445
8/4 1 Com	dressed 1-7/8"						
Soft Maple	RW	166 (7'-8')	2,992 (6'-8')		560 (11'-12')	554 (13'-14')	4,272
8/4 1C WHND	dressed 1-3/4"						
Soft Maple	RW	296 (12')					296
8/4 1CB WHND							
Soft Maple	RW		1,847 (6'-8')				1,847
8/4 2CB WHND							
Soft Maple	RW	397 (4'-7')	7,058 (7'-8')	5,200 (9'-10')	702 (11'-12')	3,539 (13'-16')	16,895
8/4 2C WHND	dressed 1-3/4"						
Soft Maple	RW	252 (11'-12')	1,566 (7'-8')	398 (9'-10')		926 (13'-14')	3,142

10/4 Sel&Btr							
Soft Maple	RW			2,661 (9'-10')	4,790 (11'-12')		7,451
10/4 1 Com							
Soft Maple	RW			1,267 (9'-10')	1,479 (11'-12')		2,747

10/4 2CB WHND						
Soft Maple RW		2,817 (5'-8')	3,772 (9'-10')	4,573 (11'-12')		11,162
10/4 OUTS						
Soft Maple RW		141 (7'-8')				141

12/4 Sel&Btr						
Soft Maple RW			726 (9'-10')	4,364 (11'-12')	921 (13'-16')	6,011
12/4 1 Com						
Soft Maple RW		1,080 (4'-8')	2,018 (9'-10')	3,029 (11'-12')	1,710 (13'-16')	7,838
12/4 2CB WHND						
Soft Maple RW			7,885 (9'-10')			7,885

4/4 Sel&Btr ro rules - unsel						
Walnut RW		1,851 (7'-8')				1,851
4/4 Sel&Btr rift&qtrd				351 (11')		
Walnut RW		2,470 (7'-8')	3,794 (9'-10')	1,002 (11'-12')		7,617
4/4 Sel&Btr	dressed 15/16"					
Walnut RW	341 (8')					341
4/4 Sel&Btr		585 (7')				
Walnut 6.5" & wdr	620 (6')	1,146 (6'-8')				2,351
4/4 Sel&Btr		2,359 (7')				
Walnut 7.0" & wdr	1,308 (6')	1,906 (8')				5,573
4/4 1 Com						
Walnut RW			1,061 (9'-10')			1,061
4/4 1 Com						
Walnut 5.0 - 5.99"		774 (4'-8')	1,637 (9'-10')			2,411
4/4 2 Com						
Walnut RW	2,246 (4'-5')	12,201 (6'-8')	28,881 (9'-10')	7,235 (11'-12')		50,563

5/4 Sel&Btr						
Walnut RW		861 (7')		880 (11'-12')		1,741
5/4 1 Com						
Walnut RW		1,396 (4'-8')	742 (9'-10')	715 (11'-12')		2,853
5/4 2 Com						
Walnut RW	309 (4'-5')					309

6/4 Sel&Btr ro rules						
Walnut RW		1,355 (8')				1,355
6/4 Sel&Btr MX rules						
Walnut RW	707 (6')	1,750 (7')				2,457

8/4 Sel&Btr 90/80 ro rules		83 (7')	545 (9')			
Walnut RW		3,436 (8')	7,284 (9'-10')	4,577 (11'-12')		15,297
8/4 Sel&Btr 90/80 black						
Walnut RW				647 (11'-12')		647
8/4 Sel&Btr ro rules - unsel		3,073 (7')				
Walnut RW		8,015 (8')	12,424 (9'-10')	1,861 (11'-12')		25,373
8/4 Sel&Btr WAL rules						
Walnut RW		1,078 (7')	1,583 (9'-10')			2,661

8/4 Sel&Btr	MX rules						
Walnut	RW		2,358 (7')				2,358
8/4 1 Com							
Walnut	RW		3,982 (5'-8')	4,939 (9'-10')	1,034 (11'-12')		9,955

10/4 Sel&Btr	ro rules - unsel						
Walnut	RW			937 (9'-10')			937

4/4 Sel&Btr	plain sawn						
White Oak	RW			700 (9'-10')		998 (13'-16')	1,698
4/4 Sel&Btr	plain sawn						
White Oak	4.0 - 4.99"		239 (6'-8')	538 (9'-10')			777
4/4 Sel&Btr	plain sawn						
White Oak	5.0 - 5.74"		539 (7'-8')	2,209 (9'-10')		980 (13'-14')	3,728
4/4 Sel&Btr	plain sawn						
White Oak	5.75 - 6.4"			1,133 (9'-10')			1,133
4/4 Sel&Btr	plain sawn						
White Oak	6.76 - 7.74"		882 (7'-8')	1,587 (9'-10')			2,469
4/4 Sel&Btr	plain sawn						
White Oak	9.0" & wdr	164 (6')	1,424 (6'-8')	4,948 (9'-10')	2,204 (11'-12')	965 (13'-14')	9,705
4/4 Sel&Btr	plain sawn						
White Oak	10.0" & wdr		389 (6'-8')	1,855 (9'-10')			2,244
4/4 1 Com	plain sawn		635 (6'-8')	3,054 (9'-10')			
White Oak	RW	1,457 (6'-7')	899 (8')	3,352 (10')	1,291 (12')	1,446 (13'-14')	12,134

5/4 Sel&Btr	plain sawn		365 (7')	1,848 (9'-10')		735 (13'-14')	
White Oak	RW	68 (6')	300 (8')	7,982 (9'-10')	1,906 (11'-12')	117 (13'-14')	13,321
5/4 1 Com	plain sawn						
White Oak	RW		378 (6'-8')	833 (9'-10')	304 (11'-12')		1,515
5/4 2 Com	plain sawn						
White Oak	RW		349 (6'-8')	834 (9'-10')	259 (11'-12')		1,442

6/4 Sel&Btr	plain sawn						
White Oak	RW			1,903 (9'-10')	533 (11')		2,436

8/4 Sel&Btr	plain sawn						
White Oak	RW		2,082 (8')		1,522 (11'-12')		3,603

4/4 Sel&Btr	rift						
White Oak	5.0 - 5.75"		596 (8')		1,141 (11'-12')		1,737
4/4 Sel&Btr	rift						
White Oak	6.5 - 7.9"		787 (7')				787
4/4 Sel&Btr	rift						
White Oak	7.0 - 7.6"		465 (6'-7')				465
4/4 Sel&Btr	rift						
White Oak	7.75 - 10.4"			748 (9'-10')			748
4/4 Sel&Btr	rift						
White Oak	10.5" wdr			100 (9'-10')			100

6/4 Sel&Btr	rift						
White Oak	RW		807 (8')	5,343 (9'-10')	1,493 (11'-12')		7,643
8/4 Sel&Btr	rift	dressed 1-15/16"	174 (6')				
White Oak	RW	173 (8')	784 (7')	2,001 (9'-10')		679 (13'-15')	3,811
5/4 Sel&Btr	qtrd - S2S	dressed 1-3/16"	dressed 1-3/16"	112 (6'-7')	2,712 (9'-10')		
White Oak	RW	1,036 (7'-8')	1,276 (9'-10')	605 (8')	1,286 (11'-12')		7,027
6/4 Sel&Btr	qtrd						
White Oak	RW		3,082 (8')	5,767 (9'-10')	1,555 (11'-12')		10,404
8/4 Sel&Btr	qtrd	dressed 1-15/16"					
White Oak	RW	451 (8')	2,519 (6'-8')				2,970
4/4 Sel&Btr	rift&qtrd						
White Oak	7.75 - 10.4"			3,654 (9'-10')	2,101 (11'-12')	680 (13'-16')	6,435
4/4 Sel&Btr	rift&qtrd						
White Oak	10.5" & wdr		1,215 (6'-8')	787 (9'-10')	1,991 (11'-12')		3,993
6/4 1 Com	rift&qtrd						
White Oak	RW	43 (4'-6')	37 (7'-8')	95 (9'-10')			175