

CATALOG 2016-2017

UPGRADE Z-GLIDE TOOL



Upgrade from standard scallop floor tool to the new z-glide floor tool. Sold Separately | 14" Z-Glide with brush 900-0027



16-Gallon Wet/Drv



NEW MODELS | NOW SHIPPING | NOW AVAILABLE

PRO-STYLE LID



Available by popular demand. The pro-style lid is available on all mosquito backpacks and private label.



Super HEPA



Floor Sander/ **Construction**



Spotter



Wet/ Dry



12-Gallon **Extractor**



Automotive 12-Gallon Extractor



Trash Liners / Trash **Receptacles & Dock Boxes**



"My name is Montgomery Bisson; founder, designer and president of Mosquito company. After 21 years of designing and building vacuums, I've watched my competitors and myself succumb to the greed of off-shore manufacturing. Today our country is vulnerable, our talent unemployed, and profits empowering foreign competition. If you care, buy American. If you want power, quality and the longest warranty in the industry buy American-made Mosquito products!"

YOUR AUTHORIZED MOSQUITO DEALER

15651 Container Lane | Huntington Beach, CA 92649 | 714-899-9600 Fax 714-899-1373 | www.mosquito-america.com



TABLE OF CONTENTS



6 & 10-Quart Backpack ... 2-6



1200psi Hard Surface ... 18 Extractor



Low Amp Vacuum ... 4



Automotive 12-Gallon ... 19-20 Extractor



Construction Vacuum ... 7



Trash/Rigid Liners ... 21



3-Gallon Spotter ... 8-10



Deluxe Receptacles ... 22



16-Gallon Wet/Dry ... 11-12



Dock/Storage Boxes ... 23-24



12- Gallon Extractor... 13-17



Super HEPA New Improved 3.0

MOSQUITO SUPER HEPA 3.0 GOLD

BACKPACKS VACUUMS

New waist belt
New switch location
New switch thermal shut-off
Now with thermal shut-off
New reusable motor gasket

Vacuum 60% faster with the Mosquito Super HEPA Backpack Vacuum. Extremely high air-flow speeds your cleaning, increasing productivity, reducing costs and effort.

Great for use in schools, office buildings, hospitals and high traffic areas. Highly effective in removing fine dust particles embedded deep in the carpet fibers.

Mosquito's Ultra-Cool HEPA Backpack Just Got Cooler!




MOSQUITO 3.0 GOLD HEPA BACKPACK

Available in 6 & 10-Quart Vacuums

Standard Green Standard Red







Super HEPA Carpet, Hard Floor, General Cleaning

Vacuum 60% faster with the Super Mosquito HEPA. Extremely high air-flow speeds your cleaning, increasing productivity, reducing costs and effort. Great for use in schools, office buildings, hospitals and high traffic areas. Highly effective in removing fine dust and particles embedded deep in the carpet fibers.

Mosquito Super Vac Fact Super HEPA Vacuums have a motor that has thermal protection. If under any circumstance the motor exceeds its working temperature the vacuum will shut-off until it cools. This eliminates any chance of motor damage.

10-Quart Weight: 10.8 lbs Airflow: 152 CFM Static Lift: 101 in Power: 1328w Amperage: 11.4amp

Decibel: 67dB Filtration: Quad with HEPA

6-Quart

Weight: 9.8 lbs Airflow: 152 CFM Static Lift: 101 in Power: 1328w Amperage: 11.4amp Decibel: 67dB


Filtration: Quad with HEPA





New Optional 90° Lid







Standard S-bend wand 7-piece tool kit

Includes 54" S-bend aluminum wand, 14" scalloped floor tool, 14" nylon floor tool, 3" natural fiber dusting brush, 5" upholstery tool, 11" crevice tool



Aviation / Transportation HEPA

The Aviation and Transportation Mosquito HEPA with a 400hz motor uses the same power source found on aircraft, trains, busses, and more. No adapters needed. Just plug-in and speed clean. Choose from our 10-quart or 6-quart models depending on the available work space and capacities needed.

10-Quart

Weight: 10.8 lbs Airflow: 150 CFM Static Lift: 100 in Power: 1328w Amperage: 9.9amp Decibel: 66dB

Filtration: Quad with HEPA

6-Quart

Weight: 9.8 lbs Airflow: 150 CFM Static Lift: 100 in Power: 1328w Amperage: 9.9amp Decibel: 66dB

Filtration: Quad with HEPA



6 & 10-QUART BACKPACK VACUUMS

Mosquito's 3.0 Gold HEPA Backpack Vacuums are simply the finest Backpack Vacuums available today. Our design team has set a new industry standard with the Mosquito 3.0 Gold. Our new enhancement to the Mosquito 3.0 Gold simply eliminated our competitors from the category. Compare Mosquito's features, benefits and warranty to any competitor and the decision is obvious. Designed, manufactured and assembled in the U.S.A.



Made in the USA: 24% NOW 92% of the 38 parts in our vacuum are U.S. manufactured

Warranty: "BEST IN THE INDUSTRY" Lifetime on

body, 7 years on motor, pigtail and switch.

Power: Exceeds or meets all competitors vacuums.

Quality: Our warranty says it all. The longest

warranty in the industry.

Value: American quality with offshore pricing.

HEPA: Mosquito only sells HEPA filtered vacuums. Fine particulates are a carcinogen. Check your filter regularly.

Private Labeling: Small or large quantities.

Sizes: 6 and 10 quart

Models: Super, XLT, Construction and Aviation.

Colors: Available in solid and granite colors.



Tandard Standard Stan

Mosquito's Ultra-Cool HEPA Backpack Just Got Cooler!

Mosquito 3.0 Gold Backpack



NEW HEPA dome label. adds awareness to our health features.



NEW pigtail cord bulk head for added protection, and new easy to use switch location.



NEW exhaust filter now quieter with a hard neoprene cover. Stays cleaner and is washable.



NEW wider, longer shoulder straps with added cushion for the ultimate in comfort.



NEW Ultra HEPA micro-ply bag, stronger, sonic sealed

• • • • •

Upgrade from Standard lid to 90° Slip Fit lid. Just add \$10. Per Backpack. Add - 9SF to Part#

Mosquito's Ultra Cool HEPA Backpack Just Got Cooler!

uito 3.0 Gold Back osai

Warranty: 7-years motor Ametek - Lamb





UPGRADE FROM STANDARD SCALLOP FLOOR TOOL TO THE **NEW Z-GLIDE FOOR TOOL**

Sold Separately | 14" Easy Glide brush | 900-0027

Improved

All Vacuums Free Freight R MOSOIIITO HEPA: A DIIART & 10 DIIART VACIIIIM

| V | | | | |
|-----|---|----|----|---|
| | | | 80 | N |
| 1.0 | | • | - | |
| 100 | u | ъ. | м | п |
| - | - | - | • | , |

| • | TOT EIT TIOS COTTO TIET 71: 0 COTTO COTTO COTTO |
|----------|---|
| Part No. | Back Pack Vacuum |
| 06-1062 | 6-Quart Super HEPA Standard-Tool-Kit |
| 10-1011 | 10-Quart Super HEPA Standard-Tool-Kit |
| <u> </u> | |

All Vacuums Free Freight

AVIATION / TRANSPORTATION HFPA: 6 QUART & 10 QUART VACUUM



| Part No. | Back Pack Vacuum | |
|----------|--|--|
| 06-1066 | 6-Quart HEPA Aviation Standard-Tool-Kit | |
| 10-1015 | 10-Quart HEPA Aviation Standard-Tool-Kit | |



Not Included

All Vacuums Free Freight

XLT LOW AMP FLOOR MACHINE HEPA: 6 QUART VACUUM



| Part No. | Low Amp Floor Machine HEPA (For use on Floor Scrubbers) |
|----------|---|
| 06-1070 | 6-Quart HEPA Low Amp |
| | |

*Floor Sande Not Included

AN Vacuum Sidewinder Tool SUPER MOSQUITO HEPA: 6 QUART & 10 QUART VACUUM



| Part No. | Back Pack Vacuum (same as Super Mosquito HEPA shown above with <u>Sidewinder-Tool-Kit</u> in place of the S-Bend Wand 6-Piece Tool Kit |
|------------|--|
| 06-1062-SW | 6-Quart Super HEPA w/ 6-Piece Sidewinder-Tool-Kit (shown below) |
| 10-1011-SW | 10-Quart Super HEPA w/ 6-Piece Sidewinder-Tool-Kit (shown below) |
| | |



Sidewinder 6-Piece Tool-Kit

Includes 54" 2-piece aluminum wand, 15" scalloped floor tool, 15" nylon floor tool, 11" crevice tool, 3" round brush natural fibers, 5" upholstery tool. 901-0002



Sidewinder Scalloped Floor Tools 18" 900-0012 15" 900-0013 8" 900-0014

Sidewinder 1-piece 59" Aluminum Straight Wand 900-0021



Sidewinder Natural Fiber Brush 18" 900-0019 15" 900-0020 8" 900-0051



900-0024



Sidewinder Nylon Brush 18" 900-0017 15" 900-0018



Aluminum Straight Wand 900-0022 "Most Popular Sidewinder Wand"



Hard Floor Felt Tools 18" 900-0015 15" 900-0016

> Sidewinder 54" **Extension Wand** 900-0023

BACKPACK FILTERS & MOTORS

cools your motor, by allowing an air gap between the vacuum bag and the motor

HEPA Motor-Saver



Cloth bag 10-qt / 900-0001 16-qt / 900-0002



•

10-at / 650-0003



6-qt / 650-0004



901-0023 Fits all 5.7" Backpacks Vacuums



0000000

Screw -100-0011



Washer -100-0001



Well Nut -100-0022



Motor Mounting Ring 600-0004



Fully Assembled Motor Mounting Ring

Motor Gasket 650-0002



4.5 AMP motor, for use on mounted vacuum floor sander. 500-0013



Super motor 500-0003



Construction motor 500-0004





14" Scallop floor tool w/ bumper





1-1/2" Non-swivel cuff 900-0011

1-1/2" Swivel cuff

900-0010



900-0027

11" Crevice tool 900-0008



50' 16/3 Lighted extension cord 400-0003

54" Straight extension Wand 1-1/2"



for backpack vacuum 800-0005

Aluminum wand 2 piece 56" 900-0028


Backpack complete pigtail cord 401-0001



900-0050



14" Horse Hair Floor Tool 900-0036



Slinky-type stretch hose 200-0007

Fits slip fit lid (pictured below



S-bend wand 6-piece tool kit

14" scalloped floor tool, 14" nylon floor tool, 3" natural fiber dusting brush, 5" upholstery tool, 11" crevice tool. 901-0001



900-0054



900-0053

10Q | 700-BP10LG-9SF



10Q | 701-BP10LG-9SF 6Q 701-BP6LG-9SF



R instead of G

1-1/2" x 4' Vacuum hose with cuff





(std w/vacuums) Includes 54" s-bend aluminum wand,

6Q | 700-BP6LG-9SF

Slip fit lid with 90° Elbow & Hose w/cuff

(Pictured right) · Also used with 90° Elbow (Pictured left) 90° Red lid Part# insert a

201-0009

Hose with cuff 10 | 701-BP10LG 6Q | 701-BP6LG

SIDEWINDER TOOLS



Sidewinder 6-piece tool kit

Includes 54" 2-piece aluminum wand, 15" scalloped floor tool, 15" nylon floor tool, 11" crevice tool, 3" round brush natural fibers, 5" upholstery tool. 901-0002



Sidewinder scalloped floor tools

18" 900-0012 15"900-0013 8"900-0014



Sidewinder 1-piece 59" aluminum straight wand 900-0021



Sidewinder natural fiber brush

18"900-0019 15" 900-0020 8"900-0051



U-Wand For the top of pipes, ledges and shelves 900-0024



Sidewinder 2-piece 59" Aluminum straight wand

900-0022 Most popular sidewinder wand

900-0023

Sidewinder 54" extension wand

Hard floor felt tools

18"900-0015

15" 900-0016

BAGS

STANDARD



Standard paper bag 10-pk 10-qt / 900-0003

6-at / 900-0004 Cases (25 packs of 10): 10-qt / 900-0003-C 6-qt / 900-0004 -C

ULTRA

Ultra paper bag 10-pk 10-qt / 900-0032 6-qt / 900-0033

Cases (25 packs of 10): 10-qt / 900-0032-C

6-qt / 900-0033-C

ULTIMATE-HEPA Comes standard on all Mosquito and Mosquito private label vacuums



Ultimate HEPA micro-lined 3-ply bags - 10-pk 10-qt / 900-0034 6-qt / 900-0035

Cases (25 packs of 10): 10-qt / 900-0034-C 6-qt/900-0035-C





BACHPACHS

This comparison sheet is designed for reference only. The comparisons shown below are the most significant differences between Mosquito and it's 7 biggest competitors. Mosquito is continually improving it's performance, components, and weight. Of course Mosquito is known for it's customer pleasing aesthetics. At Mosquito we are always striving for accuracy. It's important to know and evaluate your competition.

| | | | VERAGE | | | GOOD | | BEST |
|---------------|--|---|---|--|--|--|--|---|
| • | Motor Saver™ | (M) | \ \ | | | | - | |
| • | = Best in Class quality/ value | at the | | | (=) | - | <u>@</u> | |
| | Poor Value | 4.8 15 | | | | | | GOLD |
| | AVG. = Average Value | Sanitaire SC535A | Perfect/ Bissel Same Machine Private Label | Super Raven Now from China as of april 2015 | Windsor | Super Coach Pro 10 | Super Coach Vac | Mosquito 2.0 Gold |
| | Manufacturer: | *3 | * | *3 | *1 | *3 | *3 | * |
| | HEPA | YES 🍁 | YES 🍁 | NO | NO | YES 🏚 | YES 🏚 | YES 🏠 |
| λ± | Vacuum hose is full size into the vacuum body. 90° hose cuff clogs & reduces airflow | NO Restricted air flow | YES 🏚 | YES 🏚 | NO Restricted air flow | NO Restricted air flow | NO Restricted air flow | YES 🏠 |
| QUALITY | Thermal Motor Shut Off (Eliminates Motor Damage) | NO thermal shut-off | NO thermal shut-off | NO thermal shut-off | NO thermal shut-off | NO thermal shut-off | NO thermal shut-off | Thermal shut off. protects the motor from extreme heat & restarts when cool |
| | Underwriters Laboratories Inc. Tested & Approved | NO | NO | NO | YES 🏚 🗓 🖁 | NO | NO | YES 🏚 🗓 n |
| | Ametek industry best rated motor | Could not identify motor MFG | Could not identify motor MFG | YES 🏚 | NO | YES 🍁 | YES 🍁 | YES 🏚 |
| ≯ L N | Housing warranty | 2 Yrs. Poor Value | 2 Yrs. Poor | Lifetime 🛊 | 3 Yrs. Poor Value | Lifetime 🛊 | Lifetime 🛊 | Lifetime |
| WARRANTY | Motor & pigtail warranty (Most common backpack failure) | 2 Yrs. | 2 Yrs. | 5 Yrs. AVG. | 3 Yrs. 🕮 | 3 Yrs. 🖚 | 3 Yrs. 跪 | 7 Yr. Best in the Industry |
| USE | Actual weight (Unit with all tools no power cord) | 13.2 lb | 11.2 lb | 15.6 lb (Poor | 11.2 lb | 12.6 lb | 13.0 lb | 11.4 lb |
| Y T0 | Adjustable chest strap | YES 🍁 | NO | NO | NO | YES 🍁 | YES 🍁 | YES 🏚 |
| EASY | Ergonomic back rest | NO | NO | YES 🍁 | NO | NO | NO | YES 🏚 |
| JE Res | Molded in cord holder | NO Easy to break | NO Easy to break | NO Easy to break | NO Easy to break | NO Uses flimsy cord retainer | NO Easy to break | YES 1 |
| | | NO | NO | YES | NO | NO | NO | YES 🏚 |
| UNIQ FEATU | Private label (Best option to promote your brand and combat internet discounts) | NO | NO | YES | NO | NO | NO | YES 🏚 |
| | RATINGS TOTALS: | 2 Poor Value | 2 Poor Value | Poor 1 AVG. | 1 Poor Value | 3 Poor Value | 3 Poor Value | 12 |
| | NOTES: | - Poor warranty - No thermal shut off - Internet discount - Made in China | - Poor warranty - No thermal shut off - High motor heat - Internet Discount - Made in China | Very heavy Very big physical size Expensive pigtail size Made-in-China Have not tested the new made-in-China replacement of | - Thin plastic body - High motor heat - Exhaust filter blocked view to airflow restriction - Made in China | - Poor design - Expensive bags - Thin plastic body - Very big physical size - Made in China & Mexico | - Expensive - Very big physical size - 90° cuff at lid - cloggs, restricts airflow - Expensive switch repair - Expensive pigtail repair - Made in China & Mexico | - Light weight lbs - 7 yrs Ametek motor warranty - Non clogging hose entry into body - HEPA filtration standard - UL tested and approved - Motor saver standard |
| | | | | the Raven | lassa lat us kno | the second state of | | - Made in USA - HEPA motor saver standard |



Floor Sander / Construction Mosquito HEPA

Floor Sander / Construction environments demand different motors than traditional backpack vacuums. Standard vacuums use light weight single stage high-speed motors that use air flow to cool motor windings. This is excellent for normal vacuuming but quickly shows its weakness in floor sanding environments. Our Floor Sanding / Construction vacuum has a Torque Master two-stage motor with higher inches of lift, high air flow and the ability to endure heat generated by floor sanding/construction environments.



Specifications

Construction HEPA

Floor Sander, Drywall, Construction Debris

10-Quart

Weight: 11.5 lbs Airflow: 129 CFM Static Lift: 115 in

Power: 1171w Amperage: 10.7amp Decibel: 66dB

Filtration: Quad with HEPA

6-Quart

Weight: 10.5 lbs Airflow: 129 CFM Static Lift: 115 in Power: 1171w Amperage: 10.7amp

Decibel: 66dB Filtration: Quad with HEPA

Why a different motor?

Sanding creates hot air and fine dust.

2. Conventional motors cool with airflow.

It takes a special motor to

3. Fine dust starves airflow

as it clogs the filters

stay cool without airflow

The Torque Master 2-Stage Motor stays cool with limited airflow.

What makes the Torque Master motor different? The Torque Master motor has 1/3 more motor windings that reduce the motor revolutions but gives it more power. To generate high airflow it adds an additional fan or second-stage. This creates additional inches of lift (similar to torque) to move air even when the recovery bag is compacted with fine particles



CONSTRUCTION MOSQUITO HEPA: 6-quart & 10-quart vacuum

| Part No. | Backpack Vacuum |
|----------|--|
| 06-1064 | 6-Quart HEPA Construction Standard-Tool-Kit |
| 10-1013 | 10-Quart HEPA Construction Standard-Tool-Kit |



3-GALLON SPOTTER / EXTRACTOR

Innovative, powerful, clever. It's what we hear about our new 3-gallon spotter. Designed with simplicity and durability in mind and performance only found on large extraction equipment. Options of standard or super vacuum motors, 201 degree stainless steel in-line heater, 55, 120 and 170psi solution pumps leave this spotter clearly in a category of its own. Now add the industry's first "Noise ∌w definition or ~ t Manne. Diffusing Exhaust Manifold" and a new definition of clever is an understatement. 0000 uc.

Specifications

55psi Spotter / Extractor

55psi Standard Motor

Model: 3G-0055-AS Capacity / Recovery: 2.9 gal / 2.6 gal Vacuum: Super 82" lift / 97cfm / 8amp Pump: 55psi / 1amp FloJet ULViton seals Power cord: UL 20ft integrated strain relief Hose: 1-1/4" x 8ft Hand Tool: Acrylic clear view Part Number: 900-0029

Weight / Shipping: 25lb / 29lb shipping

Dimension / Shipping: 19"H x 21"L x 9"W

55psi Standard Motor Heated

•••••

Model: 3G-0055-HS Capacity / Recovery: 2.9 gal / 2.6 gal Vacuum: Super 82" lift / 97cfm / 8amp Pump: 55psi / 1amp FloJet UL Viton seals Power cord: UL 20ft integrated strain relief Hose: 1-1/4" x 8ft Hand Tool: Stainless steel tool Part Number: 900-0040 Weight / Shipping: 27lb / 31lb shipping Dimension / Shipping: 19"H x 21"L x 9"W Heater: Stainless steel 201°/ 7amp

120psi Spotter / Extractor

120psi Standard Motor

Model: 3G-0120-AS Capacity / Recovery: 2.9 gal / 2.6 gal Vacuum: Super 82" lift / 97cfm / 8amp Pump: 120psi Aquatec UL Viton seals Power cord: UL 20ft integrated strain relief Hose: 1-1/4" x 8ft Hand Tool: Acrylic clear view Part Number: 900-0029 Weight / Shipping: 27lb / 30lb shipping Dimension / Shipping: 19"H x 21"L x 9"W

120psi Standard Motor Heated

Model: 3G-0120-HS Capacity / Recovery: 2.9 gal / 2.6 gal Vacuum: Super 82" lift / 97cfm / 8amp Pump: 120psi Aquatec UL Viton seals Power cord: UL 20ft integrated strain relief Hose: 1-1/4" x 8ft

Hand Tool: Stainless steel tool Part Number: 900-0040 Weight / Shipping: 28lb / 32lb shipping Dimension / Shipping: 19"H x 21"L x 9"W Heater: Stainless steel 201°/ 7amp

170psi Spotter / Extractor

170psi Standard Motor

Model: 3G-0170-AS Capacity / Recovery: 2.9 gal / 2.6 gal Vacuum: Super 82" lift / 97cfm / 8amp Pump: 170psi Aquatec UL Viton seals Power cord: UL 20ft integrated strain relief Hose: 1-1/4" x 8ft Hand Tool: Acrylic clear view Part Number: 900-0029 Weight / Shipping: 27lb / 30lb shipping Dimension/Shipping: 19"H x 21"L x 9"W

170psi Standard Motor Heated

Model: 3G-0055-HS Capacity / Recovery: 2.9 gal / 2.6 gal Vacuum: Super 82" lift / 97cfm / 8amp Pump: 170psi Aquatec UL Viton seals Power cord: UL 20ft integrated strain relief Hose: 1-1/4" x 8ft

Hand Tool: Stainless steel tool Part Number: 900-0040 Weight / Shipping: 27lb / 31lb shipping Dimension / Shipping: 19"H x 21"L x 9"W Heater: Stainless steel 201°/ 7amp

4" Acrylic clear-view hand tool with viton seals



Standard on non-heated units 900-0029

Stainless steel tool with clear view head & brass valve and jet



Optional on heated & non-heated units 900-0041

Stainless steel hand tool with brass valve and jet



Standard on heated units 900-0040







SPOTTERS

3-GALLON SPOTTER / EXTRACTOR

Mosquito's use of premium components includes sealed marine-grade bearings, epoxy coated vacuum fans, pumps with chemically resistant viton seals, and stainless steel latches. The list goes on and on. To put it simply, each component must excel in its function or we won't use it. Mosquito is setting a new standard in design excellence and yes, Mosquito is American designed, manufactured and owned.









Mosquito's exclusive "Noise Diffusing Exhaust Manifold" suppresses high-frequency sound with its noise-canceling technology. Motor exhaust is directed through exhaust grates which redirects sound waves while gradually releasing exhaust. No back pressure is generated from this device as it scrubs 8dB and 11dB sones from the final exhaust. This is an industry first and the beginning of a new generation of extractors from Mosquito.

MOSQUITO 3-GALLON EXTRACTOR / SPO











900-0029 Non-heated 7' x 1 1/4" Vacuum & solution hose with male quick-disconnect (QD) acrylic hand tool, viton seals



901-0003 Non-heated

Stainless steel tool

with clear view head

& brass valve and iet

For heated & non-heated

spotters/extractors

900-0041

7' x 1 1/4" Internal vacuum & solution hose for use with stainless steel hand tools (Tools not included)



201-0007 Non-heated Ametek's finest tangential side discharge motor with sealed bearings and epoxy coated fan blades to inhibit oxidation

USA



Super motor 97 Lift/109 CFM/8 Amp 500-0005

Tool carry bags Backpack bag 900-0047



Spotter bag 900-0048

MOSQUITO 3-GALLON HEATED EXTRACTOR / SPOTTER



Available in Green or Red. Includes 7ft Hose with Stainless steel hand tool

Replacement brass jets for hand tools



Jet Size 80015

For heated & non-heated spotters/extractors 900-0043

In-line filters
The best filter available to protect your pump from damaging particles

50 mesh stainless steel screen



Used on all Mosquito Spotters / Extractors 500-0002

Crevice tool with brass valve and jet



3" Wide

For heated & non-heated spotters/extractors 900-0042

Brass quick disconnect with viton seals



300-0001

1/8" - Male 1/8" - Female

300-0002



4" Wide

Flojet 55psi viton seals 500-0001

Aquatec 120psi viton seals 500-0006



Aquatec 170psi viton seals 500-0007

Wand & Hand Tool Kit: Combine a floor, hand tool and hose set to make a kit. Items sold separately. Works with heated & non-heated spotters. Stainless steel hand tool with brass valve and jet



For heated & non-heated spotters/extractors 900-0040

Heater kit Stainless steel heater, 1000 Watt heater rod, two ceramic thermostats



351-0001

Hose sets external hoses



For heated & non-heated spotters/extractors 901-0005 - 8' Hose set 901-0006 - 15' Hose set

Rocker switch with colored off position (Red)



400-0004 Also fits Backpack

Stainless steel wands with brass jets & valve

10"x 1.25 1-V Jet 1 bend (2 piece wand) r use with Spotter and 12-Gallon Extractor 900-0030



6" Access ports black or clear





800-0004





16-GALLON WET/DRY

Mosquito's 16-Gallon Wet/Dry sets another standard in its class. In an industry with dozens of competitors, we found it exciting to find so little innovation over the years. Our design team quickly found obvious improvements to enhance reliability and ease of use. Take a look at our highlighted improvements and features below. We're sure you'll be as excited as we were bringing this truly innovative product to market.



Suppresses high-frequency sound with its noise-canceling technology. Motor exhaust is directed through exhaust grates which redirects sound waves while gradually releasing exhaust. No back pressure is generated from the device as it scrubs 7dB and 9 sones from the final exhaust. This is an industry first and the continuation of our new generation of extractors from Mosquito.

Ribbed Polyurethane Squeegee Blades

Our Ribbed Polyurethane Squeegee Blades are the industry's finest. Flexible and wear resistant for the perfect combination to remove liquids from the cleaning surface.

Warranty - lifetime tank 3 years parts & labor







for quick release

MOSQUITO 16-GALLON WET/DRY

| Part No. | Machine | |
|----------|---|---|
| 16-1000 | 16-Gallon Wet / Dry with Standard Tool Kit | |
| 16-1001 | 16-Gallon Wet / Dry with 27in Squeeguee (no tool-kit) | |
| 16-1002 | 16-Gallon Wet / Dry (Machine Only) | |
| 16-1003 | 16-Gallon Wet / Dry w/ Toolkit & 27in Front Mount Squeeguee | |
| 16-1027 | 27 inch Squeegee Assembly with blades | |
| 901-0001 | Five Piece Tool Kit 54" s-bend aluminum wand, 14" scalloped tool, 14" nylon tool, 3" natural fiber dusting brush, 11" crevice tool. | F |
| 650-0014 | Replacement 27 inch Squeegee Blade . Sold individually | |

WET/DRY COMPARASION

This comparison sheet is designed for reference only. The comparisons shown below are the most significant differences between Mosquito and it's 4 biggest competitors. Mosquito is continually improving it's performance, components, and weight. Of course Mosquito is known for it's customer pleasing aesthetics. At Mosquito we are always striving for accuracy. It's important to know and evaluate your competition.


| AVERAGE | AVERAGE | AVERAGE | GOOD | BEST |
|--|---|--|--|---|
| | 5 | 000 | | B |
| | | D | | |
| Viper Clarke | Proteam | Advance | Tennant Nobles | Mosquito |
| *1 | | | *3 | |
| NO liquids to come within 3" of the air intake. | Ball Float. Allows NO liquids to come within 3" of the air intake. | NO liquids to come within 3" of the air intake. | NO liquids to come within 3" of the air intake. | Magnetic Motor Shut Off Switch turns the motor off when the tank is full. Liquic stay 8" from vacuum intake |
| Must carry TWO hoses. One for front mounted squeegee One for use with the tool kit | Must carry TWO hoses. One for front mounted squeegee One for use with the tool kit | Must carry TWO hoses. One for front mounted squeegee One for use with the tool kit | Must carry TWO hoses. One for front MO mounted squeegee One for use with the tool kit | Mosquito's expandable hos extends to 9'. Retracts by holding your hand over the end of the hose. Industry First. |
| NO Exhausts directly to operator. | NO Exhausts directly to operator. | NO Exhausts directly to operator. | NO Exhausts directly to operator. | Motor exhaust is directed through exhaust grates cancelling high frequency sounds. Quietest in it's class. Patent Pending. |
| 2014-Current - 8 Years 2009-2011 - 11 Years 2009 and older - 12 Years | Lifetime | Unknown | 10 Years | LIFETIME 1/4" Thick Rotationaly Molded Polyethylene |
| NO | NO | NO | NO | YES With Quick Release |
| YES Container quantities only | NO | NO | NO | YES All Mosquito products are available for private label |
| NO | Claimed ergonomics. No No ergonomic data | NO | NO | All Mosquito handles are angled at 19º for ultra comfort. Ergonomic |
| NO latches. You must hold the motor cover or put it on the ground | Motor housing has 2 NO latches. You must hold the motor cover | YES | NO/ Has 2 latches and it is hinged. Good, but not the best. | YES One quick latch and the motor and the recovery tar is accessed. Best in it's cla |
| Plastic. We broke ours on our test machine in testing | | NO Plastic | YES Excelent quality & design | YES Excelent quality and design YES Skid-Plate Pedal |
| | NO Ribbed, unknown material | NO Ribbed, unknown material | YES Industry's finest | YES Industry's finest |
| NO Air intake is close to the exhaust | NO Air intake is close to the exhaust | NO Air intake is close to the exhaust | The downside is the cover is weak plastic. Breakable. | YES Molded in lifetime warranty |
| 2016-Current - 3 years 2011-2015 - 5 years | 3 years | Unknown | 3 years | 5 years Covers all attached electrical components |
| YES | NO | YES | NO | YES |
| 18 Gallons | 15 Gallons | 19 Gallons | 15 Gallons | 16 Gallons |
| 24 Inches | 28 Inches | Unknown | 27 Inches | 27 Inches |
| NO | NO | NO | NO | YES |
| liquids to get within 3" of | liquids to get within 3" of the motor. Liquid ingenstion is a certainty. Light duty injection molder plastic | allows liquids to get within | Uses a ball float. This allows liquids to get within 3" of the motor. Liquid ingenstion is a certainty. No cord wrap or tool storage Lacks features It's noisy It's made in CHINA | Magnetic motor shut off keeps liquids 8" from the vacuum intake. Expandable hose retracts by blocking the vacuum end. It sucks itself back to a collapser position. This eliminates a second hose. An industry first Lifetime body warranty. S years motor warranty. T' Squeege. All tools are stored on board. Quietest in it's class. Pantenter noise diffusing exhaust manifo |
| | Ball Float. Allows liquids to come within 3" of the air intake. Must carry TWO hoses. One for front mounted squeegee One for use with the tool kit NO Exhausts directly to operator. 2014-Current - 8 Years 2009-2011 - 11 Years 2009 and older - 12 Years NO YES Container quantities only NO Motor housing has 2 latches. You must hold the motor cover or put it on the ground Plastic. We broke ours on our test machine in testing. NO Flat, unknown material NO Air intake is close to the exhaust 2016-Current - 3 years 2011-2015 - 5 years YES 18 Gallons 24 Inches NO Poor warranty It has changed 3 times for motor and plastic, continually getting shorter. Uses a ball float. This allows liquids to get within 3" of the motor. Liquid ingenstion is a certainty. It's big and bulky design is a negative Small Squeegee Questionable squeegee material | No | Ball Float. Allows liquids to come within 3" of the air intake. Must carry TWO hoses. One for front mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit mounted squeegee One for use with the tool kit work of the one within 3" of the air intake. NO Exhausts directly to operator. NO N | Ball Float. Allows liquids to come within 3" of the air intribute. When the properties of the air intribute. When |



12-GALLON EXTRACTOR

Innovative, powerful, clever. "Simply the most innovative extractor ever designed."

Is this quote possible? Yes, it's not only possible, it's true! No extractor design has ever incorporated so many advanced features and patented innovations in a single design. Mosquito urges you to compare our Mosquito 12-Gallon Extractor side-by-side to any competitor. The conclusion is self-evident. We are designed, manufactured and assembled in the U.S.A.







Warranty: Lifetime on body, 1-year on motor and pump



12-GALLON EXTRACTO

(500 PSI unit pictured)



Industry First


"Noise Diffusing Exhaust Manifold"




Red arrows show heated / high-pitch air exiting motor into the exhaust manifold.



Orange arrows show air moving through exiting motor into the exhaust manifold. High frequency noise is deflected against sound absorbing material, as air is gradually released.





Mosquito's exclusive "Noise Diffusing Exhaust Manifold" suppresses high-frequency sound with its noise-canceling technology. Motor exhaust is directed through exhaust grates which redirects sound waves while gradually releasing exhaust. No back pressure is generated from the device as it scrubs 8dB and 11dB sones from the final exhaust. This is an industry first and the beginning of a new generation of extractors from Mosquito.



120 PSI 12-GALLON EXTRACTORS



USA

120psi

Our finest extractor design with 120psi (220 upgrade see below) pressure pump and dual high-performance vacuum motors. Motors mounted in parallel with molded in vacuum tubes eliminate any vacuum loss. Motors automatically shut down when liquids are 9" from the vacuum inlet with our exclusive magnetic motor shut-off. Unit includes noise-diffusing exhaust manifold, top-mounted controls just to name a few of the unique features that are standard on all our extractors.



Lift 90 Air Watts 489 **CFM** 160 **Amp Draw**





Available with 220psi pump | 12G-2202

Part #12G-1202

120 PSI HEAT 12-GALLON EXTRACTORS

120psi Heat

Our finest extractor with stainless steel heat exchanger only adds to performance you expect in our extractors. 120psi pressure pump (220 upgrade see below) and dual high-performance vacuum motors mounted in parallel give you the power necessary with this dependable performance with molded in vacuum tubes eliminate any vacuum loss. Motor automatically shuts down when liquid is 9" from the vacuum inlet with our exclusive magnetic motor shut-off. Unit includes noise-diffusing exhaust manifold and top-mounted controls just to name a few of the unique features that are standard on all



Lift 90 **Air Watts** 489 **CFM** 160 **Heater Watts 1850** Amp Draw 14/14







Available with 220psi pump | 12G-2202H

Part #12G-1202H

500 PSI 12-GALLON EXTRACTORS

500psi

Our finest extractor design with 500psi Cat Pump, single oversized 6.6" high performance vacuum motor with molded in vacuum tube to eliminate any vacuum loss. Motor automatically shuts down when liquid is 9" from the vacuum inlet with our exclusive magnetic motor shut-off. Unit includes noise-diffusing exhaust manifold and top-mounted controls just to name a few of the unique features that are standard on all our extractors



145 Lift Air Watts 659 **CFM** 135 **Amp Draw**







Part #12G-6500 Available with 300psi pump | 12G-6300

500 PSI HEAT 12-GALLON EXTRACTORS

500psi Heat

Our finest extractor with stainless steel heat exchanger only adds to performance you expect in our extractors. Industry's finest 500psi Cat Pump, single oversized 6.6" high performance vacuum motor with molded in vacuum tube to eliminate any vacuum loss. Motor automatically shuts down when liquid is 9" from the vacuum inlet with our exclusive magnetic motor shut-off. Unit includes noise-diffusing exhaust manifold and top-mounted controls just to name a few of the unique features that are standard on all our extractors.



Lift 145 **Air Watts** 659 **CFM** 135 **Heater Watts 1850** Amp Draw 15/15







Part #12G-6500H

Available with 300psi pump | 12G-6300H

EHTRACTORS

Stainless steel tool w/ clear view head & brass valve and jet 900-0041



6" Detail tool, w/vacuum release 900-0082



Stainless steel hand tool w/ brass valve and Jet 900-0040



10" Stair-detail tool, 18" long 900-0083



Crevice tool w/ brass valve and jet 900-0042



25' Solution hose assembly 201-0004



4" Auto detailer tool 900-0081



25' Vacuum hose w/ cuffs 201-0006

MOSQUITO 12-GALLON EXTRACTOR PARTS AND ACCESSSORIES



In-line clear view filter 500-0031










Retractable wand and hose holder kit 901-0011

(Optional, not included with extractor)



Heater kit stainless steel heater 351-0002



Nylon Hose Bag 900-0085

MOSQUITO 12-GALLON EXTRACTOR WANDS



10" stair tool short, 29" long 900-0080

Work faster with EZ-LOC tool-less boot change allows you to go from a brush skirt to a hard boor in seconds.

Low profile design of he SX-15 allows you to get under toe-kicks and eliminates the need for hand cleaning.

Aerodynamically-engineered radial vacuum line creates a laminar-flow vortex in the cleaning head that allows the SX-15 to remove water twice as fast as competitive models







EHTRACTOR COMPARISON

| | Ratings 500 psi Extractors | Ninja | Sandia | US Products Pro | Mosquito 12 Gal | |
|-------------|---|---------------------------|--|--------------------------|------------------------------|----------|
| | Manufacturer: | 3 | *7 | * | | |
| | Private label (Best option to promote your brand and combat internet discounts) | NO | YES | NO | YES | A |
| QUALITY | Carpet & rug institution CRI rating | No test rating listing | Bronze | Gold | Gold | / |
| 20 | US Manufacturer vacuum motors | NO | NO | NO | YES | 1 |
| | Mold in stand tube | NO | NO | NO | YES | 4 |
| | Solution tank | 13'' | 12'' | 12'' | 12" | |
| Ţ | Recovery tank | 11" Poor Value | 11'' Poor Value | 10'' (Paul | 15" | 4 |
| WARRANTY | Motor electrical warranty | 1 years Labor 90 days | 2 years | N/A | 1 years Labor 90 Da | ays |
| /AR | Size | 30H x22W x 44L | 20H x27W x 40L | 39H x 25W x 33L | 48H x 19W x | 30L |
| 5 | Recovery tank automatic shuts off the vacuum motors when full. | NO inferior ball foat | NO inferior ball foat | NO inferior ball foat | YES | 4 |
| | Audible Sound pulses when you find 2 circuits | YES | YES | YES | YES | 1 |
| | Distance from air-in-take to shut off mechanism | 2 1/2" | 3" | 3" | 7" | |
| | All control on panels | YES | YES | NO | YES | 食 |
| | Sound diffusing | NO | NO | NO | YES | 4 |
| Ш | Upper wheel for loading & unloading | YES | NO | NO | YES | 1 |
| EASY TO USE | Cord wrap | YES velcro | NO | YES velcro | YES w/ rotating easy release | 众 |
| EASY | Built in solution pump priming | the machines vacuum inle | NO sory hose and follow a cumbe t to suck liquid through the pu where you put the accessory | mp. That's if you can | YES ' | A |
| | Wand holder hose holder | YES | NO | YES | YES Receptacle (opti | onal) |
| | Lockable caster | NO | NO | NO | YES | 1 |
| RES | Hour meter | NO | NO | NO | YES On control panel | 众 |
| FEATURES | Dual circuit light | NO | NO | YES | YES ' | 4 |
| FEA | Recovery tank full light | NO | NO | NO | YES | 4 |
| UNIQUE | Built in recovery rinse hose | NO | NO | NO | YES | 1 |
| S S | Housing warranty | 10 years labor 90 days | 5 years body 1 year pump | Lifetime | Lifetime | 4 |

Not Bronze or Silver. "GOLD"

Molded-in vacuum tubes. Lifetime guarantee. No pvc or glued joints to leak.

When designing an extranctor, It's important to have the recovery tank larger than the solution tank. This keeps foam and solution away from the vacuum inlet, extending motor life.

Mosquito's extractors automatically turn off the vacuum motors when liquids reach a preset distance from the air intake. Our competitors use inferior ball floats that allow liquids/foam to become dangerously close to the air intake, which is a very poor and old design.

This critical dimension keeps foam and liquid from sucking into the vacuum tube.

Our extractor has twice the standard controls. All are on the control panel.

It's just common sense. Mold-in the cord-wrap and make it a quick-release.

Mosquito's built in priming system allows you to simply rotate a valve (pictured) on the control panel and your pump is primed. No hose to lose or complicated procedure to follow.



Our competitors don't see the value of this feature. We use it everyday.



1200PSI EHTRACTOR

1200-PSI HARD SURFACE EXTRACTOR

This powerful portable extractor is designed for high-pressure cleaning of tile, grout, and concrete or dial it down to 400psi and it's perfect for carpet extraction. Using one 3-stage and one 2-stage vacuum motor in combination with the air inlets in parallel gives this extractor the best combination of lift/air-flow ever produced in and extractor. Combine this with our patented "noise-diffusing exhaust manifold," control mounted priming valve, molded-in stand tubes and you have perfection! We encourage you to do a side-by-side comparison of our extractor and the competition. Analyze every component, every feature, ease of maintenance and your decision will never been easier. We hope you enjoy using our extractor as much as we enjoyed building the most advanced extractor available today.





Specifications

- 12G-1200
- Vacuum Motor: Single 6.6 High Output
- Pump: 1200psi (Adjustable down to 400 psi)
- Solution Pump: 12-gallon solution & recovery tanks
- Water Lift: 170 inches
- Power cords: (2) 25 Ft 12/3 guage
- Volt: 110
- Amp Draw: Cord one 16 amp | Cord two 14 amp
- CFM: 99
- Weight: 105 lbs dry
- Dimensions: 48H x 19W x 30L
- Vacuum Hose: (1) 25 Ft Sold separately
 Solution Hose: (1) 25 Ft Sold separately
- Standard Accessories: 25 Ft vacuum & solution hose
- Spinner: Sold separately



Warranty: Lifetime on body, 1-year on motor and pump






3 Blue arrows show air exiting the noise diffuser without the high pitch noise of the fan blades.

Industry First

"Noise Diffusing Exhaust Manifold"



Mosquito's exclusive "noise diffusing exhaust manifold" suppresses high-frequency sound with its noise-cancelling technology. Motor exhaust is directed through exhaust grates which redirects sound waves while gradually releasing exhaust. No back pressure is generated from the device as it scrubs 8dB and 11db sones from the final exhaust. This is an industry first and the beginning of a new generation of extractors from Mosquito.



MOSQUITO 12-GALLON 1200psi EXTRAXTOR

| Part No. | Machine |
|----------|---|
| 12G-1200 | 1200psi / Single 6.6 High Output (Machine only) |

AUTOMOTIVE EHTRACTOR

AUTOMOTIVE 12-GALLON EXTRACTOR

Innovative, powerful, clever. "Simply the most innovative extractor ever designed." Is this quote possible? Yes, it's not only possible, it's true! No extractor design has ever incorporated so many advanced features and patented innovations in a single design. Using one 3-stage vacuum motor in combination with the air-inlets in parallel gives this extractor the best combination of lift/air-flow ever produced in and automotive extractor.

Mosquito urges you to compare our Mosquito 12-gallon extractor side-by-side to any competitor.

The conclusion is self-evident. We are designed, manufactured and assembled in the USA.



• 12A-1203H

• Water lift: 137 inches

• Weight: 107 lbs dry

• Vacuum motor: 5.7" single 3-Stage Ametek

• Single Power cord: 25 Ft 12/3 guage

• Dimensions: 48H x 19W x 30L

Pump: 120psi Aqua TecHeater: 1,200 watt heater

Standard accessories: 15 Ft vacuum/solution hose

4 inch stainless steel upholstery tool

Warranty: Lifetime on body, 1-Year on motor and 2 Years on pump



OPTIONAL

Stainless steel hand tool w/ clear view head, brass valve & jet



For heated & non-heated extractors 900-0041

OPTIONAL

1 1/4" x 25ft vacuum hose w/-cuffs& solution hose assembly



201-00015

MOSQUITO 12-GALLON AUTOMOTIVE EXTRACTOR

| | ZONO 12 OMZZON MOTORIO I IVE ZMITMOTON |
|-----------|---|
| Part No. | Machine |
| 12A-1203H | 120psi / Single 3-Stage Vac / 1200 Watt Heater (with Standard tool kit) |



AUTOMOTIVE EHTRACTOR


AUTOMOTIVE 12-GALLON EXTRACTOR



- Red arrows show heated / high-pitch air exiting motor into the exhaust manifold.
- Orange arrows show air moving through the exhaust manifold. High frequency noise is deflected against sound absorbing material, as air is gradually released.
- Blue arrows show air exiting the noise diffuser without the high pitch noise of the fan blades.

Industry First

"Noise Diffusing Exhaust Manifold"



Mosquito's exclusive "noise diffusing exhaust manifold" suppresses high-frequency sound with its noise-cancelling technology. Motor exhaust is directed through exhaust grates which redirects sound waves while gradually releasing exhaust. No back pressure is generated from the device as it scrubs 8dB and 11db sones from the final exhaust. This is an industry first and the beginning of a new generation of extractors from Mosquito.

RIGID LINERS

Molded polyethylene plastic liner

We have a complete line of top quality, rigid plastic liners. In fact we offer the wildest size selection of standard liners in the business, round, square and rectangular!

By using rigid liners instead of poly bags you can save the planet and money this also














USA



Rectangular

| Rectangul | lar | Liners | |
|-----------|-----|--------|-----|
| cription | | | Dim |

| Part Number | Description | Dimensions | Flange |
|-------------|-------------------------------|---------------------------|--------|
| 51-091130 | Trash can liner - rectangular | 9.75" W x 11.25" L x 30"H | No |
| 51-161527 | Trash can liner - rectangular | 16.5" W x 15.5" L x 27" H | Yes |
| 51-181124 | Trash can liner - rectangular | 18.75" W x 11" L x 24" H | Yes |
| 51-242732 | Trash can liner - rectangular | 24" W x 27" L x 32" H | Yes |





Square

Square Liners

| equal of Emolo | | | | |
|----------------|-------------|--------------------------|---------------------------|--------|
| | Part Number | Description | Dimensions | Flange |
| | 51-111124 | Trash can liner - square | 11" W x 11" L x 24" H | No |
| | 51-131329 | Trash can liner - square | 13" W x 13" L x 29" H | No |
| | 51-171724 | Trash can liner - square | 17" W x 17" L x 24" H | No |
| | 51-181831 | Trash can liner - square | 18.5" W x1 8.5" L x 31 H | Yes |
| | 51-141419 | Trash can liner - square | 14.5" W x 14.5" L x 19" H | Yes |
| | 51-141423 | Trash can liner - square | 14.5" W x 14.5" L x 23" H | Yes |
| | 51-141427 | Trash can liner - square | 14.5" W x 14.5" L x 27" H | Yes |
| | 51-161623 | Trash can liner - square | 16" W x 16" L x 23" H | Yes |
| | 51-222231 | Trash can liner - square | 22" W x 22" L x 31" H | Yes |



Round

Round Liners

| Part Number | Description | Dimensions | Flange |
|-------------|-------------------------|----------------|--------|
| 51-1121 | Trash can liner - round | 11" D x 21" H | No |
| 51-1233 | Trash can liner - round | 12" D x33" H | No |
| 51-1230 | Trash can liner - round | 12.5" D x20" H | No |
| 51-1328 | Trash can liner - round | 13.5" D x28" H | No |
| 51-1628 | Trash can liner - round | 16" D x28" H | No |
| 51-1629 | Trash can liner - round | 16" D x29" H | No |
| 51-1730 | Trash can liner - round | 17" D x30" H | No |
| 51-1927 | Trash can liner - round | 19" D x27" H | Yes |
| 51-2031 | Trash can liner - round | 20" D x31" H | No 👞 |
| 51-2127 | Trash can liner - round | 21.5"D x27" H | No |

TRASH RECEPTACLES









Deluxe Receptacles Part Number Description **Dimensions** 29.25"L x 29.25"W x44"H 50-58DLX 58 gal-receptacle 29"L x 29"W x 34"H 51-58DLX 58 gal-liner 50-40DLX 40 gal-receptacle 26.5"L x 26.5"W x 29"H 51-40DLX 40 gal-liner 27"L x 27"W x 39"H 50-DLXBH 40/58 gal-bag holder

Deluxe receptacle's base has access port to weight with sand or liquids

Private Labeling

Company Logos

& Advertising Capabilities Company logo or advertising can be applied to any of our receptacles or liners. Mosquito uses mold-in graphics to permanently customize tops, bases or liners. Don't have a logo? Mosquito's on-staff design team can help you with logos or brochures. Customize with custom colors (no charge) to further enhance your facility. Call our on-site design team for

Customize your receptacle openings with 2 or 4 openings

Standard Receptacles

| Standard | Rece | ptacles |
|-------------|------|---------|
| Description | | |

| Part Number | Description | Dimensions |
|-------------|--------------------|-----------------------------|
| 50-56STD H | 56 gal-hood | 22"W x 25.5"L x 16.5"H |
| 50-56STD C | 56 gal-receptacl e | 20.75"W x 24"L x 30.75"H |
| 51-222231 | 56 gal-rigid Liner | 22"W x 22"L x 31"H |
| 50-40STD H | 40 gal-hood | 20.5"W x 20.5"L x 15.75"H |
| 50-40STD H | 40 gal-receptacl e | 19.75"W x 19.75"L x 30.75"H |
| 51-181831 | 40 gal-rigid Liner | 18.5"W x 18.5"L x 31"H |

All Standard Recepticles come with our poly-bag support ring (not included in Deluxe Receptacles)





Option liners available for our receptacles and many of our competitors receptacles

















Gray granite



Black granite















Green granite



Blue granite



Oatmeal






assistance today!











DOCK BOXES





Over 100 Solid & Granite Colors available





Trailer Mounting Kit Available

23

DOCH BOHES



NOW AVAILABLE

WITH ELECTRICAL POWER BOX RECESS

Standard Features

- Photocell controlled 7 & 9 watt fluorescent light
- · Copper bus bar with a maximum rating of 140 amps

Available Options

- Available with single, dual, or combination of 30A or 50A receptacles
- 20A/125V GFI receptacle (max of 2 GFI receptacles per pedestal)
- Single or dual phone, cable IV, high-speed internet connections
- Electronic metering (1 or 2 element meters available)
- · LED lighting

Material Comparison Sheet

Mosquito Products dock boxes give the marine industry a new weapon in the continuing battle over the elements. Our new series 1 and 2 dock boxes are made from Military Grade Cross-Link Polyethylene. Cross-Link Polyethylene developed for the U.S. Air Force for airborne delivery of high value components is the strongest plastic available for harsh environments and high impacts. Compare the features and your choice has never been easier.

Military Grade Polyethylene

Vs

Fiberglass dock boxes



Materials

Military Grade Hi-Impact Cross-Link Polyethylene is nearly unbreakable. Designed for military parachute drops, it's unique cross-linking structure makes this box impact resistant. Whether you hit it with a sledgehammer or a boat, it has the ability to flex and snap to its original shape.

Warranty 10 years.



Materials

Fiberglass dock boxes are extremely vulnerable to impact and sun degradation. Our test unit cracked during transport to our facility.

No Standard Warranty Offered.



Heat Treated Hinge

Heat treated hinges allow for years of constant abuse. If it's high winds that snap open the lid or just packing the box too tight, you can rest assured that this component won't fail.

Warranty lifetime hinge.



1/8" Aluminum Hinge

Standard dock boxes use piano hinges of approximately 1/8" inch aluminum or stainless. The hinge is held in place by pop rivets which account for most failures. This design is weak and can't take a snap opening during high winds or abuse.



Elevated Bottom with Optional Drain Holes

Keeps your valuables off the bottom of the box. Mold and mildew seek moist areas. Our elevated bottom lets the moisture drain through the multiple drain holes at the bottom of the box.



Fla Fibe prov and text leav ever

Flat Non-Draining Bottom

Fiberglass dock boxes usually do not provide drainage and become mold and mildew contaminated. The rough texture is impossible to wipe down, leaving mold and mildew to remain even after cleaning.

| |
|------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

