



Cherry Forest Products
Lumber - Dimensional - Veneer

Cherry Forest Products

24 Kerr Crescent, Puslinch, ON N0B 2J0

P - 519-763-1466 F - 519-763-7353

info@cherryforest.ca www.cherryforest.ca



The mark of responsible forestry

Mar 11-2019

Species & Grade	FBM	Length	FBM	Length	FBM	Length	FBM	Length	FBM	Length	Total (GRS)
4/4 Sel&Btr <i>rift/qtrd</i>											763
ASH RW					763	(9'-10')					
4/4 Sel&Btr W1F											979
ASH 6.0 - 7.49"			979	(7'-8')							
4/4 Sel&Btr											570
ASH 4.0 - 5.49"	570	(6')									
4/4 Sel&Btr											1,015
ASH 5.5 - 7.49"			1,015	(8')							
4/4 Sel&Btr											426
ASH 7.5" & wdr					426	(9'-10')					
4/4 Sel&Btr											754
ASH 7.5" & wdr							754	(11'-12')			
4/4 1 Com	771	(4'-5')							337	(13'-14')	21,573
ASH RW	443	(5')	9,287	(6'-8')	527	(9'-10')	9,780	(11'-12')	428	(15'-16')	
4/4 outs											335
ASH RW							335	(11')			

5/4 Sel&Btr <i>rift/qtrd</i>											929
Ash RW					929	(9'-10')					
5/4 Sel&Btr			3,739	(8')	2,111	(9'-10')	3,470	(10')			14,925
Ash RW	618	(7')	2,087	(9')	357	(9'-10')	2,543	(11'-12')			
5/4 1 Com											270
Ash RW			35	(6'-8')					235	(13'-14')	
5/4 2 Com											2,479
Ash RW			662	(6'-8')	1,434	(9'-10')	383	(11'-12')			

6/4 Sel&Btr											1,206
Ash RW	322	(6')	884	(7')							
6/4 1 Com											4,333
Ash RW			2,093	(6'-8')	1,191	(9'-10')	1,049	(11'-12')			
6/4 2 Com											9,319
Ash RW			5,923	(6'-8')	2,571	(9'-10')	825	(11'-12')			
6/4 Outs											4,735
Ash RW			3,253	(6'-8')	1,128	(9'-10')	354	(11'-12')			

8/4 Sel&Btr					812	(9'-10')					11,559
Ash RW	129	(6')			2,686	(10')	7,933	(12')			
8/4 Outs											741
Ash RW			191	(7'-8')	550	(9'-10')					

4/4 Sel&Btr											1,768
Aspen RW					1,768	(9'-10')					

4/4 Sel&Btr	sap&btr							
Birch	RW		4,279 (6'-8')	358 (9'-10')				4,637

4/4 Sel&Btr	80/50 Red							
Cherry	5.0" & wdr		2,455 (8')	1,607 (9'-10')	1,914 (11'-12')			5,976
4/4 Sel&Btr	Unsel							
Cherry	RW	192 (6')	861 (7')					1,053
4/4 Sel&Btr	Sappy							
Cherry	RW		2,076 (8')	1,930 (9'-10')	919 (11'-12')			4,925
4/4 1 Com								
Cherry	RW	165 (4'-5')	3,741 (6'-8')	2,993 (9'-10')	1,590 (11'-12')			8,489
4/4 2 Com								
Cherry	RW		1,763 (4'-8')	1,382 (9'-10')	629 (11'-12')			3,774

5/4 Sel&Btr	90/50 Red A							
Cherry	RW		1,903 (8')					1,903
5/4 Sel&Btr	90/50 Red	dressed 1-3/16"						
Cherry	RW	428 (9'-10')						428
5/4 2 Com	unsel							
Cherry	RW		5,022 (4'-8')	3,430 (9'-10')	1,476 (11'-12')			9,928

6/4 Sel&Btr	90/50 Red							
Cherry	RW			615 (9'-10')				615
6/4 Sel&Btr								
Cherry	RW		318 (8')			736 (13'-14')		1,054

8/4 Sel&Btr	90/80 Red							
Cherry	RW			2,502 (9'-10')				2,502
8/4 1 Com								
Cherry	RW		820 (6'-8')	1,472 (9'-10')	492 (11'-12')			2,784

4/4 Sel&Btr	# 1 white							
Hard Maple	RW			dressed 15/16"				
				16,628 (9'-10')				16,628
4/4 Sel&Btr	# 1&2 white							
Hard Maple	RW		1,772 (7')		5,868 (11'-12')			
			4,846 (8')	3,876 (9'-10')	2,025 (11'-12')			18,387
4/4 Sel&Btr	# 1&2 white							
Hard Maple	5.0 - 5.49"			259 (9'-10')				259
4/4 1 Com	sap&btr							
Hard Maple	9.5" & wdr		2,404 (6'-8')	2,245 (9'-10')	821 (11'-12')			5,470
4/4 123 Com	7.5 - 9.49"							
Hard Maple	RW	332 (4'-5')	8,141 (6'-8')	6,351 (9'-10')	3,965 (11'-12')			18,789
4/4 2 Com								
Hard Maple	RW		2,270 (4'-8')	2,025 (9'-10')	1,833 (11'-12')			6,128

5/4 Sel&Btr	brown							
Hard Maple	RW		345 (6'-8')	244 (10')				589
5/4 1 Com	sap&btr							
Hard Maple	RW	25 (4'-6')	6,923 (6'-8')	9,519 (9'-10')	4,276 (11'-12')	440 (13'-16')		21,183
5/4 2 Com								
Hard Maple	RW		461 (4'-8')	637 (9'-10')	143 (11'-12')			1,241

6/4 Sel&Btr	# 1&2 white		1,690 (7')					5,064
Hard Maple	RW	395 (6')	2,979 (8')					
6/4 Sel&Btr	sap							1,202
Hard Maple	RW			1,202 (9'-10')				
6/4 1 Com	sap&btr							13,474
Hard Maple	RW		4,874 (4'-8')	5,206 (9'-10')	3,394 (11'-12')			
6/4 2 Com								3,318
Hard Maple	RW		1,179 (6'-8')	1,357 (9'-10')	782 (11'-12')			
6/4 Outs								228
Hard Maple	RW		123 (7'-8')	105 (9'-10')				

8/4 Sel&Btr	# 1 white							10,681
Hard Maple	RW		4,771 (8')	5,910 (9'-10')				
8/4 Sel&Btr	# 1 white							62
Hard Maple	5.5 - 6.49"			62 (9'-10')				
8/4 Sel&Btr	# 1&2 white							1,457
Hard Maple	RW			497 (9'-10')		960 (13'-16')		
8/4 Sel&Btr	S2W							1,057
Hard Maple	RW		1,057 (7'-8')					
8/4 2 Com								2,370
Hard Maple	RW		405 (4'-8')	1,446 (9'-10')	519 (12')			

4/4 Sel&Btr	80/70 Hrtwood							1,324
Hickory	RW				1,324 (11'-12')			
4/4 Sel&Btr	90/70 Hrtwood							1,882
Hickory	6.5" & wdr			925 (9'-10')	957 (11'-12')			
4/4 Sel&Btr	unsel							1,871
Hickory	4.89" & und		1,045 (6'-8')	826 (9'-10')				
4/4 1 Com	unsel							385
Hickory	RW					385 (13'-16')		
4/4 1 Com								3,594
Hickory	4.89" & und		1,520 (4'-8')	1,295 (9'-10')	779 (11'-12')			

5/4 1 Com								1,291
Hickory	RW			247 (9'-10')	830 (11'-12')	214 (14'-16')		

4/4 Sel&Btr	Bright		2,420 (10')					11,567
Poplar	RW	514 (8')	3,748 (9'-10')	3,071 (11'-12')	904 (13')	911 (15'-16')		
4/4 Sel&Btr	Bright							4,073
Poplar	4.0 - 6.0"				2,807 (13'-14')	1,266 (15'-16')		
4/4 Sel&Btr	Stain			1,523 (11'-12')	397 (13'-14')	5,151 (15'-16')		14,326
Poplar	RW			2,483 (11'-12')	1,645 (13'-14')	3,128 (15'-16')		
4/4 Sel&Btr	Stain							11,289
Poplar	RW	3,843 (8')	1,068 (9'-10')	4,775 (9'-12')	1,015 (11'-12')	587 (13'-16')		
5/4 Sel&Btr	Bright							4,579
Poplar	10" & wdr	1,254 (8')		1,946 (11'-12')	677 (13'-14')	702 (15'-16')		
5/4 Sel&Btr	Stain							17,590
Poplar	RW	4,666 (8')		7,523 (11'-12')	2,475 (13'-14')	2,926 (15'-16')		
6/4 Sel&Btr	Stain							6,745
Poplar	RW			1,150 (11'-12')	1,849 (13'-14')	3,746 (15'-16')		

8/4 Sel&Btr Poplar	Bright RW					953 (13'-14')		953	
8/4 Sel&Btr Poplar	Stain RW	917 (8')	2,002 (9'-10')	1,317 (11'-12')	1,974 (11'-12')	403 (13'-14')	2,803 (15'-16')	3,152 (15'-16')	18,367
12/4 Sel&Btr Poplar	RW	915 (7'-8')	1,149 (9'-10')	232 (11'-12')		885 (13'-14')			3,180

4/4 Sel&Btr Red Oak	Wheat RW			dressed 15/16" 4,367 (9'-10')					4,367
4/4 Sel&Btr Red Oak	Rift RW			3,671 (9'-10')		796 (11'-12')			4,467
4/4 Sel&Btr Red Oak	dressed RW	dressed 15/16" 6,041 (6')		dressed 15/16" 1,342 (9'-10')					7,383
4/4 Sel&Btr Red Oak	rough RW			775 (9')		8,174 (9'-10')			10,049
4/4 Sel&Btr Red Oak	4.0 - 6.0"	dressed 15/16" 1,585 (7'-8')	dressed 15/16" 3,496 (7'-8')	dressed 15/16" 6,911 (9'-10')		dressed 15/16" 1,571 (11'-12')	dressed 15/16" 3,566 (13'-16')		17,128
4/4 Sel&Btr Red Oak	4.0 - 6.0"	1,367 (6')	5,090 (8')	6,088 (9'-10')					19,878
4/4 Sel&Btr Red Oak	4.0 - 6.0"	998 (7')	2,789 (7'-8')	1,777 (9'-10')		1,502 (11'-12')	266 (13'-16')		
4/4 Sel&Btr Red Oak	5.5" & wdr	336 (6')							336
4/4 Sel&Btr Red Oak	5.75 - 6.9"		454 (5'-8')	623 (9')					1,077
4/4 Sel&Btr Red Oak	5.75 - 9.75"	dressed 15/16" 607 (8')		747 (9'-10')					1,354
4/4 Sel&Btr Red Oak	10.0" & wdr			1,374 (9'-10')			1,428 (13'-16')		2,802
4/4 1 Com Red Oak	Wheat RW			dressed 15/16" 1,926 (9'-10')					1,926
4/4 1 Com Red Oak	Wheat 5.0 - 6.99"		dressed 15/16" 2,188 (7'-8')						2,188
4/4 1 Com Red Oak	Rift/Qtrd RW		4,511 (4'-8')	6,109 (9'-10')		633 (11'-12')			11,253
4/4 1 Com Red Oak	4.99" & und		801 (4'-8')	2,054 (9'-10')		508 (11'-12')			3,363
4/4 1 Com Red Oak	5.0 - 5.49"		658 (4'-8')	553 (9'-10')		171 (11'-12')			1,382
4/4 1 Com Red Oak	5.5 - 6.99"	565 (4'-5')							565
4/4 2 Com Red Oak	5.5 - 6.99"			252 (9'-10')					252
4/4 2 Com Red Oak	6.24 - 6.75"			734 (9'-10')					734

5/4 Sel&Btr Red Oak	RW	1,918 (6')	1,911 (7')	7,716 (9')		1,248 (11')	1,288 (13'-14')	1,297 (15'-16')	30,524
5/4 Sel&Btr Red Oak	RW	stain 303 (8'-10')	474 (8')	14,672 (10')					303
5/4 Sel&Btr Red Oak	9.5" & wdr RW		689 (8')	4,450 (9'-10')		853 (11'-12')			5,992

5/4 1 Com								
Red Oak	RW			2,452	(9'-10')			2,452
5/4 2 Com								970
Red Oak	RW	191	(6')	779	(9'-10')			
5/4 Outs								2,575
Red Oak	RW	42	(5')	930	(4'-8')	1,033	(9'-10')	570 (11'-12')

6/4 Sel&Btr		2,130	(6')		4,572	(9')			28,334
Red Oak	RW	1,147	(7')		11,044	(9'-10')	11,571	(11'-12')	
6/4 2 Com									587
Red Oak	RW	dressed 1-5/8"			364	(9'-10')			

8/4 Sel&Btr				2,170	(10')	1,129	(11'-12')		11,278
Red Oak	RW			2,665	(9')	4,054	(10')	426 (12')	834 (13')

4/4 Sel&Btr	Plain Sawn								570	
Sapelli	RW	466	(6'-7')	104	(8')					
6/4 Sel&Btr	Plain Sawn							835	(14')	835
Sapelli	RW									
4/4 Sel&Btr	Qtrd				568	(9')		3,510	(14')	8,858
Sapelli	RW			2,039	(8')	853	(10')	475	(13')	1,413 (15'-16')
4/4 Sel&Btr	Qtrd									509
Sapelli	8.49" und			509	(7')					
6/4 Sel&Btr	Qtrd				1,450	(9')	401	(13')		3,690
Sapelli	RW				611	(10')	1,228	(14')		
8/4 Sel&Btr	Qtrd									1,091
Sapelli	RW						1,091	(11'-12')		
10/4 Sel&Btr	Qtrd									1,149
Sapelli	RW			105	(7')				1,043	(13'-14')
12/4 Sel&Btr	Qtrd									1,747
Sapelli	RW			308	(7')	1,439	(9'-10')			

4/4 Sel&Btr									360
Soft Maple	RW				360	(9'-10')			
4/4 1 Com AD									2,681
Soft Maple	RW			2,681	(4'-8')				
4/4 PR WHND									9,273
Soft Maple	RW			9,273	(6'-8')				
4/4 1CB WHND									14,835
Soft Maple	RW	dressed 15/16"			4,693	(9'-10')	7,137	(11'-12')	478 (13'-14')
4/4 1C WHND									3,647
Soft Maple	RW			3,647	(4'-8')				
4/4 2C WHND									7,418
Soft Maple	RW			1,102	(4'-8')	4,574	(9'-10')	1,742	(11'-12')

5/4 Sel&Btr									733
Soft Maple	RW			733	(6'-8')				
5/4 1 Com									5,367
Soft Maple	RW			1,422	(4'-8')	2,447	(9'-10')	1,498	(11'-12')
5/4 PR WHND									1,045
Soft Maple	RW			1,045	(6'-8')				

5/4 1 Com WHND		dressed 1-1/8"						225
Soft Maple	RW	225	(9'-10')					

6/4 1 Com								3,957
Soft Maple	RW	2,101	(6'-8')	1,344	(9'-10')	222	(11'-12')	290 (13'-14')
6/4 PR WHND								3,893
Soft Maple	RW			101	(9'-10')	2,284	(11'-12')	1,508 (13'-14')
6/4 1CB WHND								31,215
Soft Maple	RW	10,590	(5'-8')	11,553	(9'-10')	9,072	(11'-12')	
6/4 1CB WHND TWIST / BOW								3,882
Soft Maple	RW	1,013	(7'-8')	1,755	(9'-10')	1,114	(11'-12')	
6/4 1&2 Com WHND								3,143
Soft Maple	RW					1,857	(11'-12')	1,286 (13'-14')
6/4 2 Com WHND		dressed 1-7/16"						7,678
Soft Maple	RW	659	(6'-8')	3,974	(6'-8')	2,087	(9'-10')	958 (11'-12')
6/4 OUTS								696
Soft Maple	RW			159	(6'-8')	189	(9'-10')	348 (11'-12')

8/4 1 Com								3,801
Soft Maple	RW			2,496	(6'-8')	578	(9'-10')	727 (13'-16')
8/4 1CB WHND		twist / bow						14,299
Soft Maple	RW	2,148	(6'-12')	9,857	(7'-8')	1,360	(9'-10')	934 (11'-12')

10/4 1 Com								3,681
Soft Maple	RW					1,340	(9'-10')	2,341 (11'-12')
10/4 2CB WHND								4,974
Soft Maple	RW			563	(7'-8')			4,411 (11'-12')

12/4 Sel&Btr								1,486
Soft Maple	RW							1,486 (11'-12')
12/4 1 Com								1,523
Soft Maple	RW							1,523 (11'-12')
12/4 2CB WHND								3,710
Soft Maple	RW					1,693	(11'-12')	2,017 (13'-16')

4/4 Sel&Btr	90/80 black							1,187
Walnut	RW							1,187 (11'-12')
4/4 Sel&Btr	90/80 ro rules							17,169
Walnut	RW	866	(6'-7')	182	(7')	1,120	(9')	4,511 (8')
						4,667	(9'-10')	5,200 (11'-12')
								623 (13'-14')
4/4 Sel&Btr	ro rules - unsel							2,064
Walnut	7.0" & wdr			2,064	(8')			
4/4 Sel&Btr	rift&qtrd							6,402
Walnut	RW			2,470	(7'-8')	3,581	(9'-10')	351 (11')
4/4 Sel&Btr								132
Walnut	4.0 - 4.75"			132	(7')			
4/4 Sel&Btr								863
Walnut	4.0 - 4.89"	863	(6'-7')					
4/4 Sel&Btr								4,235
Walnut	7.0" & wdr			917	(8')	1,907	(9'-10')	1,411 (11'-12')
4/4 Sel&Btr								1,221
Walnut	9.5" & wdr	337	(6')	884	(7')			

4/4 Sel&Btr	sappy	dressed 15/16"						203
Walnut	RW	203 (11'-12')						
4/4 1 Com								568
Walnut	4.99" und		451 (5'-8')			117 (11'-12')		
4/4 1 Com								8,347
Walnut	5.74" & und	54 (4'-6')	4,243 (4'-8')	3,041 (9'-10')		1,009 (11'-12')		
4/4 1 Com								13,855
Walnut	5.75 - 6.99"		6,510 (4'-8')	5,190 (9'-10')		2,155 (11'-12')		
4/4 1 Com								1,110
Walnut	6.5 - 7.49"		805 (4'-8')			305 (11'-12')		
4/4 1 Com								4,638
Walnut	7.49" & und	1,229 (4'-5')	1,584 (4'-8')	1,825 (9'-10')				
4/4 1 Com								2,480
Walnut	7.0" & wdr					2,480 (11'-12')		
4/4 1 Com								1,185
Walnut	8.5" & wdr					1,185 (11'-12')		
4/4 2 Com		1,232 (4'-5')						18,273
Walnut	RW	120 (4'-6')	5,585 (7'-8')	8,481 (9'-10')		2,855 (11'-12')		

5/4 Sel&Btr	ro rules	dressed 1-1/4"						896
Walnut	RW	896 (9'-10')						
5/4 Sel&Btr								746
Walnut	RW		746 (8')					

6/4 Sel&Btr	ro rules							2,054
Walnut	RW		342 (7'-8')	1,173 (9'-10')			539 (13'-14')	
6/4 Sel&Btr	MX rules							878
Walnut	RW		878 (7')					
6/4 Sel&Btr								1,765
Walnut	RW		880 (7')	885 (9'-10')				

8/4 Sel&Btr	90/80 ro rules							2,965
Walnut	RW		750 (8')	1,128 (9')	433 (10')	654 (11'-12')		
8/4 Sel&Btr	ro rules							17,147
Walnut	RW		4,527 (7'-8')	10,375 (9'-10')		2,245 (11'-12')		
8/4 Sel&Btr	WAL rules							1,924
Walnut	RW		639 (8')	1,285 (9'-10')				
8/4 Sel&Btr								5,986
Walnut	RW		2,082 (7'-8')	3,904 (9'-10')				
8/4 1 Com								7,680
Walnut	RW	317 (4'-6')	2,685 (6'-8')	4,406 (9'-10')		272 (12')		
8/4 2 Com								8,621
Walnut	RW	340 (4'-5')	4,312 (6'-8')	2,395 (9'-10')		1,382 (11'-12')	192 (13'-16')	

4/4 Sel&Btr	plain sawn							515
White Oak	5.0 & wdr		515 (6'-8')					
4/4 Sel&Btr	plain sawn							88
White Oak	5.75 - 6.99"					88 (12')		
4/4 Sel&Btr	plain sawn							237
White Oak	6.25" & und					237 (11'-12')		

4/4 Sel&Btr White Oak	plain sawn 9.0 - 10.4"					1,428 (11'-12')		1,428
4/4 Sel&Btr White Oak	plain sawn 9.0 - 10.75"						149 (13'-16')	149
4/4 Sel&Btr White Oak	plain sawn 10.5" & wdr		2,299 (6'-8')	786 (9'-10')	420 (11'-12')		87 (13')	3,592
4/4 1 Com White Oak	plain sawn RW	dressed 15/16" 68 (9'-10')						68
4/4 1 Com White Oak	plain sawn 5.24" und	78 (4'-5')	559 (5'-8')		282 (11'-12')		52 (13'-14')	971
4/4 2 Com White Oak	plain sawn 4.9" und				1,240 (11'-12')			1,240
4/4 2 Com White Oak	plain sawn 5.24" und	103 (4'-5')	4,018 (6'-8')	4,910 (9'-10')	1,517 (11'-12')		196 (13'-14')	10,744
4/4 2 Com White Oak	plain sawn 5.5 - 6.49"		2,289 (4'-8')					2,289
4/4 2 Com White Oak	plain sawn 6.5 - 7.49"		1,665 (4'-8')	1,866 (9'-10')	601 (11'-12')			4,132
4/4 123 Com White Oak	plain sawn 5.25 - 6.49"	187 (4'-5')	5,300 (6'-8')	7,653 (9'-10')	3,344 (11'-12')		320 (13'-14')	16,804
4/4 123 Com White Oak	plain sawn 6.5 - 7.25"	174 (4'-5')	3,850 (4'-8')	5,360 (9'-10')	2,276 (11'-12')		301 (13'-14')	11,961
4/4 Outs White Oak	RW		873 (4'-8')	1,185 (9'-10')				2,058

5/4 Sel&Btr White Oak	plain sawn RW	dressed 1-3/16" 1,060 (8')	1,163 (6')	173 (7')	2,006 (7'-8')	1,147 (9'-10')	761 (9'-10')	1,733 (13'-16')	8,043
5/4 1 Com White Oak	plain sawn RW	46 (5')							46
5/4 Outs White Oak	plain sawn RW		353 (6'-9')			102 (12')			455

6/4 Sel&Btr White Oak	plain sawn RW		3,043 (6'-8')	4,205 (9'-10')	2,499 (11'-12')		432 (13'-14')	486 (15'-16')	10,665
--------------------------	------------------	--	---------------	----------------	-----------------	--	---------------	---------------	--------

8/4 Sel&Btr White Oak	plain sawn RW			452 (9'-10')					452
8/4 1 Com White Oak	plain sawn RW	486 (6')							486

10/4 Sel&Btr White Oak	plain sawn RW			1,364 (9'-10')	1,026 (11'-12')				2,390
---------------------------	------------------	--	--	----------------	-----------------	--	--	--	-------

4/4 Sel&Btr White Oak	rift RW			590 (9'-10')					590
--------------------------	------------	--	--	--------------	--	--	--	--	-----

8/4 Sel&Btr White Oak	rift RW	174 (6')	1,692 (7'-8')	2,971 (8')	1,760 (9')	2,699 (10')	2,230 (11'-12')		13,391
--------------------------	------------	----------	---------------	------------	------------	-------------	-----------------	--	--------

4/4 Sel&Btr White Oak	qtrd 5.74" & und		189 (6'-8')						189
--------------------------	---------------------	--	-------------	--	--	--	--	--	-----

4/4 Sel&Btr	qtrd							2,983
White Oak	7.0 - 7.74"			2,100	(9'-10')	883	(11'-12')	
4/4 Sel&Btr	qtrd		93	(7')				5,717
White Oak	9.0" & wdr	698	(6')	1,780	(6'-8')	2,129	(9'-10')	1,017
5/4 Sel&Btr	qtrd - S2S	dressed 1-3/16"						196
White Oak	RW	84	(7')	112	(6'-7')			
6/4 Sel&Btr	qtrd							7,155
White Oak	RW		2,417	(8')	3,471	(9'-10')	1,267	(11'-12')
8/4 Sel&Btr	qtrd	dressed 1-15/16"	914	(7'-8')	1,005	(9'-10')		8,168
White Oak	RW	451	(8')	3,717	(6'-8')	2,081	(9'-10')	
4/4 Sel&Btr	rift&qtrd		418	(7')				1,432
White Oak	RW		836	(6'-8')	178	(9')		
4/4 1 Com	rift&qtrd							95
White Oak	RW				95	(9'-10')		
4/4 1 Com	rift&qtrd							5,149
White Oak	7.24" & und		2,201	(6'-8')	2,239	(9'-10')	709	(11'-12')