

Countertop Source  
**SINK & FAUCET**  
2017 Showroom Catalog





# COUNTERTOP SOURCE

With the recent expansion of our stock sink collection to include the popular Schock composite sinks, porcelain and stainless steel farm sinks, and a variety of faucets, we are excited to offer you, our valued customer, an affordable choice of popular sinks and faucets to enhance the beauty of your home.

Whether your home is traditional or contemporary, these sinks and faucets complement thousands of countertop combinations, adding durability, longevity, and beauty with a splash of color and style, providing you with exceptional quality and peace of mind.

**Manufactured** *with quality*  
**Finished** *with precision*  
**Installed** *with care*

That's the Countertop Source **Valu**Factor™

## SINK COLLECTIONS



# COMPOSITE

Sink Collection

## Mocha

MN-200

\$375

MN-175

\$390

MN-100

\$390

MN-350

\$360

## Beige

BN-200

\$375

BN-175

\$390

BN-100

\$390

BN-350

\$360

## Onyx

ON-200

\$375

ON-175

\$390

ON-100

\$390

ON-350

\$360

## Concrete

CN-200

\$375

CN-175

\$390

CN-100

\$390

CN-350

\$360

## Alpina

AN-200

\$375

AN-175

\$390

AN-100

\$390

AN-350

\$360

# STAINLESS

Sink Collection

## Lancer

LD5050

\$75

LD6040

\$125

HS5050

\$65

## Lancer

LS3118

\$125

MS2318

\$65

## Farm Sinks

FS3118

\$500

FD5050

\$500

Not seeing what you like? Additional sink options are available. Ask your sales representative for more details.



# PORCELAIN

Sink Collection

## Artisan

Available only in white

AFC-3302



\$700

AFC-3001



\$650

## Lotus

White or bisque

WOV-1713



\$25

BOV-1713



\$35

## Trench

White or bisque

WREC-1812




\$50

BREC-1812



\$60

# COMPOSITE SERIES





# SCHOCK TECHNOLOGY

SCHOCK sinks are up to 80% quartz, the hardest constituent of granite. CRISTADUR® and CRISTALITE® have been specially developed for the demands of the kitchen. The rigors of every-day use vanish without a trace.



**Schok Lotus Effect**  
Foods and liquids simply run off.



**Odor-free**  
Leaves the surface free of smells.



**Heat-proof**  
Not temperature sensitive.



**Food-safe**  
Absolutely safe material.



**ProHygienic 21**  
Non-porous finish leaves no place for bacteria to thrive.



**Impact-resistant**  
Material is much tougher than granite.



**Stain-resistant**  
Food stains cannot stick.



**Made to last**  
Extremely durable.

## SCHOCK INVENTED THE GRANITE SINK

Even after more than 30 years, 75% of all granite sinks sold throughout the world are made with the method SCHOCK invented – that's 1.5 million granite sinks a year.

## SCHOCK PREMIUM DESIGN

SCHOCK material technology enables us to create extraordinary designs. Premium sinks from SCHOCK have won numerous design prizes.

## SCHOCK MATERIAL TECHNOLOGY



CRISTALITE®



CRISTADUR®

Since the granite sink was invented, SCHOCK materials have been continually refined and set new standards. This innovative spirit is reflected in more than 90 patents.

## SCHOCK MATERIAL – HARDER THAN GRANITE

The special SCHOCK production method makes CRISTALITE® and CRISTADUR® extremely tough and harder than granite.

## PROHYGIENIC 21 – THE HYGIENE STANDARD


Non-porous finish leaves no place for bacteria to thrive.

## SCHOCK LOTUS EFFECT


The material's ultra-fine nanostructure means food and liquids that could be a breeding ground for bacteria finds it impossible to stick to the material's surface.




MN-200




MN-175



MN-100



MN-350



# COMPOSITE

Sink Collection



## Accessories

\$35




Kitchen Strainer

\$50



Garbage Disposal Flange

\$95




Stainless Steel Grids  
Grids N/A for MN-350




COMPOSITE  
Sink Collection


BN-200




BN-175



BN-100



BN-350



Beige



Accessories

\$35




Kitchen Strainer

\$50



Garbage Disposal Flange

\$95




Stainless Steel Grids  
Grids N/A for BN-350




COMPOSITE  
Sink Collection


ON-200




ON-175



ON-100



ON-350



Onyx



Accessories

\$35




Kitchen Strainer

\$50




Garbage Disposal Flange

\$95




Stainless Steel Grids  
Grids N/A for ON-350


CN-200




CN-175



CN-100



CN-350



Concrete



Accessories

\$35




Kitchen Strainer

\$50



Garbage Disposal Flange

\$95




Stainless Steel Grids  
Grids N/A for CN-350




COMPOSITE  
Sink Collection


AN-200




AN-175



AN-100



AN-350



Accessories

\$35




Kitchen Strainer

\$50



Garbage Disposal Flange


\$95



Stainless Steel Grids  
Grids N/A for AN-350





# Lancer



## Features .....

- Premium 304 material used
- 18 gauge thickness
- Satin luxurious finish
- Quieter enhancements
- Certified
- Limited Lifetime warranty



# STAINLESS SERIES





# STAINLESS

Sink Collection




## Accessories

\$20







Kitchen Drain

\$95



Stainless Steel Grids







### FS3118 Specifications

- Farmhouse apron
- Premium 16 guage stainless steel
- Satin finish
- Sound-Shield
- 3 1/2" drain opening



\$20

Kitchen Drain



### FD5050 Specifications

- Farmhouse apron
- Premium 16 guage stainless steel
- Satin finish
- Sound-Shield
- 3 1/2" drain opening



# PORCELAIN SERIES







## AFC-3302

Artisan Fireclay  
Farmhouse-Style Double Bowl Sink




### Model: AFC-3302

#### Dimensions

- Exterior: 33-1/4" x 18-1/4" x 10"D
- Overall Interior: 29" x 16-3/8" x 10"D
- Double Equal Bowl Interior: 15-1/2" x 16-3/4" x 10"D
- Wall Thickness: 3/4"
- Water Depth: 8"
- Drain Opening: 3-1/2"

#### Features

- Natural Clay Base Material
- Glossy, White, Topical Porcelain Glaze Finish
- Fired at Heat Exceeding 2,000 Degrees Fahrenheit
- Durable, Hard, Non-Porous Finish; Easy to Maintain
- High Heat Firing Results in Strength & Resiliency
- Resistant to Scratching, Staining, Fading &
- Discoloring Will Never Rust
- Farmhouse Style, Timeless Design
- Commands Presence & Style Statement
- Oversized Sink With Double Basins
- 2-Year Limited Warranty



#### Handcrafted Timeless Fireclay Product Specifications:

The farmhouse style sink shall include features noted on this sheet. Sink shall be double bowl in natural clay & ceramic/porcelain materials, as specified. Fireclay is a handcrafted product and each sink may vary slightly in size. Please have sink present prior to cutting. Sink shall be Artisan model **AFC-3302**.



# PORCELAIN

Sink Collection

## AFC-3001

Artisan Fireclay  
Farmhouse-Style Single Bowl Sink




### Model: AFC-3001

#### Dimensions

- Exterior: 30" x 18" x 10-1/8"D Interior:
- 27.5" x 16-3/8" x 10-1/8"D
- Wall Thickness: 3/4"
- Water Depth: 8-1/4"
- Drain Opening: 3-1/2"

#### Features

- Natural Clay Base Material
- Glossy, White, Topical Porcelain Glaze Finish
- Fired at Heat Exceeding 2,000 Degrees Fahrenheit
- Durable, Hard, Non-Porous Finish; Easy to Maintain
- High Heat Firing Results in Strength & Resiliency
- Resistant to Scratching, Staining, Fading &
- Discoloring Will Never Rust
- Farmhouse Style, Timeless Design
- Commands Presence & Style Statement
- Oversized Single Basin
- 2-Year Limited Warranty



#### Handcrafted Timeless Fireclay Product Specifications:

The farmhouse style sink shall include features noted on this sheet. Sink shall be single bowl in natural clay & ceramic/porcelain materials, as specified. Fireclay is a handcrafted product and each sink may vary slightly in size. Please have sink present prior to cutting. Sink shall be Artisan model **AFC-3001**.






*Lotus*



**Specifications**

17" x 14" x 6-1/8"




*Trench*



**Specifications**

20-7/8" x 14-5/8" x 6-7/8"



White | Bisque

White WOV- 1713  
Bisque BOV- 1713

\$20

Pop up drain



White | Bisque

White WREC- 1812  
Bisque BREC-1812

# FAUCET COLLECTIONS





# KITCHEN

Faucet Collection



## Allora

Soap dispenser included

ALLCH-8550



\$123

ALLSS-8550



\$160

ALLOB-8550



\$190

## Crescent

Soap dispenser included

CRECH-8103



\$154

CRESS-8103



\$198

CREOB-8103



\$235

## Trinsic

TRICH-8152



\$206

TRISS-8152



\$257



# BATHROOM

Faucet Collection

## Dresden

DRECH-1102



\$128

DREBN-1102



\$170

## Moxie

MOXCH-9696



\$76

MOXBN-9696



\$99

MOXOB-9696



\$124

## Forte

FORCH-9196



\$107

FORBN-9196



\$139

FOROB-9196



\$160

## Vero

VERCH-9695



\$69


VERBN-9695





\$92

Please note that Countertop Source does not offer plumbing services.

Mounting without escutcheon plate:



Mounting with escutcheon plate:



### KITCHEN FAUCET

- Single handle, lever, pull-out kitchen faucet, 2 function wand

### STANDARD SPECIFICATIONS


- Single handle kitchen faucet for exposed mountings on 1 and 3 hole sinks with 8" centers
- Single handle kitchen faucet for exposed mountings on 2 and 4 hole sinks with 8" centers
- Standard 7 1/16" (180mm) long spout swings 120°
- Replaceable rotating ball valve with replaceable non-metallic seats
- 1/2"-14 NPSM threaded male inlet adapters

### WARRANTY

- Lifetime limited warranty on parts (other than electronic parts and batteries) and finishes; or, for commercial users, for 5 years from the date of purchase
- 5 year limited warranty on electronic parts (other than batteries); or for commercial users, for 1 year from the date of purchase. No warranty is provided on batteries

### COMPLIES WITH

- ASME A112.18.1/CSA B125.1
- Indicates compliance to ICC/ANSI A117.1
- Verified compliant with 0.25% weighted average Pb content regulations



Soap dispenser included

### CHROME ALLCH-8550



### STAINLESS STEEL ALLSS-8550




### OILED BRONZE ALLOB-8550









Mounting without escutcheon plate:



Mounting with escutcheon plate:



8103  
CH | SS | OB



### KITCHEN FAUCET

Single handle, 2-function pull-down kitchen faucet

### STANDARD SPECIFICATIONS


- Single handle, 2-function pull-down kitchen faucet for exposed mounting on 1, 2, 3 and 4 hole sinks
- 16 1/32" (407 mm) high, 8" (203 mm) long spout, swings 360°
- Pull-down wand operates in an aerated or spray mode via a toggle diverter
- Integral check valves in hose assembly
- Hose travels inside mounting shank so it will not interfere with deck edges
- 1/2"-14 NPSM threaded male inlet adapters
- Lever handle with ceramic cartridge
- Includes soap dispenser

### WARRANTY

- Lifetime limited warranty on parts (other than electronic parts and batteries) and finishes; or, for commercial users, for 5 years from the date of purchase
- 5 year limited warranty on electronic parts (other than batteries); or for commercial users, for 1 year from the date of purchase. No warranty is provided on batteries

### COMPLIES WITH

- ASME A112.18.1/CSA B125.1
- Indicates compliance to ICC/ANSI A117.1
- Verified compliant with 0.25% weighted average Pb content regulations.



## KITCHEN Faucet Collection



Soap dispenser included

### CHROME CRECH-8103



### STAINLESS STEEL CRECH-8103




### OILED BRONZE CREOB-8103







Mounting without escutcheon plate:



Mounting with escutcheon plate:



8152  
CH | SS



**KITCHEN FAUCET:**

- Single Handle Deck Mount 1 or 3
- Hole Sink Applications

**STANDARD SPECIFICATIONS:**


- Maximum flow rate 1.8gpm @ 60 psi, 6.8 L/min @ 414kPa
- Single handle, 2-function pull-down kitchen faucet for exposed mounting on 1 or 3 hole sinks (escutcheon included)
- 15 1/2" (394mm) high, 8 1/8" (206 mm) long spout, swings 360°
- Pull-down wand operates in an aerated or spray mode via a toggle diverter with 24" (610 mm) hose
- 1/2"-14 NPSM threaded male inlet adapters
- Lever handle with ceramic cartridge

**WARRANTY:**

- Lifetime limited warranty on parts (other than electronic parts and batteries) and finishes; or, for commercial users, for 5 years from the date of purchase
- 5 year limited warranty on electronic parts (other than batteries); or for commercial users, for 1 year from the date of purchase. No warranty is provided on batteries

**COMPLIES WITH:**

- ASME A112.18.1 / CSA B125.1
- Indicates compliance to ICC/ANSI A117.1
- Verified compliant with 0.25% weighted average Pb content regulations.



KITCHEN  
Faucet Collection





CHROME  
TRICH-8152



STAINLESS STEEL  
TRISS-8152







## LAVATORY FAUCET

- Single Handle Deck Mount 1 or 3 Hole
- Sink Applications

## STANDARD SPECIFICATIONS

- Maximum flow rate 1.2 gpm @ 60 PSI, 4.5L/min @ 414Kpa
- Solid brass body
- Single handle lavatory deck faucets for exposed mounting on 1 or 3 hole sinks
- 3 15/16" (100 mm) long fixed spout
- Centermount or 4" (102 mm) centers with optional 5 15/16" (150mm) escutcheon.
- Polymer braided flexible supply hose with 3/8" compression connection.
- Lever handle. Control mechanism is replaceable cartridge with ceramic plates
- Models have 50 / 50 pop-up drain assembly

## WARRANTY

- Lifetime limited warranty on parts (other than electronic parts and batteries) and finishes; or, for commercial users, for 5 years from the date of purchase
- 5 year limited warranty on electronic parts (other than batteries); or for commercial users, for 1 year from the date of purchase. No warranty is provided on batteries



## COMPLIES WITH:

- ASME A112.18.1 / CSA B125.1
- ASME A112.18.2 / CSA B125.2
- Indicates compliance to ICC / ANSI A117.1
- EPA WaterSense®
- Verified compliant with 0.25% weighted average Pb content regulations





## CHROME DRECH-1102



## BRUSHED NICKLE DREBN-1102







### LAVATORY FAUCET

- Two handle, metal lever, centerset lavatory faucet with pop-up drain assembly.

### STANDARD SPECIFICATIONS

- Max. flow rate 1.20 gpm @ 60 psi, 4.54 L/min @ 414 kPa
- Two or three hole mount
- The fully replaceable, washerless valve design rotates from the full-off position to the full-on position in 90°
- The valve stems on the hot and cold stems are interchangeable
- 1/2"-14 NPSM threaded male inlet shanks

### WARRANTY

- Lifetime limited warranty on parts (other than electronic parts and batteries) and finishes; or for commercial users, for 5 years from the date of purchase
- 5 year limited warranty on electronic parts (other than batteries); or for commercial users, for 1 year from the date of purchase. No warranty is provided on batteries



### COMPLIES WITH

- ASME A112.18.1 / CSA B125.1
- ASME A112.18.2 / CSA B125.2
- Indicates compliance to ICC/ANSI A117.1
- EPA WaterSense®
- Verified compliant with 0.25% weighted average Pb content regulations.

## Moxie



### CHROME

MOXCH-9696



### BRUSHED NICKLE

MOXBN-9696





### OILED BRONZE

MOXOB-9696







**LAVATORY FAUCET**

- Two handle, metal lever, widespread lavatory faucet with pop-up drain assembly

**STANDARD SPECIFICATIONS**

- Maximum flow rate 1.5 gpm @ 60 PSI, 5.7 L/min @ 414 kPa
- Two handle widespread lavatory faucet for mounting on 3 hole sinks with 8" centers
- The fully replaceable, washerless valve design rotates from the full-off position to the full-on position in 90°
- The valve stems on the hot and cold stems are interchangeable
- 1/2" - 14 NPSM adapters

**WARRANTY**

- Lifetime limited warranty on parts (other than electronic parts and batteries) and finishes; or for commercial users, for 5 years from the date of purchase
- 5 year limited warranty on electronic parts (other than batteries); or for commercial users, for 1 year from the date of purchase. No warranty is provided on batteries



**COMPLIES WITH**

- ASME A112.18.1 / CSA B125.1
- ASME A112.18.2 / CSA B125.2
- Indicates compliance to ICC/ANSI A117.1
- EPA WaterSense®
- Verified compliant with 0.25% weighted average Pb content regulations

*Forte*



**CHROME**  
FORCH-9196





**BRUSHED NICKLE**  
FORBN-9196



**OILED BRONZE**  
FOROB-9196





**LAVATORY FAUCET**

- Two handle, metal lever, centerset lavatory faucet with pop-up drain assembly.

**STANDARD SPECIFICATIONS**

- Max. flow rate 1.20 gpm @ 60 psi, 4.54 L/min @ 414 kPa
- Three hole mount
- The fully replaceable, washerless valve design rotates from the full-off position to the full-on position in 90°
- The valve stems on the hot and cold stems are interchangeable
- 1/2"-14 NPSM threaded male inlet shanks

**WARRANTY**

- Lifetime limited warranty on parts (other than electronic parts and batteries) and finishes; or for commercial users, for 5 years from the date of purchase
- 5 year limited warranty on electronic parts (other than batteries); or for commercial users, for 1 year from the date of purchase. No warranty is provided on batteries



**COMPLIES WITH:**

- ASME A112.18.1 / CSA B125.1
- ASME A112.18.2 / CSA B125.2
- Indicates compliance to ICC/ANSI A117.1
- EPA WaterSense®
- Verified compliant with 0.25% weighted average Pb content regulations

Vero



**CHROME**  
VERCH-9695



**BRUSHED NICKLE**  
VERBN-9695







Many other sink options are available upon request.  
Please ask about additional choices.

**COUNTERTOP**  
SOURCE

459 N Old Highway 91, Suite 1  
Hurricane, UT 84737  
Tel: 435-251-8257  
[www.countertopsource.com](http://www.countertopsource.com)