



Cherry Forest Products
Lumber - Dimensional - Veneer

Cherry Forest Products

24 Kerr Crescent, Puslinch, ON N0B 2J0

P - 519-763-1466 F - 519-763-7353

info@cherryforest.ca www.cherryforest.ca



The mark of
responsible forestry

Jun 17-2019

Species & Grade	FBM	Length	FBM	Length	FBM	Length	FBM	Length	FBM	Length	Total (GRS)
4/4 Sel&Btr rift/qtrd											
ASH RW					646	(9'-10')					646
4/4 Sel&Btr W1F											
ASH 6.0 - 7.49"			622	(7'-8')							622
4/4 Sel&Btr											
ASH 4.0 - 5.49"	1,387	(6')	1,421	(8')							2,808
4/4 Sel&Btr											
ASH 5.5 - 7.49"			520	(8')							520
4/4 Sel&Btr											
ASH 7.5" & wdr			52	(8')	3,817	(9'-10')	721	(11'-12')			4,590
4/4 1 Com											
ASH RW	336	(4'-5')									336
4/4 1 Com											
ASH 4.0 - 7.49"			17,959	(6'-8')	1,838	(9'-10')					19,797
4/4 1 Com											
ASH 7.5" & wdr			8,616	(6'-8')	4,836	(9'-10')					13,452
4/4 2 Com											
ASH RW					3,573	(9'-10')	5,762	(11'-12')			9,335
4/4 outs											
ASH RW					3,570	(9'-10')					3,570

5/4 Sel&Btr rift/qtrd											
Ash RW					929	(9'-10')					929
5/4 Sel&Btr			620	(7')	1,615	(9')	3,469	(10')			
Ash RW			3,739	(8')	2,111	(9'-10')	1,225	(11'-12')			12,779
5/4 Sel&Btr			358	(7')							
Ash RW	26	(6')	1,255	(8')	1,456	(9'-10')	263	(11'-12')			3,358
5/4 1 Com											
Ash RW			71	(5'-8')	832	(9'-10')	1,627	(11'-12')	235	(13'-14')	2,765
5/4 2 Com											
Ash RW					857	(9'-10')	564	(11'-12')			1,421
5/4 3 Com											
Ash RW			37	(5'-8')	272	(9'-10')	303	(11'-12')			612

6/4 Outs											
Ash RW			3,253	(6'-8')	1,128	(9'-10')	354	(11'-12')			4,735

8/4 Sel&Btr			3,024	(7')			1,218	(11'-12')			
Ash RW	521	(6')	2,149	(8')	7,433	(9'-10')	6,293	(11'-12')			20,638
8/4 1 Com											
Ash RW			4,720	(7'-8')	4,968	(9'-10')	1,104	(11'-12')			10,792
8/4 2 Com											
Ash RW			2,080	(7'-8')	2,992	(9'-10')	1,267	(11'-12')			6,339

8/4 Outs						
Ash	RW		2,037 (6'-8')	2,329 (9'-10')	683 (11'-12')	5,049

4/4 Sel&Btr						
Aspen	RW	893 (6')		476 (9'-10)		1,369

5/4 Sel&Btr			1,786 (7')			
Basswood	RW		5,338 (8')			7,124

4/4 Sel&Btr	sap&btr					
Birch	RW			358 (9'-10')		358

4/4 Sel&Btr	90/50 Red					
Cherry	RW		465 (7'-8')	2,330 (9'-10')	1,084 (11'-12')	3,879
4/4 Sel&Btr	80/50 Red					
Cherry	5.0" & wdr		1,122 (8')	477 (9'-10')		1,599

5/4 Sel&Btr	90/50 Red A					
Cherry	RW		1,903 (8')			1,903
5/4 Sel&Btr	90/50 Red	dressed 1-3/16"				
Cherry	RW	428 (9'-10')				428
5/4 Sel&Btr	80/50 Red					
Cherry	RW		1,007 (8')			1,007
5/4 1 Com	unsel					
Cherry	RW	37 (4'-5')	1,341 (6'-8')	953 (9'-10')		2,331
5/4 2 Com	unsel					
Cherry	RW		5,939 (4'-8')	4,134 (9'-10')	1,691 (11'-12')	11,764

6/4 Sel&Btr			430 (7')			
Cherry	RW	88 (6')	1,743 (8')	2,385 (9'-10')	736 (13'-14')	5,382
6/4 1 Com						
Cherry	RW		322 (7'-8')		98 (12')	420
6/4 2 Com						
Cherry	RW		76 (8')	37 (9'-10')		113

8/4 Sel&Btr	90/80 Red					
Cherry	RW			2,279 (9'-10')		2,279
8/4 Sel&Btr			209 (7')			
Cherry	RW	34 (6')	2,149 (8')	3,044 (9'-10')		5,436
8/4 1 Com				1,472 (9'-10')		
Cherry	RW		942 (6'-8')	139 (10')		2,553

12/4 Sel&Btr						
Cherry	RW		700 (7'-8')		1,805 (11'-12')	2,505

4/4 Sel&Btr	# 1&2 white					
Hard Maple	RW	2,618 (6')	8,476 (7')			11,094
4/4 Sel&Btr	# 1&2 white					
Hard Maple	5.49" & und		2,163 (8')	1,650 (9'-10')	2,023 (11'-12')	5,836
4/4 Sel&Btr	# 1&2 white					
Hard Maple	5.5 - 9.9"		11,837 (8')	23,073 (9'-10')	13,379 (11'-12')	48,289

4/4 Sel&Btr	# 1&2 white						
Hard Maple	6.5 & wdr	677 (6')		8,090 (9'-10')	724 (11'-12')		9,491
4/4 Sel&Btr	sap&btr						
Hard Maple	RW		2,967 (8')	1,203 (9'-10')			4,171
4/4 Sel&Btr	sap&btr		316 (7')				
Hard Maple	4.0 - 4.99"		858 (8')	2,024 (9'-10')	46 (11'-12')		3,244
4/4 Sel&Btr	sap&btr						
Hard Maple	5.0 - 5.49"	125 (6')	270 (7')	1,046 (9'-10')	42 (11'-12')		1,483
4/4 Sel&Btr	sap&btr						
Hard Maple	5 - 6"			1,086 (9'-10')			1,086
4/4 Sel&Btr	sap&btr						
Hard Maple	5.5 - 6.49"			1,238 (9'-10')	160 (11'-12')		1,398
4/4 Sel&Btr	sap&btr						
Hard Maple	10.0" & wdr			1,824 (9'-10')	922 (11'-12')		2,746
4/4 Sel&Btr	brown						
Hard Maple	RW		4,739 (6'-8')	9,497 (9'-10')	1,443 (11'-12')		15,679
4/4 1 Com	# 1&2 white						
Hard Maple	RW					1,134 (13'-14')	1,134
4/4 1 Com	sap&btr						
Hard Maple	RW	126 (4'-5')					126
4/4 1 Com	sap&btr						
Hard Maple	5.49" & und		3,804 (6'-8')	3,646 (9'-10')	162 (11'-12')		7,612
4/4 1 Com	sap&btr						
Hard Maple	5.5" & wdr		6,998 (6'-8')	16,134 (9'-10')	2,109 (11'-12')		25,241
4/4 1 Com	sap&btr						
Hard Maple	6.5" & und	866 (4'-5')	18,508 (4'-8')	13,980 (9'-10')	1,520 (11'-12')		34,874
4/4 1 Com	sap&btr						
Hard Maple	6.51" & wdr	692 (4'-5')	21,581 (4'-8')	34,599 (9'-10')	20,995 (11'-12')		77,867
4/4 2 Com	brown						
Hard Maple	RW	96 (4'-5')	2,761 (4'-8')	3,471 (9'-10')	1,900 (11'-12')		8,228

5/4 Sel&Btr	# 1&2 white						
Hard Maple	RW		4,831 (7'-8')	768 (9'-10')			5,599

6/4 Sel&Btr	# 1 white		1,707 (7')				
Hard Maple	RW		6,128 (8')	12,035 (9'-10')			19,870
6/4 Sel&Btr	# 1&2 white		1,690 (7')	2,811 (9'-10')			
Hard Maple	RW	550 (6')	4,730 (8')	1,670 (9'-10')	2,807 (11'-12')		14,258
6/4 Sel&Btr	sap&btr		414 (7')				
Hard Maple	RW	57 (6')					471
6/4 Sel&Btr	s2w						
Hard Maple	RW			2,727 (9'-10')			2,727
6/4 1 Com	sap&btr						
Hard Maple	RW		8,611 (4'-8')	10,556 (9'-10')	4,134 (11'-12')		23,301
6/4 2 Com							
Hard Maple	RW		2,019 (6'-8')	2,694 (9'-10')	915 (11'-12')		5,628
6/4 Outs							
Hard Maple	RW		123 (7'-8')	105 (9'-10')			228

8/4 Sel&Btr	# 1 white			3,046 (9')			
Hard Maple	RW		2,464 (8')	3,095 (9'-10')			8,605

8/4 Sel&Btr	# 1 white						
Hard Maple	5.5 - 6.49"			62 (9'-10')			62
8/4 Sel&Btr	# 1&2 white						
Hard Maple	RW		18,146 (8')	22,688 (9'-10')	6,810 (11'-12')		47,644
8/4 Sel&Btr	sap/btr						
Hard Maple	RW			2,441 (10')			2,441
8/4 Sel&Btr	sap						
Hard Maple	RW		4,408 (8')	1,292 (9'-10')	775 (11'-12')		6,475
8/4 1 Com	sap/btr						
Hard Maple	RW		4,811 (6'-8')	15,320 (9'-10')	4,176 (11'-12')		24,307
8/4 2 Com							
Hard Maple	RW		2,805 (4'-8')	5,307 (9'-10')	2,061 (12')		10,173

4/4 Sel&Btr	unsel						
Hickory	4.89" & und		1,225 (6'-8')	967 (9'-10')	47 (11'-12')		2,239
4/4 Sel&Btr	unsel						
Hickory	7.0"		117 (7'-8')	174 (9'-10')	45 (11'-12')		336
4/4 1 Com	unsel						
Hickory	RW					385 (13'-16')	385
4/4 1 Com							
Hickory	4.89" & und		1,832 (4'-8')	1,588 (9'-10')	666 (11'-12')		4,086
4/4 1 Com							
Hickory	7.0 - 8.0"		176 (4'-8')	349 (9'-10')	121 (11'-12')		646
4/4 2 Com							
Hickory	4.9 - 6.99"		2,113 (4'-8')	2,474 (9'-10')			4,587
4/4 Outs/Frame	dressed						
Hickory	RW	100 (4'-5')	1,121 (6'-8')	1,738 (9'-10')	567 (11'-12')		3,526

5/4 1 Com							
Hickory	RW		427 (7'-8')	869 (9'-10')	525 (11'-12')	214 (14'-16')	2,035
5/4 2 Com							
Hickory	RW			77 (6'-10')			77

4/4 Sel&Btr	Bright						
Poplar	RW		7,095 (8')				7,095
5/4 Sel&Btr	Stain						
Poplar	RW	893 (7'-8')	1,908 (9'-10')	3,591 (11'-12')	1,123 (13'-14')	1,448 (15'-16')	8,963
6/4 Sel&Btr	Stain						
Poplar	RW	126 (7'-8')	322 (9'-10')				448
8/4 Sel&Btr	Stain				2,766 (13'-14')		
Poplar	RW		1,727 (9'-10')	3,505 (11'-12')	3,534 (13'-14')	7,567 (15'-16')	19,100
12/4 Sel&Btr							
Poplar	RW	948 (7'-8')		232 (11'-12')			1,180

4/4 Sel&Btr	Wheat			dressed 15/16"			
Red Oak	RW			2,532 (9'-10')			2,532
4/4 Sel&Btr	Rift						
Red Oak	RW			1,230 (9'-10')			1,230
4/4 Sel&Btr	dressed						
Red Oak	RW		dressed 15/16"	dressed 15/16"	dressed 15/16"	dressed 15/16"	
			746 (9')	8,568 (9'-10')	1,551 (11'-12')	1,288 (11'-12')	12,154

4/4 Sel&Btr	rough			1,139 (9')		439 (13'-14')	
Red Oak	RW	774 (6')		775 (9')	2,334 (11'-12')	927 (15'-16')	6,388
4/4 Sel&Btr			dressed 15/16"	dressed 15/16"	dressed 15/16"	dressed 15/16"	
Red Oak	4.0 - 6.0"		3,897 (8')	10,265 (9'-10')	898 (11'-12')	686 (13')	15,746
4/4 Sel&Btr							
Red Oak	4.5 - 5.4"			117 (10')			117
4/4 Sel&Btr							
Red Oak	5.5 - 6.4"			636 (10')			636
4/4 Sel&Btr							
Red Oak	6.5 - 7.4"			526 (10')			526
4/4 Sel&Btr				951 (9'-10')			
Red Oak	10.0" & wdr			330 (9'-10')			1,281
4/4 1 Com							
Red Oak	7.5" & wdr				1,726 (11'-12')		1,726
4/4 2 Com	dressed						
Red Oak	RW	442 (6')	8,036 (7'-8')	7,349 (9'-10')	3,523 (11'-12')	949 (13'-14') 3,412 (15'-16')	23,711

5/4 Sel&Btr			1,859 (7')				
Red Oak	RW	1,735 (6')	1,558 (8')	3,986 (9')	11,311 (11'-12')		20,449
5/4 Sel&Btr		dressed 1-3/16"	dressed 1-3/16"	dressed 1-3/16"			
Red Oak	RW	218 (8')	1,013 (8')	208 (9'-10')			1,439
5/4 Sel&Btr	9.5" & wdr						
Red Oak	RW		689 (8')	2,178 (9'-10')			2,867
5/4 1 Com							
Red Oak	RW		1,291 (6'-8')	1,217 (9'-10')	526 (12')		3,034

6/4 Sel&Btr				1,128 (9')			
Red Oak	RW			591 (9'-10')			1,719
6/4 2 Com							
Red Oak	RW		163 (6'-8')	519 (9'-10')			682

8/4 Sel&Btr		dressed 1-15/16"	dressed 1-15/16"				
Red Oak	RW	1,025 (11'-12')	1,037 (15'-16')	3,705 (9'-10)		1,935 (15'-16')	7,702
8/4 2 Com							
Red Oak	RW		157 (6'-8')	520 (9'-10')	76 (12')		753

6/4 Sel&Btr	Plain Sawn						
Sapelli	RW		347 (8')			189 (10'-16')	536
4/4 Sel&Btr	Qtrd		262 (7')				
Sapelli	RW		813 (8')			701 (14')	1,776
6/4 Sel&Btr	Qtrd						
Sapelli	RW					626 (14')	626
8/4 Sel&Btr	Qtrd						
Sapelli	RW		201 (8')	799 (8'-11')			1,000

4/4 Sel&Btr							
Soft Maple	RW		1,824 (7'-8')	1,712 (9'-10')	1,082 (11'-12')	366 (13'-16')	4,984
4/4 1 Com AD				6,327 (9'-10')			
Soft Maple	RW		1,829 (4'-8')	1,128 (9'-10')	285 (11'-12')		9,569
4/4 PR WHND							
Soft Maple	RW		21,204 (6'-8')				21,204

4/4 1CB WHND						
Soft Maple RW			13,686 (9'-10')			13,686
4/4 1C WHND						
Soft Maple RW		9,901 (6'-8')				9,901

5/4 1 Com						
Soft Maple RW		1,796 (4'-8')	900 (9'-10')	1,734 (11'-12')		4,430
5/4 PR WHND						
Soft Maple RW		3,545 (6'-8')				3,545
5/4 1 Com WHND	dressed 1-1/8"					
Soft Maple RW	118 (9'-10')					118
5/4 1&2 Com WHND						
Soft Maple RW	1,426 (4'-5')		7,005 (9'-10')			8,431

6/4 Sel&Btr						
Soft Maple RW	143 (6'-7')					143
6/4 1 Com						
Soft Maple RW		681 (6'-8')				681
6/4 PR WHND						
Soft Maple RW			101 (9'-10')			101
6/4 1CB WHND						
Soft Maple RW		16,394 (5'-8')	18,313 (9'-10')	2,794 (11'-12')		37,501
6/4 1CB WHND TWIST / BOW						
Soft Maple RW		1,559 (6'-8')	2,800 (9'-10')	1,114 (11'-12')		5,473
6/4 1&2 Com WHND						
Soft Maple RW				6,770 (11'-12')	1,286 (13'-14')	8,056
6/4 2 Com WHND						
Soft Maple RW		17,633 (6'-8')	9,442 (9'-10')	958 (11'-12')		28,033
6/4 OUTS						
Soft Maple RW		860 (6'-8')		534 (11'-12')		1,394

8/4 Sel&Btr			578 (9'-10')	246 (11'-12')		
Soft Maple RW		7,257 (7'-8')	3,909 (9'-10')	3,055 (11'-12')		15,045
8/4 1 Com	dressed 1-7/8"					
Soft Maple RW	271 (8')	1,004 (6'-8')	346 (9'-10')	576 (11'-12')		2,197
8/4 1CB WHND	Twist / Bow	63 (4'-5')	12,597 (6'-8')			
Soft Maple RW	1,082 (8'-12')	283 (6'-7')	2,179 (9'-10')	1,553 (11'-12')		17,757
8/4 2C WHND						
Soft Maple RW		4,223 (5'-8')	3,873 (9'-10')	1,626 (11'-12')		9,722

10/4 Sel&Btr						
Soft Maple RW		1,237 (7'-8')	1,917 (9'-10')	1,691 (11'-12')		4,846
10/4 1 Com						
Soft Maple RW			9,250 (9'-10')	6,412 (11'-12')	372 (12'-16')	16,034
10/4 2CB WHND						
Soft Maple RW		563 (7'-8')		4,411 (11'-12')		4,974

12/4 Sel&Btr				430 (11'-12')		
Soft Maple RW				1,041 (11'-12')		1,471
12/4 1 Com						
Soft Maple RW		383 (7'-8')	746 (9'-10')	453 (12')		1,582

12/4 2CB WHND							
Soft Maple	RW		10,509 (6'-8')	11,766 (9'-10')	6,987 (11'-12')	1,925 (13'-16')	31,187

4/4 Sel&Btr	90/80 ro rules						866
Walnut	RW	866 (6'-7')					
4/4 Sel&Btr	rift&qtrd						5,283
Walnut	RW		2,490 (7'-8')	2,442 (9'-10')	351 (11')		
4/4 Sel&Btr		545 (6'-7')	254 (7'-8')				1,911
Walnut	4.89" & und	273 (7')	457 (8')		382 (11'-12')		
4/4 1 Com						592 (13'-16')	592
Walnut	RW						
4/4 1 Com							568
Walnut	4.99" und		451 (5'-8')		117 (11'-12')		
4/4 1 Com			3,305 (4'-8')				14,716
Walnut	5.74" & und	700 (4'-5')	4,389 (6'-8')	4,527 (9'-10')	1,795 (11'-12')		
4/4 2 Com							6,275
Walnut	RW	47 (4'-5')	970 (7'-8')	4,565 (9'-10')		693 (13'-16')	
4/4 2 Com							1,565
Walnut	7.49" & und	213 (4'-5')		1,352 (9'-10')			
4/4 2 Com							2,141
Walnut	7.5" & wdr		1,645 (5'-8')	496 (9'-10')			

5/4 Sel&Btr	100/80 ro rules						184
Walnut	RW	184 (6')					
5/4 Sel&Btr	ro rules	dressed 1-3/16"					35
Walnut	RW	35 (8')					
5/4 Sel&Btr			477 (6'-8')				2,546
Walnut	RW		1,591 (8')	379 (9'-10')	99 (11'-12')		

6/4 Sel&Btr	100/80 ro rules		60 (7')				5,656
Walnut	RW		2,588 (8')	3,008 (9'-10')			
6/4 1 Com							115
Walnut	RW		115 (8')				

8/4 Sel&Btr	90/80 ro rules		1,161 (7')				10,440
Walnut	RW		4,141 (8')	3,526 (9'-10')	973 (11'-12')	639 (13'-16')	
8/4 Sel&Btr	ro rules						15,566
Walnut	RW		4,493 (7'-8')	10,020 (9'-10')	1,053 (11'-12')		
8/4 Sel&Btr	WAL rules			1,285 (9'-10')			1,285
Walnut	RW						
8/4 Sel&Btr			1,054 (8')	2,386 (9'-10')	1,439 (11')		15,252
Walnut	RW		2,342 (9')	3,890 (10')	3,100 (12')	1,040 (13'-14')	
8/4 1 Com							5,962
Walnut	RW		2,401 (6'-8')	3,561 (9'-10')			
8/4 2 Com							8,621
Walnut	RW	340 (4'-5')	4,312 (6'-8')	2,395 (9'-10')	1,382 (11'-12')	192 (13'-16')	

4/4 Sel&Btr	plain sawn	checking				242 (13'-14')	2,225
White Oak	RW	1,781 (6'-12')				202 (13'-14')	
4/4 Sel&Btr	plain sawn						1,384
White Oak	3.9 - 4.9"		825 (6'-8')	400 (9'-10')	159 (11'-12')		

4/4 Sel&Btr	plain sawn						
White Oak	5.0 - 5.6"		4,076 (7'-8')	1,749 (9'-10')	641 (11'-12')		6,466
4/4 Sel&Btr	plain sawn						
White Oak	7.0 - 7.6"		1,561 (7'-8')	880 (9'-10')	359 (11'-12')		2,800
4/4 Sel&Btr	plain sawn						
White Oak	9.0 - 10.4"		1,272 (7'-8')	728 (9'-10')	423 (11'-12')		2,423
4/4 Sel&Btr	plain sawn						
White Oak	9.0 - 10.75"					149 (13'-16')	149
4/4 Sel&Btr	plain sawn						
White Oak	10" & wdr		316 (6'-8')				316
4/4 Sel&Btr	plain sawn						
White Oak	10.5" & wdr		3,301 (6'-8')	1,479 (9'-10')			4,780
4/4 2 Com	plain sawn						
White Oak	5.24" und			2,319 (9'-10')			2,319
4/4 2 Com	plain sawn						
White Oak	5.5 - 6.49"		2,289 (4'-8')				2,289
4/4 2 Com	plain sawn						
White Oak	6.5 - 7.49"		1,665 (4'-8')	1,115 (9'-10')	601 (11'-12')		3,381
5/4 Sel&Btr	plain sawn						
White Oak	RW		871 (7'-8')				871
5/4 1 Com	plain sawn						
White Oak	RW		908 (6'-8')	804 (9'-10')		477 (13'-14')	2,189
5/4 Outs	plain sawn						
White Oak	RW		353 (6'-9')		102 (12')		455
6/4 Sel&Btr	plain sawn						
White Oak	RW	841 (7')	2,080 (6'-8') 2,790 (8')	284 (9') 7,070 (9'-10')	2,116 (11'-12') 3,109 (11'-12')	476 (13'-14')	18,766
8/4 Sel&Btr	plain sawn						
White Oak	RW	676 (6'-7')	2,199 (8')	4,668 (9'-10')	3,644 (11'-12')	743 (13'-14') 303 (13'-14')	12,233
10/4 Sel&Btr	plain sawn						
White Oak	RW		1,659 (7'-8')	1,309 (9'-10')	541 (9'-10')		3,508

8/4 Sel&Btr	rift	174 (6')					
White Oak	RW	637 (7')					811

4/4 Sel&Btr	qtrd						
White Oak	7.0 - 7.74"				883 (11'-12')		883
5/4 Sel&Btr	qtrd - S2S	dressed 1-3/16"					
White Oak	RW	84 (7')	112 (6'-7')				196
6/4 Sel&Btr	qtrd						
White Oak	RW		2,170 (8')	1,320 (9'-10')	1,267 (11'-12')		4,757
8/4 Sel&Btr	qtrd	71 (6')					
White Oak	RW	461 (7')	914 (7'-8')	1,164 (9'-10')			2,539

4/4 1 Com	rift&qtrd						
White Oak	RW		729 (4'-8')	676 (9'-10')			1,405