

# SAFETY DATA SHEET

## CITRUS ASSAULT MASTIC REMOVER

Page: 1 of 6

Revision: 10/19/2015

Supersedes Revision: 04/07/2015

### 1. Product and Company Identification

**Product Code:** 00091  
**Product Name:** CITRUS ASSAULT MASTIC REMOVER  
**Company Name:** TWIN-CHEMICALS, INC.  
6175 Hickory Flat Highway  
Suite 110-344  
Canton, GA 30755  
**Phone Number:** (800)442-4958

**Web site address:** www.twinchemicals.com  
**Email address:** sales@twinchemicals.com

**Emergency Contact:** CERTS (Health & Environment only) (800)552-3787  
**Information:** Sales & Information - (800)442-4958

### 2. Hazards Identification

Flammable Liquids, Category 3

Skin Corrosion/Irritation, Category 2

Skin Sensitization, Category 1

Serious Eye Damage/Eye Irritation, Category 2B



**GHS Signal Word:** Warning

**GHS Hazard Phrases:** H226 - Flammable liquid and vapor.  
H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H320 - Causes eye irritation.  
H401 - Toxic to aquatic life.  
H411 - Toxic to aquatic life with long lasting effects.

**GHS Precaution Phrases:** P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
P233 - Keep container tightly closed.  
P241 - Use explosion-proof electrical/ventilating/lighting/.../ equipment.  
P242 - Use only non-sparking tools.  
P243 - Take precautionary measures against static discharge.  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 - Wash hands thoroughly after handling.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

**GHS Response Phrases:** P302+352 - IF ON SKIN: Wash with plenty of soap and water.  
P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician.  
P333+313 - If skin irritation or rash occurs, seek medical advice/attention.  
P337+313 - If eye irritation persists, get medical advice/attention.  
P362 - Take off contaminated clothing and wash before re-use.  
P363 - Wash contaminated clothing before reuse.  
P391 - Collect spillage.

**GHS Storage and Disposal** P403+235 - Store in cool/well-ventilated place.

# SAFETY DATA SHEET

## CITRUS ASSAULT MASTIC REMOVER

Page: 2 of 6

Revision: 10/19/2015

Supersedes Revision: 04/07/2015

<b>Phrases:</b>	P501 - Dispose of contents/container to trash after rinsing container.
<b>Potential Health Effects (Acute and Chronic):</b>	Chronic: In 2-year gavage studies, there was clear evidence of carcinogenic activity of d-limonene for male rats, as shown by increased incidences of tubular cell hyperplasia, adenomas, and adenocarcinomas of the kidney. There was NO evidence of carcinogenic activity of d-limonene for female rats, for male mice, or for female mice.
<b>Inhalation:</b>	Material is irritating to mucous membranes and upper respiratory tract. May be harmful if inhaled.
<b>Skin Contact:</b>	Causes skin irritation. May irritate sensitive individuals. Prolonged and/or repeated contact may cause defatting of the skin and dermatitis. May cause skin irritation.
<b>Eye Contact:</b>	Causes severe eye irritation.
<b>Ingestion:</b>	May cause digestive tract disturbances. May be harmful if swallowed.  Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

### 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
5989-27-5	(R)-1-Methyl-4-(1-methylethenyl)-cyclohexene {(R)-(+)-Limonene}	90.0 -100.0 %
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydr {Nonylphenol Ethoxylate}	2.0 -6.0 %

### 4. First Aid Measures

#### Emergency and First Aid

##### Procedures:

<b>In Case of Inhalation:</b>	If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medical aid.
<b>In Case of Skin Contact:</b>	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical aid if symptoms occur. Wash clothing before reuse.
<b>In Case of Eye Contact:</b>	In case of contact, immediately flush eyes with plenty of water for a t least 15 minutes. Get medical aid.
<b>In Case of Ingestion:</b>	Never give anything by mouth to an unconscious person. Get medical aid. If swallowed, wash out mouth with water provided person is conscious. Call a physician.
<b>Signs and Symptoms Of Exposure:</b>	Exposure can cause: Nausea, headache, and vomiting. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
<b>Note to Physician:</b>	None known.

## 5. Fire Fighting Measures

**Flash Pt:** > 48.00 C Method Used: Estimate  
**Explosive Limits:** LEL: 0.7 UEL: 6.1  
**Autoignition Pt:** 255.00 C  
**Suitable Extinguishing Media:** Use water fog, dry chemical, carbon dioxide or alcohol type foam. Suitable:  
**Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Containers may explode in the heat of a fire. Flammable liquid and vapor. Vapors are heavier than air and may travel to a source of ignition and flash back. Vapors can spread along the ground and collect in low or confined areas. This liquid floats on water and may travel to a source of ignition and spread fire. Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

**Flammable Properties and**

**Hazards:**

**Hazardous Combustion**

**Products:**

## 6. Accidental Release Measures

**Steps To Be Taken In Case Material Is Released Or Spilled:** Use proper personal protective equipment as indicated in Section 8.  
 Spills/Leaks: Forms smooth, slippery surfaces on floors, posing an accident risk. Remove all sources of ignition. Provide ventilation. PROCEDURE(S) OF PERSONAL PRECAUTION(S)  
 Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves. Methods for cleaning up.  
 Absorb on sand or vermiculite and place in closed containers for disposal. Ventilate area and wash spill site after material pickup is complete.

## 7. Handling and Storage

**Precautions To Be Taken in Handling:** Ground and bond containers when transferring material. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep away from heat, sparks and flame. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Use only with adequate ventilation. Avoid breathing dust, mist, or vapor.  
**Precautions To Be Taken in Storing:** Keep away from heat, sparks and flame. Keep away from sources of ignition. Store in a cool, dry, well-ventilated area away from incompatible substances. Flammables-area. Separate from oxidizing materials. Partially filled containers should be blanketed with nitrogen. Suitable:

## 8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
5989-27-5	(R)-1-Methyl-4-(1-methylethenyl)-cyclohexene {(R)-(+)-Limonene}			
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydr {Nonylphenol Ethoxylate}			

# SAFETY DATA SHEET

## CITRUS ASSAULT MASTIC REMOVER

Revision: 10/19/2015

Supersedes Revision: 04/07/2015

<b>Respiratory Equipment (Specify Type):</b>	A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Wear a NIOSH/MSHA or European Standard EN 149 approved full-facepiece airline respirator in the positive pressure mode with emergency escape provisions. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. Hand: Compatible chemical-resistant gloves.
<b>Eye Protection:</b>	Wear chemical splash goggles. Chemical safety goggles.
<b>Protective Gloves:</b>	Wear appropriate protective gloves to prevent skin exposure.
<b>Other Protective Clothing:</b>	Wear appropriate protective clothing to prevent skin exposure.
<b>Engineering Controls (Ventilation etc.):</b>	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. Mechanical exhaust required. Safety shower and eye bath.
<b>Work/Hygienic/Maintenance Practices:</b>	Wash thoroughly after handling.

### 9. Physical and Chemical Properties

<b>Physical States:</b>	<input type="checkbox"/> Gas <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Solid
<b>Appearance and Odor:</b>	Clear liquid. Orange-Like Odor.
<b>pH:</b>	NE
<b>Melting Point:</b>	-74.00 C - 58.00 C
<b>Boiling Point:</b>	175.00 C - 176.00 C
<b>Flash Pt:</b>	> 48.00 C    Method Used: Estimate
<b>Evaporation Rate:</b>	NA
<b>Flammability (solid, gas):</b>	
<b>Explosive Limits:</b>	LEL: 0.7                      UEL: 6.1
<b>Vapor Pressure (vs. Air or mm Hg):</b>	< 2 MM_HG at 20.0 C
<b>Vapor Density (vs. Air = 1):</b>	0.838 - 0.843    at 20.0 C
<b>Specific Gravity (Water = 1):</b>	0.84    at 20.0 C
<b>Solubility in Water:</b>	Emulsifiable
<b>Saturated Vapor Concentration:</b>	NA
<b>Octanol/Water Partition Coefficient:</b>	
<b>Autoignition Pt:</b>	255.00 C
<b>Decomposition Temperature:</b>	
<b>Viscosity:</b>	Water thin

# SAFETY DATA SHEET

## CITRUS ASSAULT MASTIC REMOVER

Page: 5 of 6

Revision: 10/19/2015

Supersedes Revision: 04/07/2015

### 10. Stability and Reactivity

**Stability:** Unstable [ ] Stable [ X ]

**Conditions To Avoid - Instability:** ignition sources, Excess heat.

**Incompatibility - Materials To Avoid:** Strong acids.

**Hazardous Decomposition or Byproducts:** Carbon monoxide, irritating and toxic fumes and gases.

**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]

**Conditions To Avoid - Hazardous Reactions:**

### 11. Toxicological Information

#### Toxicological Information:

**Carcinogenicity/Other Information:** CAS# 5989-27-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
5989-27-5	(R)-1-Methyl-4-(1-methylethenyl)-cyclohexene {(R)-(+)-Limonene}	n.a.	3	n.a.	n.a.
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydr {Nonylphenol Ethoxylate}	n.a.	n.a.	n.a.	n.a.

### 12. Ecological Information

**General Ecological Information:** Environmental: May bioconcentrate in aquatic organisms and fish. Has low mobility in soil and may rapidly volatilize in the atmosphere. Limonene can be readily degraded in soil.

Physical: No information available.

Other: Dipentene, which is optically inactive limonene, is a marine pollutant.

ELIMINATION.

### 13. Disposal Considerations

**Waste Disposal Method:** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed. Empty container may be recycled or disposed of as solid sanitary waste. Do not reuse container. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

### 14. Transport Information

# SAFETY DATA SHEET

## CITRUS ASSAULT MASTIC REMOVER

Revision: 10/19/2015  
Supersedes Revision: 04/07/2015

### LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Combustible liquid, n.o.s.  
**DOT Hazard Class:** 3 COMBUSTIBLE LIQUID  
**UN/NA Number:** NA1993 **Packing Group:** III



### LAND TRANSPORT (Canadian TDG):

**TDG Shipping Name:** DIPENTENE.

### AIR TRANSPORT (ICAO/IATA):

**ICAO/IATA Shipping Name:** Pesticides, liquid, toxic, flammable, n.o.s. [flash point not less than 23 degrees C]

## 15. Regulatory Information

### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
5989-27-5	(R)-1-Methyl-4-(1-methylethenyl)-cyclohexene {(R)-(+)-Limonene}	No	No	No
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydr {Nonylphenol Ethoxylate}	No	No	No

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
5989-27-5	(R)-1-Methyl-4-(1-methylethenyl)-cyclohexene {(R)-(+)-Limonene}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No
9016-45-9	Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydr {Nonylphenol Ethoxylate}	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8A PAIR; CA PROP.65: No

## 16. Other Information

**Revision Date:** 10/19/2015

**Hazard Rating System:**

HEALTH	1
FLAMMABILITY	2
PHYSICAL	0
PPE	B

**HMIS:**

### Additional Information About This Product:

**Company Policy or  
Disclaimer:**

THE INFORMATION CONTAINED HEREIN is based upon available information at the time of preparation and is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that the information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or any other user proximately caused by the material if misused or if reasonable safety procedures are not adhered to as stipulated in the data sheet and on the product label. Furthermore, vendor assumes no responsibility for injury or damage caused by abnormal use of this material even if reasonable safety measures are followed.