



Cherry Forest Products
Lumber - Dimensional - Veneer

Cherry Forest Products

24 Kerr Crescent, Puslinch, ON N0B 2J0

P - 519-763-1466 F - 519-763-7353

info@cherryforest.ca www.cherryforest.ca

Apr 10-2017

Species & Grade	FBM	Length	FBM	Length	FBM	Length	FBM	Length	FBM	Length	Total
4/4 Sel&Btr # 1 white HARD MAPLE RW			dressed 15/16" 2,050	(7'-8')	dressed 15/16" 1,272	(9'-10')					3,322
4/4 Sel&Btr # 1&2 white HARD MAPLE RW	450	(6')	3,151 182	(8') (7')	1,252 1,176	(9'-10') (9'-10')	1,442 1,715	(11'-12') (11'-12')	1,050	(13'-16')	10,419
4/4 Sel&Btr sap&btr HARD MAPLE RW			885	(8')					1,673	(13'-14')	2,558
4/4 Sel&Btr brown HARD MAPLE RW	dressed 15/16" 1,461	(9'-10')	971	(7'-8')							2,432
4/4 1 Com sap&btr "A" HARD MAPLE RW					dressed 15/16" 2,691	(9'-10')					2,691
4/4 1 Com sap&btr HARD MAPLE 4.49" & und							1,266	(11'-12')			1,266
4/4 1 Com sap&btr HARD MAPLE 5.0 - 5.49"							553	(11'-12')			553
4/4 1 Com sap&btr HARD MAPLE 6.5 - 8.2"									2,139	(12'-16')	2,139

4/4 Sel&Btr "N" HARD MAPLE RW							4,100 4,314	(11') (11'-12')	5,062 3,609	(13'-14') (14'-15')	17,085
4/4 Sel&Btr "N" HARD MAPLE 4.0 - 4.4"	87	(6')	777	(8')	1,038	(9'-10')					1,902
4/4 Sel&Btr "N" HARD MAPLE 4.0" & wdr			12,274	(7')							12,274
4/4 Sel&Btr "N" HARD MAPLE 4.5" & wdr	5,322	(6')			19,767	(9'-10')					25,089
4/4 1 Com "N" HARD MAPLE RW	5,064	(4'-5')							3,711	(13'-15')	8,775
4/4 1 Com "N" HARD MAPLE 5.5 - 6.4"	1,917 440	(4'-5') (6')									2,357
4/4 2 Com "N" HARD MAPLE RW			76	(6'-8')							76

5/4 Sel&Btr # 1&2 white HARD MAPLE RW			6,955	(8')	3,079	(9'-10')	2,905	(11'-12')			12,939
5/4 Sel&Btr sap HARD MAPLE RW			1,329	(6'-8')			259	(11'-12')			1,588
5/4 1 Com sap&btr HARD MAPLE RW			4,832	(4'-8')	3,869	(9'-10')	5,819	(11'-12')			14,520
5/4 2 Com HARD MAPLE RW			4,532	(5'-8')	4,729	(9'-10')	2,345	(11'-12')			11,606

6/4 Sel&Btr	# 1&2 white								9,729
HARD MAPLE	RW		8,117 (8')	1,428 (9'-10')	184 (11'-12')				
6/4 Sel&Btr	sap&btr	66 (6')							2,123
HARD MAPLE	RW	1,511 (7')	546 (8')						
6/4 1 Com									10,368
HARD MAPLE	RW		4,923 (5'-8')	3,718 (9'-10')	1,727 (11'-12')				
6/4 2 Com									2,988
HARD MAPLE	RW		782 (5'-8')	1,816 (9'-10')	390 (11'-12')				

8/4 Sel&Btr	# 1&2 white								9,016
HARD MAPLE	RW		966 (7'-8')	8,050 (9'-10')					
8/4 1 Com	# 1&2 white								3,542
HARD MAPLE	RW			3,542 (9'-10')					
8/4 1 Com									423
HARD MAPLE	RW			228 (9'-10')	195 (11'-12')				

4/4 Sel&Btr		dressed 15/16"	1,937 (6')	1,371 (8')	7,989 (7'-8')				16,814
SOFT MAPLE	RW	1,574 (6'-7')	239 (6'-7')	991 (7'-8')	505 (9'-10')	2,208 (11'-12')			
4/4 Sel&Btr	selects			5,435 (9'-10')					11,725
SOFT MAPLE	RW	790 (6')	980 (8')	2,547 (9'-10')	1,973 (11'-12')				
4/4 1 Com AD									2,275
SOFT MAPLE	RW		2,275 (4'-8')						
4/4 1CB WHND	Heavy Wormy	dressed							1,272
SOFT MAPLE	RW	214 (11'-12')	1,058 (6'-8')						
4/4 1CB WHND	rough	dressed 15/16"							678
SOFT MAPLE	RW	678 (5'-10')							
4/4 2C WHND		dressed 15/16"							338
SOFT MAPLE	RW	338 (8'-10')							

5/4 Sel&Btr			314 (7')						2,863
SOFT MAPLE	RW	238 (6')	1,057 (8')		947 (11'-12')	307 (13'-14')			
5/4 1 Com									15,489
SOFT MAPLE	RW		7,532 (4'-8')	3,834 (9'-10')	3,611 (11'-12')	512 (13'-14')			
5/4 PR WHND									39,013
SOFT MAPLE	RW		18,063 (6'-8')	9,043 (9'-10')	11,907 (11'-12')				

6/4 Sel&Btr									5,143
SOFT MAPLE	RW		5,143 (6'-8')						
6/4 1CB WHND									8,266
SOFT MAPLE	RW			8,266 (9'-10')					
6/4 2CB WHND									1,007
SOFT MAPLE	RW		1,007 (7'-8')						

8/4 Sel&Btr									3,038
SOFT MAPLE	RW		1,620 (6'-8')	1,010 (9'-10')	408 (11'-12')				
8/4 1 Com									3,064
SOFT MAPLE	RW		1,030 (6'-8')	2,034 (9'-10')					
8/4 1CB WHND									10,681
SOFT MAPLE	RW		3,194 (6'-8')	2,677 (9'-10')	4,810 (11'-12')				

8/4 2C WHND									
SOFT MAPLE	RW		2,797 (6'-8')	2,700 (9'-10')	1,674 (11'-12')				7,171

10/4 Sel&Btr		dressed 2-3/4"							
SOFT MAPLE	RW	713 (11'-12')	190 (7'-8')		1,593 (11'-12')	1,015 (13'-16')			3,512

10/4 2CB WHND									
SOFT MAPLE	RW		3,718 (5'-8')	5,499 (9'-10')	4,573 (11'-12')				13,790

10/4 OUTS									
SOFT MAPLE	RW		141 (7'-8')						141

12/4 Sel&Btr									
SOFT MAPLE	RW		642 (7'-8')						642

12/4 1 Com									
SOFT MAPLE	RW			1,276 (9'-10')	457 (9'-12')				1,733

12/4 2CB WHND									
SOFT MAPLE	RW			12,398 (9'-10')	8,901 (11'-12')				21,299

4/4 Sel&Btr	RIFT								
ASH	RW		141 (6'-8')						141

4/4 Sel&Btr									
ASH	RW			1,690 (9'-10')	1,018 (11'-12')				2,709

4/4 Sel&Btr									
ASH	6.5" & wdr			909 (9'-10')	1,339 (11'-12')				2,248

5/4 2 Com									
Ash	RW				1,538 (11'-12')				1,538

6/4 Sel&Btr									
Ash	RW		1,022 (7'-8')						1,022

8/4 Sel&Btr									
Ash	RW	1,122 (7')	584 (8')	511 (9'-10')					2,217

10/4 1 Com									
Ash	RW			559 (9'-10')					559

4/4 Sel&Btr									
Basswood	RW		389 (6'-8')	728 (9'-10')					
			1,003 (8')	1,235 (9'-10')					3,355

4/4 2 Com									
Basswood	RW		643 (5'-8')	413 (9'-10')	288 (11'-12')				1,344

5/4 Sel&Btr									
Basswood	RW	STAIN	164 (6'-8')						164

5/4 1 Com									
Basswood	RW		183 (4'-8')	459 (9'-10')	224 (11'-12')				866

5/4 2 Com									
Basswood	RW	104 (4'-5')	862 (5'-8')	583 (9'-10')	575 (11'-12')				2,124

8/4 2 Com									
Basswood	RW		875 (6'-8')	683 (9'-10')					1,558

5/4 Sel&Btr									523
Beech	RW		278 (6'-8')	245 (9'-10')					

4/4 Sel&Btr	sap&btr								2,470
Birch	RW		1,885 (8')	585 (9'-10')					

5/4 Sel&Btr	90/80 Red								2,910
Cherry	RW			2,910 (9'-10')					
5/4 Sel&Btr	unsel								3,290
Cherry	RW			1,072 (9'-10')	655 (11'-12')	1,563 (13'-15')			

6/4 Sel&Btr									195
Cherry	RW		195 (7'-8')						
6/4 1 Com			dressed						242
Cherry	RW		242 (7'-8')						

4/4 Sel&Btr	90/80 Hrtwood								2,071
Hickory	6.5" & wdr		976 (6'-8')	1,095 (9'-10')					
4/4 Sel&Btr	unsel								180
Hickory	RW					180 (13'-14')			
4/4 1&2 Com									5,286
Hickory	6.5 - 7.49"		1,906 (5'-8')	1,179 (9'-10')	2,201 (11'-12')				
4/4 1&2 Com									5,815
Hickory	6.51 - 7.99"		2,853 (7'-8')	2,962 (9'-10')					
4/4 1&2 Com									4,708
Hickory	7.5" & wdr			4,708 (9'-10')					

6/4 Sel&Btr									963
Hickory	RW			963 (9'-10')					

4/4 Sel&Btr	Bright						3,375 (13'-14')		11,700
Poplar	RW						8,325 (15'-16')		
4/4 Sel&Btr	Stain						3,464 (13'-14')		10,812
Poplar	RW		1,720 (7'-8')		3,551 (11'-12')	2,077 (15'-16')			
5/4 Sel&Btr	Stain			943 (9'-10')	414 (11'-12')	162 (13'-14')			9,779
Poplar	RW			2,218 (9'-10')	4,936 (11'-12')	1,105 (13'-14')			
7/4 Sel&Btr	Bright		697 (7'-8')						3,905
Poplar	RW		1,072 (7'-8')			2,136 (15'-16')			
8/4 Sel&Btr	Bright								14,741
Poplar	RW			5,972 (9'-10')	6,271 (11'-12')	2,499 (13'-14')			
8/4 Sel&Btr	Stain						1,312 (13'-14')		10,545
Poplar	RW			1,735 (9'-10')	5,608 (11'-12')	1,890 (15'-16')			

5/4 Sel&Btr									1,797
Sapelli	7.6" und			830 (8'-9')	374 (12')	593 (14'-16')			
5/4 Sel&Btr									1,048
Sapelli	7.75" wdr					1,048 (14'-16')			
6/4 Sel&Btr									2,401
Sapelli	RW			333 (9')	630 (12')	503 (14')			
				935 (10')			503 (15', 16')		

6/4 Sel&Btr Sapelli	7.6" und		336 (8')					336
8/4 Sel&Btr Sapelli	RW					1,248 (13'-14')	875 (14'-15')	2,123

4/4 Sel&Btr Red Oak	dressed RW	dressed - MINERAL 1,841 (9'-10')	dressed 15/16" 6,302 (8')	dressed 15/16" 1,425 (9'-10')	dressed 15/16" 2,504 (11'-12')			12,072
4/4 Sel&Btr Red Oak	rough RW		421 (7')	7,839 (9'-10')				8,260
4/4 Sel&Btr Red Oak	10.0" & wdr		611 (8')	3,297 (9'-10')				3,908
4/4 1 Com Red Oak	Wheat RW			dressed 15/16" 1,926 (9'-10')	dressed 15/16" 1,480 (11'-12')			3,406
4/4 1 Com Red Oak	6.75 - 7.75"	614 (4'-6')	836 (5'-8')	2,154 (9'-10')				3,604

4/4 Sel&Btr Red Oak	Rift/Qtrd RW		1,327 (6'-8')	4,791 (9'-10')	1,570 (11'-12')			7,688
4/4 Sel&Btr Red Oak	Rift/Qtrd 4.9" & und		225 (7'-8')					225
4/4 Sel&Btr Red Oak	Rift/Qtrd 6.0 - 7.6"		977 (6'-8')	1,208 (9'-10')				2,185
4/4 Sel&Btr Red Oak	Rift/Qtrd 7.75" & wdr		1,082 (7'-8')					1,082

5/4 Sel&Btr Red Oak	RW	1,331 (6')	657 (8')	6,733 (9')	8,730 (10')	1,033 (9')	1,001 (10')	19,485
5/4 Sel&Btr Red Oak	4.0 - 5.0" RW	342 (5'-6')		851 (9'-10')				1,193
5/4 Sel&Btr Red Oak	10.0" & wdr RW		892 (7'-8')	2,113 (8')	10,740 (9'-10')			13,745
5/4 1 Com Red Oak	RW		668 (4'-8')	4,377 (9'-10')	2,342 (11'-12')			7,387
5/4 2 Com Red Oak	RW		295 (6'-8')	315 (9'-10')	207 (12')			817

6/4 Sel&Btr Red Oak	RW		5,314 (8')	536 (12')	2,576 (10')	1,163 (11')	1,661 (13')	20,707
6/4 1 Com Red Oak	RW		1,649 (7'-8')	4,448 (9'-10')			3,502 (15'-16')	6,583
							486 (13'-16')	

8/4 Sel&Btr Red Oak	RW	509 (6')	3,400 (7')					11,697
8/4 Sel&Btr Red Oak	4.0 - 5.0" RW	638 (6')	6,911 (8')		748 (11')			214
8/4 Sel&Btr Red Oak	Stained RW	dressed 1-7/8" 3,171 (7'-8')	214 (7'-8')					3,171

4/4 Sel&Btr White Oak	plain sawn 4.9 - 5.6"		60 (8')	1,167 (9'-10')	1,240 (11'-12')	1,215 (13'-15')		3,682
--------------------------	--------------------------	--	---------	----------------	-----------------	-----------------	--	-------

4/4 Sel&Btr	plain sawn								823
White Oak	5.75 - 6.49"		396 (8')	427 (9'-10')					
4/4 Sel&Btr	plain sawn								2,521
White Oak	5.75 - 6.9"			512 (9'-10')	1,018 (11'-12')	991 (13'-16')			
4/4 Sel&Btr	plain sawn								2,148
White Oak	10.0" & wdr		480 (8')	728 (9'-10')	940 (11'-12')				
4/4 Sel&Btr	plain sawn								629
White Oak	10.5" & wdr			629 (9'-10')					
4/4 1 Com	plain sawn								1,504
White Oak	7.5 - 9.4"		543 (6'-8')	546 (9'-10')	415 (11'-12')				
4/4 2 Com	plain sawn								1,923
White Oak	6.0 - 7.4"		879 (6'-8')	605 (9'-10')	439 (11'-12')				
4/4 12 Com	plain sawn								4,655
White Oak	5.9" und		1,828 (4'-8')	1,171 (9'-10')	782 (11'-12')	874 (13'-16')			

5/4 Sel&Btr	plain sawn								4,839
White Oak	RW			3,750 (9'-10')	1,089 (11'-12')				

6/4 Sel&Btr	plain sawn	dressed 1-7/16"	dressed 1-7/16"	457 (7')					4,757
White Oak	RW	212 (7'-8')	251 (9'-10')	2,131 (8')	1,706 (9'-10')				

8/4 Sel&Btr	plain sawn	dressed 1-15/16"	dressed 1-15/16"	438 (6'-8')	1,327 (10')				4,469
White Oak	RW	183 (7'-8')	187 (9'-10')	271 (7'-8')	2,063 (11'-12')				

4/4 Sel&Btr	rift	dressed 15/16"	dressed 15/16"						1,237
White Oak	RW	974 (6'-8')	263 (9'-10')						
4/4 Sel&Btr	rift								3,604
White Oak	4.0 - 4.4"		2,508 (6'-8')	984 (9'-10')	112 (11'-12')				
4/4 Sel&Btr	rift								6,476
White Oak	4.5 - 4.9"		3,290 (6'-8')	623 (9'-10')	2,563 (11'-12')				
4/4 Sel&Btr	rift								11,947
White Oak	5.0 - 5.4"		6,195 (6'-8')	3,480 (9'-10')	2,272 (11'-12')				
4/4 Sel&Btr	rift								5,759
White Oak	5.0 - 5.74"		2,768 (6'-8')	2,262 (9'-10')	729 (11'-12')				
4/4 Sel&Btr	rift								370
White Oak	5.5 - 5.9"			370 (9'-10')					
4/4 Sel&Btr	rift								3,260
White Oak	6.0 - 6.4"		1,709 (6'-8')	1,551 (9'-10')					
4/4 Sel&Btr	rift								315
White Oak	7.0 - 7.75"				315 (11'-12')				
4/4 Sel&Btr	rift								1,235
White Oak	8.0" & wdr		584 (6'-8')	300 (9'-10')	351 (11'-12')				

5/4 Sel&Btr	rift	dressed 1-3/16"	dressed 1-3/16"						4,646
White Oak	RW	225 (7'-8')	1,765 (9'-10')	429 (6'-8')	1,322 (9'-10')	905 (11'-12')			

6/4 Sel&Btr	rift	dressed 1-7/16"							5,473
White Oak	RW	1,663 (7'-8')	1,155 (8')	2,655 (10')					

8/4 Sel&Btr	rft	dressed 1-15/16"							5,727
White Oak	RW	502 (6'-8')	2,026 (7'-8')	2,384 (9'-10')	815 (11'-12')				

5/4 Sel&Btr	qtrd - S2S		dressed 1-3/16"	dressed 1-3/16"	dressed 1-3/16"	dressed 1-3/16"			3,965
White Oak	RW		1,036 (7'-8')	1,276 (9'-10')	1,125 (11'-12')	528 (13')			
5/4 Sel&Btr	qtrd								2,853
White Oak	RW		826 (6'-8')	1,170 (9'-10')	857 (11'-12')				

6/4 Sel&Btr	qtrd								6,322
White Oak	RW		2,258 (8')	4,064 (9'-10')					

8/4 Sel&Btr	qtrd	dressed 1-15/16"	dressed 1-15/16"						3,302
White Oak	RW	200 (6'-7')	451 (8')	1,647 (6'-8')	1,004 (11'-12')				

4/4 Sel&Btr	rft&qtrd	dressed 15/16"	dressed 15/16"						4,459
White Oak	RW	956 (6'-8')	1,664 (9'-10)	240 (6'-7')			1,599 (13'-16')		
4/4 Sel&Btr	rft&qtrd								1,434
White Oak	4.0 - 4.4		1,360 (6'-8')			74 (11'-12')			
4/4 Sel&Btr	rft&qtrd								6,738
White Oak	4.5 - 4.9"		4,101 (6'-8')	1,413 (9'-10')	1,224 (11'-12')				
4/4 Sel&Btr	rft&qtrd								12,802
White Oak	5.0 - 5.6"		6,473 (6'-8')	6,329 (9'-10')					
4/4 Sel&Btr	rft&qtrd								6,403
White Oak	5.0 - 5.74"		2,509 (6'-8')	2,697 (9'-10')	1,197 (11'-12')				
4/4 Sel&Btr	rft&qtrd								1,428
White Oak	5.5 - 5.9"		974 (6'-8')		454 (11'-12')				
4/4 Sel&Btr	rft&qtrd								4,088
White Oak	7.0 - 7.4"			2,106 (9'-10')	1,982 (11'-12')				
4/4 Sel&Btr	rft&qtrd								1,198
White Oak	7.5 - 7.9"			1,198 (9'-10')					
4/4 Sel&Btr	rft&qtrd								3,847
White Oak	8.0" & wdr		799 (6'-8')	2,183 (9'-10')	865 (11'-12')				
4/4 1 Com	rft&qtrd								4,403
White Oak	5.75 - 6.4"		2,655 (4'-8')	826 (9'-10')	922 (11'-12')				
4/4 1 Com	rft&qtrd								6,800
White Oak	6.5 - 7.99"		4,136 (7'-8')	1,033 (9'-10')	1,631 (11'-12')				

6/4 1 Com	rft&qtrd								43
White Oak	RW	43 (4'-6')							

4/4 Sel&Btr	ro rules - unsel								2,645
Walnut	7.9" & und		2,645 (7')						
4/4 Sel&Btr	ro rules - unsel								795
Walnut	8.0" & wdr		795 (7')						
4/4 Sel&Btr	rft&qtrd								1,154
Walnut	RW			1,154 (9'-10')					
4/4 Sel&Btr	VIRGIN								972
Walnut	6.5" & wdr			972 (9'-10')					
4/4 Sel&Btr	VIRGIN								968
Walnut	7.0" & wdr			968 (9'-10')					

4/4 Sel&Btr									
Walnut	4.5 - 4.9"				928	(11'-12')	928		
4/4 1 Com									
Walnut	7.5 - 7.9"		572	(6'-10')	243	(9'-10')	232	(11'-12')	1,047
4/4 1 Com									
Walnut	7.5" & wdr				85	(9'-10')		85	
4/4 1 Com									
Walnut	8.5 - 9.49"				1,065	(9'-10')		1,065	
4/4 1 Com									
Walnut	9.5" & wdr		1,335	(4'-8')	2,700	(9'-10')	463	(11'-12')	4,498

6/4 Sel&Btr	90/80 black								
Walnut	RW		4,643	(8')			1,033	(11'-12')	5,676
6/4 Sel&Btr									
Walnut	RW				908	(9'-10')			908
6/4 1 Com									
Walnut	RW				180	(9'-10')			180

8/4 Sel&Btr	90/80 ro rules	dressed 1-15/16"	960	(7')					
Walnut	RW		538	(8')	3,185	(8')			4,683
8/4 Sel&Btr	90/80 black								
Walnut	RW				675	(8')	404	(11'-12')	1,079
8/4 Sel&Btr	ro rules - unsel								
Walnut	RW		914	(7')	3,607	(8')			4,521
8/4 1 Com									
Walnut	RW		1,843	(4'-8')					1,843
8/4 2 Com									
Walnut	RW		620	(6'-8')					620

10/4 Sel&Btr	ro rules - unsel								
Walnut	RW				1,351	(9'-10')			1,351