

## 854 Tilden Oaks Trail, Winter Garden, FL 34787 407-614-8793 office/ 407-614-8903 Fax www.jjbuilding.com

#### Effective 2/15/2021

Pricing subject to change

# **Blue Springs Reserve Standard Features**

Estimate only - actual house design, specific lot conditions and choice of finishes will determine final price Lots are sold separately. Base building costs do not include lot cost.

| Standard porches/garage SF in base pricing      | SF Under AC | Base Price       |    | Base Price/SF |  |
|---|-------------|------------------|----|---------------|--|
| 2 car garage - 21'8" x 21'8" interior ( 530 SF) | 2800        | \$<br>512,000.00 | \$ | 183.00        |  |
| Front porch - 208 SF (8x26)                     | 3000        | \$<br>542,000.00 | \$ | 180.00        |  |
| Rear lanai - 300 SF (25x12)                     | 3200        | \$<br>573,000.00 | \$ | 179.00        |  |
| ·   | 3500        | \$<br>617.000.00 | \$ | 176.00        |  |

#### A Exterior (structural/architectural/features)

- 1 Reinforced concrete masonry construction with stemwall foundation on 1st floor.
  - Framed 2x4 construction on 2nd floor.
- 2 Wood joist system 16" 20" between 1st & 2nd floors.
- 3 Brick cement paver (standard gray mix) 12'x35' driveway, 24'x28' courtyard, 4' wide walkway and rear porch/lanai
- 4 Brick cement paver(standard gray mix) front porch and steps
- 5 Flat cement tile roof to conform with HOA design standards.
- 6 Mixture of textured stucco exterior finish and cementious siding with architectural detail to meet HOA HOA design standards.
- 7 Soil and foundation termite treatment with 18 month warranty from treatment date.
- 8 Vinvl vented soffits.
- 9 Vinyl beadboard ceilings on porches and lanai.
- 10 Sherwin Williams exterior paint "satint" finish on exterior walls w/semi-gloss on trim.
- 11 Architect/engineering/permit fees/impact fees are included in contract price.
- 12 Sanitary septic system per plan.
- 13 Connection to city water at property line.
- 14 Connect gas fueled appliances to gas utility service if available or owner provided propane tank. Charge per connection \$700.

### B <u>Landscape/Sod/Irrigation</u>

- 1 Automatic sprinkler system with time clock control (builders standard) to service standard sod and landscaped area, connect to city water service.
- 2 <u>Landscape allowance (\$7,500)</u> for plants, trees, mulch, landscape lighting, rocks, etc.
- 3 Bahia sod <u>15000 SF allowance</u>

#### C <u>Doors/Windows</u>

- 1 Paneled 8' fiberglass single front entry door(s) with 3/4 or full glass lights per plan.
- 2 Double pane glass 8' white vinyl sliding glass doors to exterior per plan.
- White vinyl single hung, double pane, low E windows & screens. Window internal grid pattern on front elevation per plan.
- 4 8' x 16' insulated overhead garage door.
- 5 Automatic chain drive garage door opener with 2 remotes.
- 6 Molded 8' interior hollow core doors per plan. Choice of 5 standard door styles.
- 7 Door hardware Kwikset Signature Series front door handset.
  - Kwikset Signature Series interior door passage/privacy hardware Choice of coordinating door hinge colors.

### D <u>Interior/Finishes/General</u>

- 1 9'4" ceilings main level and 9' on 2nd level
- 2 Closets and pantry per plan with ventilated vinyl coated shelving

- 3 Laundry room with electric washer/dryer hookups, dryer vent to exterior. Laundry sink in base cabinet.
- 4 Stairs Stained wood treads/handrail/newel post. Painted risers/skirt Stnd metal or painted wood balusters
- 5 Interior drywall with textured knockdown finish on ceilings and orange peel finish on walls.
- 6 Trim Wood window sills

Traditional 3-1/4" casing on doors

No casing on windows in standard price

Traditional 5-1/4" x 9/16" milled baseboards throughout home

Crown molding not included in base price

- 8 Interior Paint Sherwin Williams interior paint living areas/BRs flat & bath walls semi-gloss (single color all walls) semi-gloss on all trim & doors (single color) ceiling flat (white). (Charge of \$200 per additional color)
- 9 Owner provided bath vanity mirrors. Contractor will install.

### Flooring/Bath Tile/Kitchen Backsplash Tile (Allowances include tax & freight)

- 1 Flooring main 1st floor living area including foyer, kitchen, halls, DR, FR, study - Standard ceramic tile
- 2 Carpet in bedrooms/closets & 2nd floor living space/halls
- 3 Bath & laundry tile Standard ceramic tile & standard installation

Tiled floors in baths & laundry

Tiled wall surrounds (7' high) in M Shower & guest bath tub/showers

4 Shower floor M Bath - Standard shower floor tile

#### F Plumbing/Bath Trim (Allowances include tax & freight)

- 1 Standard composite tub/shower in guest baths.
- 2 Framed 1/4" glass shower door enclosure in Master Bath, choice of frame finish. Tiled 7' high surround.
- 3 Standard elongated 2 piece white/linen comfort height 1.6 GPF toilets
- 4 Standard porcelain under mount bath sinks, choice of linen/white and oval/rectangle
- 5 Standard bath faucets, choice of BN or Chrome

Master Bath - 8" widespread faucets (2)

Primary shower with standard head

Guest Baths - 4" standard spread faucet (1)

Primary tub/shower with standard head

Powder Bath - 4" standard spread faucet

- 6 Standard pull out spray SS kitchen faucet
- 7 Standard 18 guage stainless steel kitchen sink
- 8 Standard 50 gallon electric hot water heater
- 9 Four (4) exterior hose bibs per plan.

### G <u>Cabinets/Vanities</u>

Choice of maple, alder or oak wood material. Choice of 5 standard wood door styles:

(Shaker 2-1/4" rail, Shaker 3" rail, recessed panel w/bevel, raised or flat panel)

Plywood 3/4" box construction, dove tail joints in drawers, self close drawers and light rail.

Choice of 9 paint colors or 6 stain colors.

- 1 Kitchen perimeter: Standard 42" kitchen upper cabinets, crown molding, 2 pot/pan drawers, standard base cabinets with fixed shelving.
- 2 Kitchen Island: Standard size 84" x 42" with 24" deep base cabinets, cabinet base molding and rear of island drywall material
- 3 Master Bath Vanities: Standard 8' total vanity length, 36" high, standard base cabinetry with fixed shelving

Other Full Baths Vanities: Standard 36" vanity length, 36" high, standard base cabinetry with fixed shelving

Powder Bath Vanity (if applicable): Standard base cabinet.

4 Laundry cabinetry - Standard base with 42" wide x 36" high with 30" uppers, no crown

Kitchen & baths - Standard level 1 quartz in kitchen and baths Laundry - Standard laminate countertops

# Appliances

Standard stainless steel appliance package including:

36" electric cooktop

30" electric wall oven

Microwave above wall oven

24" dishwasher

25 CF refrigerator

### Included in standard features:

electrical service to listed appliances

1/2 HP garbage disposal

water line to refrigerator

exterior vent over kitchen cooktop

#### K <u>Electrical/Lighting</u>

1 Standard hanging/wall mount light fixtures/fans/bulbs:

Pre-wire & install standard fixtures:

- 1 Foyer ceiling hanging
- 1 DR ceiling hanging
- 2 Kitchen island pendants hanging
- 2 Master bath vanity (wall mount)

Guest baths/powder vanities (1 per bath, wall mount)

4 - Coach lights on same switch (2) on garage & (2) on front porch façade.

Interior fan/light outlets with wall switches in BR's, FR & Study.

1 - Exterior fan/light outlet with wall switch (lanai)

2 Included in standard features:

LED ceiling mount light fixture w/switch:

Laundry room (1)

Walk in closets (1 each)

Walk in pantry (1)

Garage ceiling fixgtures: (2 - 48" LED fixtures)

Recessed ceiling fixtures (LED bulbs):

6 - kitchen

4 - FR

4 - MBR

4 - lanai

Toilet water closets, showers, tubs per plan Halls & stairwell per plan.

- 3 Standard 200 amp electric service switches & outlets per code
  - 4 Exterior GFI outlets
  - 2 GFI outlets in garage interior
- 4 Decorative white rocker switches and face plates.
- 5 Total (6) low voltage drops for phone, TV or internet
- 6 Smoke alarms per code.
- 7 Doorbell.
- 8 Standard bath exhaust fans.

#### L <u>HVAC/Insulation</u>

- High efficiency Comfort Maker A/C ystem (equal to 16 seer) with vents in all living areas, bedrooms, baths, laundry room, walk-in pantry & walk-in closets.
- 2 Radiant barrier sheathing on all roof areas.
- Insulation in air conditioned space R-30 attic insulation,

R-4.1 foil batt on interior of masonry walls, R-13 batt on any exposed wood frame exterior walls.

\* All materials and installation methods are builder's standard unless specified otherwise herein.