Standard Select California









970 Pounds (approx.)

Sometimes, the beauty is in the simplicity of the design. The Bel Air profile is a flat, smooth tile that offers clean lines and versatility to use on a variety of different architectural styles. Plus, it allows you to go heavier on other exterior elements such as pavers, stonework and landscaping, all of which will dramatically complement your Bel Air concrete tile roof. The choices are endless!









4503 Sierra Madre - Hues of Charcoal, Black Streaks T24 Ref: .11 Emi: .92 SRI: 9 A.SRI: 12 CRRC: 0918-0111






4511 Flintridge Gray - Hues of Natural Gray, Black Streaks Ref: .21 Emi: .93 SRI: 22 A.SRI: 20 CRRC: 0918-0003




4520 Weathered Terracotta Flashed - Hues of Light Terracotta, Black, Red Streaks Ref: .19 Emi: .93 SRI: 19 A.SRI: 20 CRRC: 0918-0038










4634 Kings Canyon Blend - Blend of Dark Green, Tan, Red and Black Streaks

Ref: .13 Emi: .94 SRI: 12 A.SRI: 16 CRRC: 0918-0044

4626 Rancho Cordova Blend - Blend of Green, Gold, Purple

 T24
 Ref: .17
 Emi: .93
 SRI: 17
 A.SRI: 18
 CRRC: 0918-0040









4690 Pewter Bronze Blend - Blend of Pewter Gray, Gold

T24 Ref: .17 Emi: .91 SRI: .16 A.SRI: .16 CRRC: .0918-0060





4697 Slate Range - Range of Charcoal

T24 Ref: .15 Emi: .94 SRI: 15 A.SRI: 16 CRRC: 0918-0046




4698 Kona Red Range - *Range of Red* **124** Ref: .25 Emi: .83 SRI: 22 A.SRI: **28** CRRC: 0918-0018











 4773 Walnut Creek Blend - Blend of Tan, Orange, Dark Brown

 T24
 Ref: .20
 Emi: .94
 SRI: .21
 A.SRI: .23
 CRRC: .0918-0037



4804 Rocklin Blend - *Blend of Brown, Light Brown, Mocha* **T24** Ref: .18 Emi: .94 SRI: 18 A.SRI: 22 CRRC: 0918-0101




4805 Evergreen - Hues of Moss Green, Brown and Black Streaks

TEH Ref: .27 Emi: .93 SRI: 29 A.SRI: 27 CRRC: 0918-0096

LEED†





47646 Desert Clay Blend - Blend of Medium Terracotta, Light Brown


T24 Ref: .16 Emi: .94 SRI: 16 A.SRI: 17 CRRC: 0918-0042

4884 Alameda Range - Range of Brown, Natural Gray

 T24
 Ref: .16
 Emi: .94
 SRI: 16
 A.SRI: 18
 CRRC: 0918-0095









 SCB 8402 Santa Cruz Blend - Blend of Tan, Reddish Brown, Brown

 T24
 Ref: .14
 Emi: .89
 SRI: 11
 A.SRI: 16
 CRRC: 0918-0058





SCB 8802 Nantucket Blend - Blend of Gray, Tan, Brown
Ref: .14 Emi: .88 SRI: 10 A.SRI: 15 CRRC: 0918-0065



 SCB 8805 Seattle Blend - Blend of Green, Toupe, Gray

 124
 Ref: .15
 Emi: .94
 SRI: 15
 A.SRI: 15
 CRRC: 0918-0036





 SCB 8806 Tucson Blend - Blend of Tan, Terracotta, Mauve

 Ref: .20
 Emi: .88
 SRI: 18
 A.SRI: 19
 CRRC: 0918-0085



SCB 8825 Corona Del Mar Blend - Blend of Dark Brown, Tan, Maroon, Brown Streaks
Ref: .14 Emi: .90 SRI: .11 A.SRI: .16 CRRC: .0918-0074





 SCB 8826 Augusta Blend - Blend of Grayish Brown, Tan, Maroon

 124
 Ref: .19
 Emi: .91
 SRI: .18
 A.SRI: .19
 CRRC: .0918-0105



 SCB 8827 Tacoma Blend - Blend of Brown, Gray, Taupe

 Ref:
 .15
 Emi:
 .92
 SRI:
 14
 A.SRI:
 17
 CRRC:
 0918-0047





 SMB 8816 San Gabriel Blend - Blend of Golden Yellow, Maroon

 124
 Ref: .15
 Emi: .93
 SRI: .14
 A.SRI: .17
 CRRC: .0918-0034





 SMB 8820 Santa Clara Blend - Blend of Red, Orange, Beige

 124
 Ref: .21
 Emi: .83
 SRI: .17
 A.SRI: .23
 CRRC: .0918-0021






PER 100 SQ FT **88.5** Tiles (3" headlap)

970 Pounds (approx.)


The Double Eagle Bel Air profile has a smooth surface coupled with a split tile appearance that adds the right amount of subtle differentiation and dimension to a classic look. The best part? It's perfect for any residential or commercial project.





TEH Ref: .15 Emi: .91 SRI: 13 A.SRI: 15 CRRC: 0918-0028











PER 100 SQ FT **88.5** Tiles (3" headlap) **970** Pounds (approx.)

Emulating an upgraded wood shake look, the Golden Eagle profile combines a smooth, flat surface with a partial broom swept texture that immediately grabs your attention. This type of texture allows you to create an intriguing design that welcomes many different styles from French Provincial to Cozy Cottage and even a Coastal home. This profile is available in deeper shades of charcoal, chocolate, and green which will definitely make a home more inviting!





1530 Weathered Adobe - *Hues of Tan, Rust Streaks* **124** Ref: .23 Emi: .92 SRI: 24 A.SRI: **27** CRRC: 0918-0017



1687 Brown Gray Range - *Range of Brown, Gray*TEH Ref: .15 Emi: .91 SRI: 13 A.SRI: 15 CRRC: 0918-0028



1634 Kings Canyon Blend - Blend of Dark Green, Tan, Red and Black Streaks
Ref: .13 Emi: .94 SRI: 12 A.SRI: 16 CRRC: 0918-0044



1690 Pewter Bronze Blend - Blend of Pewter Gray, Gold

Ref: .17 Emi: .91 SRI: 16 A.SRI: 16 CRRC: 0918-0060




1699 Charcoal Range - *Range of Gray* **1214** Ref: .15 Emi: .94 SRI: .15 A.SRI: .16 CRRC: .0918-0046





A more durable and affordable alternative to natural wood shake, our Ponderosa tile has beautifully textured shadow lines that graze its surface to deliver a truly rustic wood appearance. If you are seeking remarkable curb appeal, a Ponderosa roof will complement many architectural styles including Prairie, Craftsman and Bungalow, to name a few.





5502 Arcadia Canyon Brown - Hues of Dark Brown, Black Streaks

Ref: .13 Emi: .94 SRI: .12 A.SRI: .16 CRRC: .0918-0043



5503 Sierra Madre - *Hues of Charcoal, Black Streaks*Ref: .11 Emi: .92 SRI: 9 A.SRI: 12 CRRC: 0918-0111









5511 Flintridge Gray - Hues of Natural Gray, Black Streaks

Ref: .21 Emi: .93 SRI: 22 A.SRI: 20 CRRC: 0918-0003







T24 Ref: .17 Emi: .95 SRI: 18 A.SRI: 20 CRRC: 0918-0097

Ref: .15 Emi: .94 SRI: 15 A.SRI: 16 CRRC: 0918-0046



5809 Lomita Range - Range of Light Brown, Medium Brown, Maroon

Ref: .15 Emi: .95 SRI: .15 A.SRI: .18 CRRC: .0918-0093



5810 Avondale Blend - Hues of Brown, Gray, Natural Gray w/Streaks

T24 Ref: .13 Emi: .95 SRI: 13 A.SRI: 15 CRRC: 0918-0094





 SCP 8802 Nantucket Blend - Blend of Gray, Tan, Brown

 T24
 Ref: .14
 Emi: .88
 SRI: .10
 A.SRI: .15
 CRRC: .0918-0065



SCP 8803 Arlington Blend - Blend of Gray, Tan, Taupe, Dark Brown
T24 Ref: .13 Emi: .89 SRI: 10 A.SRI: 15 CRRC: 0918-0071





SCP 8804 Hershey Blend - Blend of Reddish Brown, Taupe, Dark Brown

Ref: .12 Emi: .89 SRI: 8 A.SRI: 12 CRRC: 0918-0078



 SCP 8805 Seattle Blend - Blend of Green, Taupe, Gray

 T24
 Ref: .15
 Emi: .94
 SRI: .15
 A.SRI: .15
 CRRC: .0918-0036



Staggered Installation

Installing flat tile with a staggered exposure is an easy way to give a home an "Old World" look. While staggered exposure tiles are a natural fit for architectural styles like English Cottage and French Country, this unique look can breathe new life into homes of many varied styles.





It is vitally important that the professional roofing contractor plans the entire roof layout prior to installing tiles, taking into consideration the weight and waste. Approximately half of the tiles on a staggered roof will have a shorter exposure than the other half. It will be essential to calculate the additional tiles required to create a unique staggered exposure roof prior to ordering product. Whether installing a staggered exposure tile roof with battens or without, it is imperative to make proper measurements when preparing the roof for installation. The first course at the eave will be installed normally with a standard exposure. The staggered exposure begins at the second course.

If battens are utilized, the staggered exposure is achieved by installing partial battens (no greater than 12" in length) immediately above the primary course battens beginning on the second course (as seen in upper inset illustration). The tiles with the shorter exposure will hang on the higher partial batten (see image). If a direct-to-deck application is utilized (no battens), a second set of chalk lines will be marked at each course, one line for the normal exposure and one for the staggered exposure tiles. This is based on a 1" stagger.

One more consideration is the water channel at the left side of the tile. The bottom of the water channel will be visible. Leaving this portion of the water channel exposed can detract from the desired look of the staggered roof, especially on steeper roof pitches where a majority of the face of each tile will be visible. If desired, exposed channel can be removed using a saw and/or tile nippers (as seen in lower inset illustration).

In the end, you can rest assured that flat tile with a staggered exposure will create an overall beautiful, unique look to your project.


Please note that although aesthetically stunning, staggered installations are extremely complicated and may cause layout and waterproofing complications. Your Roofing Contractor is ultimately responsible for the planning and proper installation of the tile.




Double Eagle Ponderosa

PER 100 SQ FT **88.5** Tiles (3" headlap) **970** Pounds (approx.)

If you are seeking the aesthetics of hand split cedar shake, then Double Eagle Ponderosa is for you! This tile will create a dramatic, classic look that will enhance the appearance of any residential or commercial property while providing you with the durability, sustainability and beauty you desire.









5099 Charcoal Range - *Ronge of Gray*Ref: .15 Emi: .94 SRI: 15 A.SRI: 16 CRRC: 0918-0046



















49581 Arcadia Canyon Brown - Hues of Dark Brown, Black Streaks


T24 Ref: 1.3 Emi: 9.4 SRI: 12 A.SRI: 16 CRRC: 0918-0043



PER 100 SQ FT **88.5** Tiles (3" headlap) **970** Pounds (approx.)

Tapered Slate tile features a beautiful smooth texture, beveled sides and an aggressive chamfered edge treatment that highlights the inherent beauty of traditional slate. Colors range from a variety of timeless earth tones, producing a natural blend of varying depths for a brilliant roof that you will be proud of.





49595 Dark Charcoal - Hues of Dark Charcoal, Black Streaks



49602 Concord Blend - *Blend of Charcoal, Tan* **T24** Ref: .15 Emi: .92 SRI: 14 A.SRI: 15 CRRC: 0918-0107





49634 Kings Canyon Blend - Blend of Dark Green, Tan, Red and Black Streaks
Ref: .13 Emi: .94 SRI: 12 A.SRI: 16 CRRC: .0918-0044









Capistrano SCC 8830 Albuquerque Blend




S-Profiles

Inspiration that will move you... Eagle's high and medium barrel shaped profiles exude rich colors, unmatched aesthetics and timeless elegance. Whether you are looking to emulate the authentic look of Spanish tile in the Old World or wish for a more contemporary style while mirroring the Mediterranean appearance found in the roofscapes of Italy, France and Greece; you can rest assured that your curb appeal will be the envy of everyone in your neighborhood.




88.5 Tiles (3" headlap) **900** Pounds (approx.)

A high S-profile tile, our Capistrano is semi-cylindrical and is the most traditionally recognized of all tile profiles. While you may think a Capistrano tile roof is suitable for only Spanish or Italian architecture, it actually offers stunning good looks that work well with any style, as it pairs nicely with stucco, stone or brick siding. It is used widely on residential, commercial, military and institutional buildings throughout the United States.











3124 Hilo Sunset* - Hues of Burnt Orange, Brown Flashed



3125 Terracotta* - Hues of Terracotta Ref: .34 Emi: .87 SRI: 36 A.SRI: 33 CRRC: 0918-0084







3258 Ridgecrest*-Hues of Tan, Cream Flashed TELY Ref: .51 Emi: .93 SRI: 61 A.SRI: 53 CRRC: 0918-0008


















3687 Brown Gray Range - *Range of Brown, Gray*T24 Ref: .15 Emi: .91 SRI: 13 A.SRI: 15 CRRC: 0918-0028





3689 Brown Range - *Range of Brown* **124** Ref: .15 Emi: .92 SRI: .14 A.SRI: .17 CRRC: .0918-0026



3690 Pewter Bronze Blend - Blend of Pewter Gray, Gold **124** Ref: .17 Emi: .91 SRI: .16 A.SRI: .16 CRRC: .0918-0060





A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 6 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles. Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

Capistrano



3697 Slate Range - Range of Charcoal

Ref: .15 Emi: .94 SRI: 15 A.SRI: 16 CRRC: 0918-0046





3698 Kona Red Range - *Range of Red*Ref: .25 Emi: .83 SRI: 22 A.SRI: 28 CRRC: 0918-0018





3702 Calabar Blend - Hues of Medium Brown, Rust Blend, Yellow StreaksT24Ref: .18Emi: .88SRI: 15A.SRI: 20CRRC: 0918-0063






3723 Adobe Blend - Blends of Maroon, Terracotta, Gray, Gold Ref: .17 Emi: .92 SRI: 16 A.SRI: 16 CRRC: 0918-0045









37646 Desert Clay Blend - Blend of Medium Terracotta, Light Brown

 T24
 Ref: .16
 Emi: .94
 SRI: 16
 A.SRI: 17
 CRRC: 0918-0042

3817 La Salle Blend - Blend of Bright Orange, Brown and Tan

Ref: .25 Emi: .91 SRI: 26 A.SRI: 25 CRRC: 0918-0104





SMC 8820 Santa Clara Blend - Blend of Red, Orange, Beige

 T24
 Ref: .21
 Emi: .83
 SRI: 17
 A.SRI: 23
 CRRC: 0918-0021


SMC 8816 San Gabriel Blend - Blend of Golden Yellow, Maroon

Ref: .15 Emi: .93 SRI: 14 A.SRI: 17 CRRC: 0918-0034




903 Pounds (approx.)

Malibu tile has gentle curves, which adds visual interest and striking effects, easily complementing modern architectural designs and large buildings. It's particularly effective on distinctive homes, apartments, hotels, places of worship and commercial structures. It's the best of both worlds, where Mediterranean meets Contemporary.











2124 Hilo Sunset* - Hues of Burnt Orange, Brown Flashed




2209 Arrowhead Gray* - Hues of Gray, Smoke Gray Flashed





2258 Ridgecrest* - Hues of Tan, Cream Flashed Ref: .51 Emi: .93 SRI: 61 A.SRI: 53 CRRC: 0918-0008
















A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 6 or greater. *Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles. Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.

