



Cherry Forest Products
Lumber - Dimensional - Veneer

Cherry Forest Products

24 Kerr Crescent, Puslinch, ON N0B 2J0

P - 519-763-1466 F - 519-763-7353

info@cherryforest.ca www.cherryforest.ca



The mark of responsible forestry

Feb 04-2019

Species & Grade	FBM	Length	FBM	Length	FBM	Length	FBM	Length	FBM	Length	Total (GRS)	
4/4 Sel&Btr rifft/qtrd ASH RW					763	(9'-10')					763	
4/4 Sel&Btr W1F ASH 6.0 - 7.49"			979	(7'-8')							979	
4/4 Sel&Btr ASH RW	254	(6')									254	
4/4 Sel&Btr ASH 7.5" & wdr							2,024	(11'-12')			2,024	
4/4 1 Com ASH RW	574	(4')					530	(11'-12')	3,554	(13'-14')	428 (15'-16')	5,529

5/4 Sel&Btr rifft/qtrd Ash RW					929	(9'-10')					929
5/4 Sel&Btr Ash RW					357	(9'-10')	464	(11'-12')			821
5/4 1 Com Ash RW			35	(6'-8')					235	(13'-14')	270
5/4 2 Com Ash RW			662	(6'-8')	1,434	(9'-10')	383	(11'-12')			2,479

8/4 Sel&Btr Ash RW	409	(6')									409	
8/4 1 Com Ash RW			2,587	(7'-8')	1,095	(8')	197	(9'-10')	968	(11'-12')	95 (13'-15')	4,942
8/4 2 Com Ash RW			1,209	(6'-8')					132	(11'-12')	1,341	

4/4 Sel&Btr Aspen RW					1,768	(9'-10')					1,768
-------------------------	--	--	--	--	-------	----------	--	--	--	--	-------

5/4 1 Com Basswood RW					922	(9'-10')	920	(11'-12')			1,842
--------------------------	--	--	--	--	-----	----------	-----	-----------	--	--	-------

4/4 Sel&Btr sap&btr Birch RW			1,822	(6'-8')	538	(7'-8')	4,715	(8')	1,192	(9'-10')	350 (11'-12')	8,617
4/4 1 Com sap&btr Birch RW			796	(6'-8')			1,203	(9'-10')	712	(11'-12')	2,711	
4/4 2 Com sap&btr Birch RW			483	(5'-8')			290	(9'-10')	259	(11'-12')	1,032	

4/4 Sel&Btr Sappy Cherry RW			980	(8')			802	(9'-10')	465	(11'-12')	2,247
--------------------------------	--	--	-----	------	--	--	-----	----------	-----	-----------	-------

4/4 1 Com								201
Cherry	RW		201 (6'-8')					
4/4 2 Com								162
Cherry	RW	162 (4'-5')						

5/4 Sel&Btr	90/50 Red C							411
Cherry	RW	411 (6')						
5/4 Sel&Btr	90/50 Red A							5,424
Cherry	RW		1,903 (8')	3,100 (9'-10')	164 (11'-12')	257 (13'-16')		
5/4 Sel&Btr	90/50 Red							799
Cherry	RW				799 (11'-12')			
5/4 Sel&Btr	sappy							95
Cherry	RW				95 (11'-12')			
5/4 2 Com	unsel							9,928
Cherry	RW		5,022 (4'-8')	3,430 (9'-10')	1,476 (11'-12')			

6/4 Sel&Btr	90/80 Red							1,091
Cherry	RW		1,091 (8')					
6/4 Sel&Btr	90/50 Red							615
Cherry	RW			615 (9'-10')				
6/4 Sel&Btr								1,176
Cherry	RW		440 (8')			736 (13'-14')		

8/4 Sel&Btr	90/80 Red							2,502
Cherry	RW			2,502 (9'-10')				
8/4 1 Com								2,784
Cherry	RW		820 (6'-8')	1,472 (9'-10')	492 (11'-12')			

4/4 Sel&Btr	# 1 white							18,155
Hard Maple	RW			dressed 15/16"				
				18,155 (9'-10')				
4/4 Sel&Btr	# 1&2 white							19,936
Hard Maple	RW		9,401 (8')	6,116 (9'-10')	3,251 (11'-12')	629 (11'-12')		
4/4 Sel&Btr	# 1&2 white							259
Hard Maple	5.0 - 5.49"			259 (9'-10')				
4/4 Sel&Btr	# 1&2 white							4,102
Hard Maple	5.5 - 6.49"			4,102 (9'-10')				
4/4 Sel&Btr	# 1&2 white							1,146
Hard Maple	6.5 - 7.99"			1,146 (9'-10')				

5/4 Sel&Btr	# 1&2 white							3,053
Hard Maple	RW			1,528 (9'-10')		951 (13'-14')	574 (15'-16')	
5/4 Sel&Btr	brown							144
Hard Maple	RW		102 (6'-8')	42 (10')				
5/4 1 Com	sap&btr							16,846
Hard Maple	RW	25 (4'-6')	5,426 (6'-8')	7,588 (9'-10')	3,367 (11'-12')	440 (13'-16')		
5/4 2 Com								1,070
Hard Maple	RW	96 (4'-6')	974 (4'-8')					

6/4 Sel&Btr	# 1&2 white							6,986
Hard Maple	RW	396 (6')	1,690 (7')	3,148 (8')	1,752 (9'-10')			

6/4 Sel&Btr	sap								
Hard Maple	RW			1,202	(9'-10')			1,202	
6/4 1 Com	sap&btr								
Hard Maple	RW		4,874	(4'-8')	5,206	(9'-10')	3,394	(11'-12')	13,474
6/4 2 Com									
Hard Maple	RW		1,179	(6'-8')	1,357	(9'-10')	782	(11'-12')	3,318
6/4 Outs									
Hard Maple	RW		123	(7'-8')	105	(9'-10')			228

8/4 Sel&Btr	# 1 white								
Hard Maple	RW		5,327	(8')	5,910	(9'-10')	3,003	(11'-12')	14,240
8/4 Sel&Btr	# 1&2 white								
Hard Maple	RW				1,287	(9'-10')			1,287
8/4 Sel&Btr	S2W								
Hard Maple	RW		2,154	(7'-8')	2,417	(9'-10')			4,571
8/4 1 Com	sap/btr								
Hard Maple	RW		1,026	(6'-8')	2,148	(9'-10')	2,317	(11'-12')	5,491
8/4 2 Com									
Hard Maple	RW		978	(4'-8')	1,446	(9'-10')	519	(12')	2,943

4/4 Sel&Btr	80/70 Hrtwood								
Hickory	RW						1,324	(11'-12')	1,324
4/4 Sel&Btr	90/70 Hrtwood								
Hickory	6.5" & wdr		674	(8')	925	(9'-10')	957	(11'-12')	2,556
4/4 Sel&Btr	unsel								
Hickory	4.89" & und		1,045	(6'-8')	826	(9'-10')			1,871
4/4 1 Com	unsel								
Hickory	RW						385	(13'-16')	385
4/4 1 Com									
Hickory	4.89" & und		1,520	(4'-8')	1,295	(9'-10')	779	(11'-12')	3,594
4/4 2 Com									
Hickory	4.9 - 6.0"		6,214	(4'-8')	3,970	(9'-10')	2,652	(11'-12')	12,836
4/4 Rustic									
Hickory	RW				dressed 15/16"				630

5/4 1 Com											
Hickory	RW				247	(9'-10')	830	(11'-12')	214	(14'-16')	1,291

4/4 Sel&Btr	Bright										
Poplar	RW				5,865	(11'-12')	904	(13')	5,026	(15'-16')	11,796
4/4 Sel&Btr	Bright										
Poplar	4.0 - 6.0"						1,266	(15'-16')	1,266		
4/4 Sel&Btr	Stain										
Poplar	RW				3,066	(11'-12')	3,703	(13'-14')	7,101	(15'-16')	26,718
5/4 Sel&Btr	Bright										
Poplar	10" & wdr	1,254	(8')		1,946	(11'-12')	677	(13'-14')	702	(15'-16')	4,579
5/4 Sel&Btr	Stain	5,203	(8')		2,485	(11'-12')					18,595
Poplar	RW	2,099	(7'-8')		7,877	(11'-12')		930	(15'-16')		
6/4 Sel&Btr	Stain										3,355
Poplar	RW				2,757	(11'-12')		598	(15'-16')		

8/4 Sel&Btr Poplar	Bright RW					1,820 (13'-14')		1,820
8/4 Sel&Btr Poplar	Stain RW	671 (7'-8')		1,432 (11'-12')	1,317 (11'-12')	2,559 (13'-14')	2,901 (15'-16')	12,086
12/4 Sel&Btr Poplar	RW	915 (7'-8')	2,217 (9'-10')	232 (11'-12')		885 (13'-14')	514 (15'-16')	4,763

4/4 Sel&Btr Red Oak	Wheat RW			dressed 15/16" 4,367 (9'-10')				4,367
4/4 Sel&Btr Red Oak	Rift RW			4,757 (9'-10')		1,324 (11'-12')		6,081
4/4 Sel&Btr Red Oak	dressed RW		dressed 15/16" 3,922 (7'-8')	dressed 15/16" 2,613 (9'-10')		dressed 15/16" 2,587 (11'-12')		9,122
4/4 Sel&Btr Red Oak	rough RW			8,174 (9'-10')		979 (11'-12')		12,262
4/4 Sel&Btr Red Oak	3.75 - 5.49"			2,356 (9'-10')		268 (11'-12')		2,624
4/4 Sel&Btr Red Oak	4.0 - 6.0"	dressed 15/16" 1,585 (7'-8')	2,789 (7'-8')	4,238 (9'-10')		1,502 (11'-12')	266 (13'-16')	10,380
4/4 Sel&Btr Red Oak	5.5" & wdr	336 (6')	291 (8')	8,471 (9'-10')				9,098
4/4 Sel&Btr Red Oak	5.75 - 6.49"		962 (5'-8')	3,291 (9'-10')				4,253
4/4 Sel&Btr Red Oak	5.75 - 9.75"		1,215 (8')	5,764 (9'-10')				6,979
4/4 1 Com Red Oak	Wheat RW			dressed 15/16" 1,926 (9'-10')				1,926
4/4 1 Com Red Oak	Wheat 5.0 - 6.99"		dressed 15/16" 2,188 (7'-8')					2,188
4/4 1 Com Red Oak	Rift/Qtrd RW		5,444 (4'-8')	8,444 (9'-10')		1,997 (11'-12')		15,885
4/4 1 Com Red Oak	4.99" & und		1,617 (4'-8')	2,054 (9'-10')		508 (11'-12')		4,179
4/4 1 Com Red Oak	5.0 - 5.49"		658 (4'-8')	553 (9'-10')		171 (11'-12')		1,382
4/4 1 Com Red Oak	5.5 - 6.99"	565 (4'-5')		4,391 (9'-10')				4,956
4/4 1 Com Red Oak	6.1 - 7.49" and 10.5" wdr		4,211 (5'-8')	6,562 (9'-10')		1,495 (11'-12')		12,268

5/4 Sel&Btr Red Oak	RW	3,124 (7')	996 (8')	1,229 (9'-10')	549 (9'-10')	947 (10')	1,370 (13'-14')	18,507
5/4 Sel&Btr Red Oak	RW	stain 303 (8'-10')	7,031 (9')			1,596 (11', 12')	1,665 (15'-16')	303
5/4 Sel&Btr Red Oak	9.5" & wdr RW		689 (8')	4,450 (9'-10')		2,214 (11'-12')		7,353
5/4 1 Com & Btr Red Oak	RW			4,756 (9'-10')				4,756
5/4 1 Com Red Oak	RW		2,578 (7'-8')			2,705 (11'-12')	865 (13'-16')	6,148

5/4 2 Com									
Red Oak	RW		950 (6'-8')	1,147 (9'-10')	780 (11'-12')	186 (13'-16')			3,063
5/4 Outs									346
Red Oak	RW		213 (7'-8')	133 (9'-10')					

6/4 Sel&Btr				4,572 (9')					42,885
Red Oak	RW	1,147 (7')		13,802 (9'-10')	23,364 (11'-12')				
6/4 2 Com									364
Red Oak	RW			364 (9'-10')					

8/4 Sel&Btr			953 (7')	1,197 (9')	2,321 (9'-10')	2,897 (13'-14')			19,125
Red Oak	RW	93 (6')	1,757 (8')	4,054 (10')	4,341 (11'-12')	1,512 (15'-16')			

10/4 Sel&Btr									474
Red Oak	RW			474 (9'-10')					

4/4 Sel&Btr	Plain Sawn								2,310
Sapelli	RW	466 (6'-7')	104 (8')			1,740 (14')			
6/4 Sel&Btr	Plain Sawn					835 (14')			1,152
Sapelli	RW					317 (16')			
4/4 Sel&Btr	Qtrd			568 (9')	537 (11')	3,510 (14')			9,395
Sapelli	RW		2,039 (8')	853 (10')	475 (13')	1,413 (15'-16')			
4/4 Sel&Btr	Qtrd								838
Sapelli	8.49" und	329 (6')	509 (7')						
6/4 Sel&Btr	Qtrd			1,450 (9')	1,868 (13')				6,777
Sapelli	RW		903 (8')	611 (10')	1,228 (14')	717 (16')			
8/4 Sel&Btr	Qtrd				1,042 (11')				2,514
Sapelli	RW	380 (6')			1,091 (11'-12')				
10/4 Sel&Btr	Qtrd								1,149
Sapelli	RW		105 (7')			1,043 (13'-14')			
12/4 Sel&Btr	Qtrd								2,548
Sapelli	RW	39 (6')	308 (7')	1,439 (9'-10')	762 (11')				

4/4 Sel&Btr			638 (6'-8')						1,103
Soft Maple	RW		465 (7'-8')						
4/4 1 Com AD									6,763
Soft Maple	RW	185 (4'-5')	5,151 (4'-8')	1,427 (9'-10')					
4/4 PR WHND									6,945
Soft Maple	RW		6,945 (6'-8')						
4/4 1CB WHND		dressed 15/16"							11,654
Soft Maple	RW	2,527 (5'-8')		4,771 (9'-10')	4,356 (11'-12')				
4/4 OUTS									883
Soft Maple	RW		883 (4'-8')						

5/4 Sel&Btr									763
Soft Maple	RW		763 (6'-8')						
5/4 1 Com									8,168
Soft Maple	RW		2,916 (4'-8')	2,447 (9'-10')	2,805 (11'-12')				
5/4 PR WHND									989
Soft Maple	RW		989 (6'-8')						

4/4 Sel&Btr							827
Walnut	4.9 - 6.99"		827 (7'-8')				
4/4 Sel&Btr							12,258
Walnut	5.75 - 6.99"		7,620 (6'-8')	4,180 (9'-10')	458 (11'-12')		
4/4 Sel&Btr							13,846
Walnut	7.0" & wdr	1,780 (6')	4,041 (7')	1,855 (8')	3,217 (9'-10')	2,953 (11'-12')	
4/4 Sel&Btr	sappy	dressed 15/16"					203
Walnut	RW	203 (11'-12')					
4/4 1 Com							568
Walnut	4.99" und		451 (5'-8')			117 (11'-12')	
4/4 1 Com							8,347
Walnut	5.74" & und	54 (4'-6')	4,243 (4'-8')	3,041 (9'-10')	1,009 (11'-12')		
4/4 1 Com							13,855
Walnut	5.75 - 6.99"		6,510 (4'-8')	5,190 (9'-10')	2,155 (11'-12')		
4/4 1 Com							1,110
Walnut	6.5 - 7.49"		805 (4'-8')			305 (11'-12')	
4/4 1 Com							16,373
Walnut	7.0" & wdr	104 (4'-6')	7,650 (4'-8')	6,139 (9'-10')	2,480 (11'-12')		
4/4 1 Com							3,596
Walnut	8.5" & wdr		1,936 (4'-8')	475 (9'-10')	1,185 (11'-12')		
4/4 2 Com							17,041
Walnut	RW	120 (4'-6')	5,585 (7'-8')	8,481 (9'-10')	2,855 (11'-12')		

5/4 Sel&Btr							1,770
Walnut	RW		1,770 (8')				

6/4 Sel&Btr	ro rules	dressed 1-7/16"	837 (7'-8')				6,649
Walnut	RW	1,454 (9'-10')	166 (8')	3,653 (9'-10')		539 (13'-14')	
6/4 Sel&Btr	MX rules						878
Walnut	RW		878 (7')				
6/4 Sel&Btr							1,765
Walnut	RW		880 (7')	885 (9'-10')			

8/4 Sel&Btr	ro rules						12,462
Walnut	RW			8,195 (9'-10')	4,267 (11'-12')		
8/4 Sel&Btr	WAL rules						2,663
Walnut	RW			2,663 (9'-10')			
8/4 Sel&Btr							7,670
Walnut	RW		3,142 (7'-8')	4,528 (9'-10')			
8/4 1 Com							4,972
Walnut	RW	317 (4'-6')	1,901 (6'-8')	2,754 (9'-10')			
8/4 2 Com							8,195
Walnut	RW	340 (4'-5')	4,095 (6'-8')	2,186 (9'-10')	1,382 (11'-12')	192 (13'-16')	

4/4 Sel&Btr	plain sawn						6,826
White Oak	5.75 - 6.9"		3,086 (6'-8')	2,830 (9'-10')	797 (11'-12')	113 (13'-16')	
4/4 Sel&Btr	plain sawn						3,272
White Oak	7.0 - 7.6"			1,555 (9'-10')	1,717 (11'-12')		
4/4 Sel&Btr	plain sawn						578
White Oak	9.0 - 10.75"				429 (11'-12')	149 (13'-16')	

