



Cherry Forest Products
Lumber - Dimensional - Veneer

Cherry Forest Products

24 Kerr Crescent, Puslinch, ON N0B 2J0

P - 519-763-1466 F - 519-763-7353

info@cherryforest.ca www.cherryforest.ca



The mark of
responsible forestry

oct 09-2018

Species & Grade	FBM	Length	FBM	Length	FBM	Length	FBM	Length	FBM	Length	Total (GRS)
4/4 Sel&Btr rift/qtrd											
ASH RW					763	(9'-10')					763
4/4 Sel&Btr W1F											
ASH 6.0 - 7.49"			979	(7'-8')							979
4/4 Sel&Btr											
ASH RW								199	(13'-14')		199
4/4 Sel&Btr											
ASH 4.0 - 7.49"								1,212	(15'-16')		1,212
4/4 Sel&Btr											
ASH 7.5" & wdr			6,526	(8')	6,470	(9'-10')	3,246	(11'-12')			16,242
4/4 1 Com											
ASH RW			6,778	(6'-8')	12,734	(9'-10')	716	(11'-12')	595	(13'-14')	20,823
4/4 2 Com											
ASH RW			37,872	(6'-8')	54,291	(9'-10')	19,653	(11'-12')	804	(13'-14')	113,687
								1,067	(15'-16')		
4/4 2/3 Com											
ASH 6.0 - 6.4"					2,550	(9'-10')					2,550

5/4 Sel&Btr rift/qtrd											
Ash RW					929	(9'-10')					929

6/4 Sel&Btr											
Ash RW	175	(6')					251	(11'-12')			426

8/4 Sel&Btr rift/qtrd											
Ash RW					913	(9'-10')					913

8/4 Sel&Btr											
Ash RW	1,078	(6')			7,263	(9'-10')	5,687	(11'-12')			14,028

4/4 Sel&Btr											
Aspen RW					1,768	(9'-10')					1,768

5/4 Sel&Btr											
Basswood RW	STAIN		58	(6')							
	164	(6'-8')	4,979	(6'-8')	5,861	(9'-10')	1,496	(11'-12')	187	(13')	12,745

5/4 1 Com											
Basswood RW	55	(4'-5')	1,824	(6'-8')	2,085	(9'-10')	920	(11'-12')			4,884

5/4 2 Com											
Basswood RW			438	(4'-8')	183	(9'-10')	749	(11'-12')			1,370

4/4 Sel&Btr sap&btr											
Birch RW	63	(6')	1,725	(8')	6,771	(9'-10')	329	(11'-12')			
	592	(7'-8')	538	(7'-8')	358	(9'-10')	83	(11'-12')			10,459

4/4 1 Com sap&btr											
Birch RW			536	(4'-8')	375	(9'-10')	84	(11'-12')			995

4/4 2 Com	sap&btr						875
Birch	RW		472 (4'-8')	320 (9'-10')	83 (11'-12')		

4/4 Sel&Btr	90/80 Red				688 (11'-12')		688
Cherry	RW						
4/4 Sel&Btr	90/50 Red			735 (9')			4,539
Cherry	RW	1,129 (8')	1,497 (9'-10')	1,178 (11'-12')			
4/4 Sel&Btr	Unsel						1,132
Cherry	RW	834 (6'-7')				298 (13'-16')	
4/4 Sel&Btr	5.0" & und		273 (8')				273
Cherry	sappy						
Cherry	5.0" & und			367 (9'-10')	160 (11'-12')		527
4/4 1 Com							514
Cherry	4.5 - 5.4"	265 (4'-5')	139 (6'-8')	74 (9'-10')	36 (11'-12')		
4/4 1 Com		677 (4'-5')					4,769
Cherry	RW	598 (6'-7')	898 (6'-8')	1,553 (9'-10')	751 (11'-12')	292 (13'-16')	
4/4 2 Com	100/80 Red						220
Cherry	RW		220 (6'-8')				
4/4 2 Com			176 (7')				3,719
Cherry	RW	732 (4'-5')	1,856 (8')	364 (9'-10')	591 (11'-12')		

5/4 Sel&Btr	90/50 Red		654 (7')				3,908
Cherry	RW		2,455 (8')		799 (11'-12')		
5/4 Sel&Btr	sappy						95
Cherry	RW				95 (11'-12')		

6/4 Sel&Btr	90/80 Red						1,358
Cherry	RW		1,358 (8')				
6/4 Sel&Btr	90/50 Red			615 (9'-10')			615
Cherry	RW						
6/4 Sel&Btr							3,430
Cherry	RW		1,498 (8')	1,196 (9'-10')		736 (13'-14')	

8/4 Sel&Btr	90/80 Red						12,373
Cherry	RW			10,035 (9'-10')	2,338 (11'-12')		
8/4 1 Com							2,889
Cherry	RW		820 (6'-8')	1,577 (9'-10')	492 (11'-12')		

4/4 Sel&Btr	# 1 white			dressed 15/16"			3,457
Hard Maple	RW			3,457 (9'-10')			
4/4 Sel&Btr	# 1&2 white	dressed 15/16"	3,797 (6')	10,968 (8')			48,959
Hard Maple	RW	1,827 (13'-14')	7,479 (7')	19,418 (9'-10')	5,470 (11'-12')		
4/4 Sel&Btr	sap&btr						2,002
Hard Maple	4.5 - 5.74"			2,002 (9'-10')			
4/4 Sel&Btr	sap&btr						1,706
Hard Maple	9.75" & wdr			1,706 (9'-10')			
4/4 Sel&Btr	brown		2,008 (6'-8')	1,135 (9'-10')		685 (13'-16')	6,835
Hard Maple	RW		322 (7'-8')	1,230 (9'-10')		1,454 (13'-16')	
4/4 2 Com							7,370
Hard Maple	RW		1,204 (4'-8')	5,523 (9'-10')	643 (11'-12')		

4/4 3 Com		dressed 15/16"					
Hard Maple		867 (4'-8')		1,054 (9'-10')	727 (11'-12')		2,648

5/4 Sel&Btr	# 1&2 white	dressed 1-3/16"	1,054 (6')				
Hard Maple	RW	437 (11'-12')	1,700 (7')	1,218 (9'-10')			4,409
5/4 Sel&Btr	brown						
Hard Maple	RW		102 (6'-8')	42 (10')			144
5/4 1 Com	sap&btr						
Hard Maple	RW		5,986 (6'-8')	10,148 (9'-10')	3,209 (11'-12')	440 (13'-16')	19,783
5/4 2 Com							
Hard Maple	RW		2,321 (4'-8')				2,321

6/4 Sel&Btr	# 1&2 white		1,690 (7')				
Hard Maple	RW	396 (6')	8,329 (8')	10,234 (9'-10')			20,649
6/4 Sel&Btr	sap						
Hard Maple	RW			1,792 (9'-10')			1,792
6/4 1 Com	sap&btr						
Hard Maple	RW		5,375 (4'-8')	5,206 (9'-10')	3,394 (11'-12')		13,975
6/4 2 Com							
Hard Maple	RW		1,179 (6'-8')	1,357 (9'-10')	782 (11'-12')		3,318
6/4 Outs							
Hard Maple	RW		123 (7'-8')	105 (9'-10')			228

8/4 Sel&Btr	# 1 white						
Hard Maple	RW			1,578 (9'-10')			1,578
8/4 Sel&Btr	# 1 white						
Hard Maple	5.5 - 6.49"			126 (9'-10')			126
8/4 Sel&Btr	# 1 white						
Hard Maple	6.5 - 9.49"		2,098 (8')				2,098
8/4 Sel&Btr	# 1&2 white		1,374 (6'-8')				
Hard Maple	RW		6,363 (6'-8')	24,565 (9'-10')	1,521 (11'-12')	1,433 (13'-14')	35,256
8/4 1 Com	# 1&2 white						
Hard Maple	RW		2,172 (6'-8')				2,172
8/4 1 Com	sap/btr			509 (9')			
Hard Maple	RW			6,479 (9'-10')	2,254 (11'-12')		9,242

4/4 Sel&Btr	80/70 Hrtwood						
Hickory	RW		951 (8')	584 (9'-10')	2,677 (11'-12')		4,212
4/4 Sel&Btr	unsel						
Hickory	5.0 - 5.99"		66 (6'-8')				66
4/4 1-3 Com							
Hickory	4.99" & und		987 (4'-8')	700 (9'-10')	329 (11'-12')		2,016
4/4 1-3 Com							
Hickory	9.5" & wdr			2,266 (9'-10')			2,266
4/4 1-3 Com							
Hickory	10.5" & wdr		2,449 (6'-8')	1,706 (9'-10')	622 (11'-12')		4,777

5/4 Sel&Btr							
Hickory	RW		349 (6'-8')		708 (11'-12')		1,057
5/4 1 Com							
Hickory	RW		184 (5'-8')	247 (9'-10')	623 (11'-12')	214 (14'-16')	1,268

4/4 Sel&Btr	Bright			1,480 (11'-12')	1,603 (13'-14')		11,126
Poplar	RW			6,815 (11'-12')	1,227 (13'-14')		
4/4 Sel&Btr	Stain						5,766
Poplar	RW	1,796 (8')		3,341 (11'-12')	629 (13'-14')		
4/4 1 Com		dressed 15/16"					1,242
Poplar	RW	1,242 (8'-10')					
5/4 Sel&Btr	Stain						14,510
Poplar	RW	2,599 (7'-8')		10,684 (11'-12')	1,227 (13'-14')		
6/4 Sel&Btr	Stain						1,405
Poplar	RW	207 (7'-8')	1,199 (9'-10')				
12/4 Sel&Btr							4,763
Poplar	RW	915 (7'-8')	2,217 (9'-10')	232 (11'-12')	885 (13'-14')	514 (15'-16')	

4/4 Sel&Btr	Wheat			dressed 15/16"			13,510
Red Oak	RW			13,510 (9'-10')			
4/4 Sel&Btr	Rift		2,576 (7'-8')				9,243
Red Oak	RW		2,024 (8')	5,895 (9'-10')	1,324 (11'-12')		
4/4 Sel&Btr	Qtrd						2,956
Red Oak	RW		1,834 (8')	1,122 (9'-10')			
4/4 Sel&Btr	R&Q						829
Red Oak	RW	829 (6'-7')					
4/4 Sel&Btr	dressed		dressed 15/16"	dressed 15/16"	dressed 15/16"		31,859
Red Oak	RW		6,196 (8')	17,317 (9'-10')	8,346 (11'-12')		
4/4 Sel&Btr	rough		dressed 15/16"				9,471
Red Oak	RW	2,462 (6')	112 (13')	3,009 (8')	3,243 (9'-10')	645 (13'-14')	
4/4 Sel&Btr			dressed 15/16"	dressed 15/16"	dressed 15/16"		22,443
Red Oak	4.0 - 6.0"		16,973 (7'-8')	2,410 (9'-10')	3,061 (11'-12')		
4/4 Sel&Btr			dressed 15/16"	dressed 15/16"	dressed 15/16"		25,128
Red Oak	4.0 - 6.0"		10,948 (7'-8')	12,221 (9'-10')	1,960 (11'-12')		
4/4 Sel&Btr							1,209
Red Oak	5.0 - 5.749"			1,209 (9'-10')			
4/4 Sel&Btr							2,746
Red Oak	5.749" & und		1,848 (6'-8')	898 (9'-10')			
4/4 Sel&Btr				211 (9')			3,787
Red Oak	5.75 - 6.49"			3,291 (9'-10')	285 (11'-12')		
4/4 Sel&Btr		dressed 15/16"					902
Red Oak	7.0" & wdr	902 (9'-10')					
4/4 Sel&Btr							2,321
Red Oak	6.5 - 9.9"			2,321 (9'-10')			
4/4 1 Com	Wheat			dressed 15/16"			1,926
Red Oak	RW			1,926 (9'-10')			
4/4 1 Com	Wheat		dressed 15/16"				2,188
Red Oak	5.0 - 6.99"		2,188 (7'-8')				
4/4 1 Com	Rift/Qtrd						16,088
Red Oak	RW		5,444 (4'-8')	8,647 (9'-10')	1,997 (11'-12')		
4/4 1 Com						742 (13'-14')	3,151
Red Oak	RW					2,409 (15'-16')	
4/4 1 Com							16,892
Red Oak	5.5 - 6.99"	2,032 (4'-5')	930 (6'-8')	8,164 (9'-10')	4,199 (11'-12')	1,567 (13'-16')	

4/4 1 Com						
Red Oak	8.5" & wdr				1,437 (11'-12')	1,437
4/4 1 Com						
Red Oak	9.21" & wdr			1,118 (9'-10')	2,854 (11'-12')	3,972

5/4 Sel&Btr					2,254 (11'-12')		
Red Oak	RW	214 (6')	2,143 (8')	549 (9'-10')	6,223 (11'-12')		11,383
5/4 Sel&Btr							
Red Oak	RW			1,163 (10')	1,372 (11'-12')		2,535
5/4 1 Com		dressed 1-3/16"	55 (4'-5')				
Red Oak	RW	690 (7'-8')	984 (6'-8')				1,729
5/4 2 Com		dressed 1-3/16"		outs			
Red Oak	RW	1,261 (9'-10')	1,509 (4'-8')	198 (9'-12')			2,968

6/4 Sel&Btr			979 (8')	2,274 (9'-10')	6,092 (11'-12')		
Red Oak	RW		1,160 (8')	2,772 (9'-10')	2,866 (11'-12')		16,143

8/4 Sel&Btr		dressed 1-15/16"		10,648 (9'-10')			
Red Oak	RW	215 (7'-8')		7,757 (9'-10')			18,619
8/4 Sel&Btr		dressed 1-7/8"	1,915 (8')	1,338 (9')	3,255 (11')	789 (13'-14')	
Red Oak	RW	465 (10')	6,951 (9'-10')	4,436 (10')		2,225 (13'-16')	21,375
8/4 1 Com				649 (9')			
Red Oak	RW	300 (6'-7')	1,798 (7'-8')	2,340 (9'-10')	943 (11'-12')	438 (13'-14')	6,468

10/4 Sel&Btr							
Red Oak	RW		338 (7'-8')	2,766 (9'-10')	580 (11'-12')		3,685

4/4 Sel&Btr	Plain Sawn			700 (10')	1,337 (13')		
Sapelli	RW			535 (11'-12')	542 (14')	595 (14'-16')	3,709
4/4 1 Com	Plain Sawn		Twist				
Sapelli	RW		57 (6'-8')				57
8/4 Sel&Btr	Plain Sawn						
Sapelli	RW			357 (10')			357
4/4 Sel&Btr	Qtrd			1,054 (9')	941 (11'-12')	2,077 (14')	
Sapelli	RW		318 (8')	1,187 (10')	546 (13')	1,413 (15'-16')	7,536
6/4 Sel&Btr	Qtrd						
Sapelli	RW				1,203 (12')	2,479 (13')	3,682
8/4 Sel&Btr	Qtrd	836 (9')	918 (10')	2,082 (11')	385 (12')		
Sapelli	RW	804 (10')	905 (10'-11')	1,091 (11'-12')	1,075 (12'-13')		8,097
12/4 Sel&Btr	Qtrd						
Sapelli	RW				762 (11')		762

4/4 Sel&Btr		2,243 (6')	958 (7'-8')		1,224 (9'-10')	1,215 (11'-12')	
Soft Maple	RW	814 (6'-8')	1,714 (8')	1,321 (9'-10')	2,557 (11'-12')	1,318 (11'-12')	11,120
4/4 Sel&Btr	selects						
Soft Maple	RW		1,804 (7'-8')		1,385 (11'-12')		3,189
4/4 1 Com AD			1,633 (5'-8')		1,747 (11'-12')		
Soft Maple	RW	754 (5'-6')	1,939 (7'-8')	1,321 (9'-10')	378 (11'-12')	1,920 (13'-16')	9,692
4/4 2 Com							
Soft Maple	RW	477 (4'-5')	4,262 (5'-8')	2,188 (9'-10')	1,610 (11'-12')		8,537

4/4 1CB WHND		201 (5'-7')	388 (9')			19,449
Soft Maple RW		9,096 (4'-8')	5,615 (9'-10')	4,350 (11'-12')		
4/4 1CB WHND dressed 15/16"		dressed 15/16"	dressed 15/16"			7,617
Soft Maple RW		6,861 (5'-8')	757 (9'-10')			
4/4 2C WHND		2,562 (4'-8')		1,287 (11'-12')		11,251
Soft Maple RW		4,158 (5'-8')	1,721 (9'-10')	1,523 (11'-12')		

5/4 Sel&Btr		1,382 (6'-8')				6,881
Soft Maple RW		1,037 (8')	3,290 (9'-10')	958 (11'-12')	214 (13'-14')	
5/4 1 Com						14,139
Soft Maple RW		4,077 (4'-8')	6,194 (9'-10')	3,536 (11'-12')	332 (13'-14')	
5/4 2 Com						1,789
Soft Maple RW	137 (4'-5')	911 (4'-8')	492 (9'-10')	249 (11'-12')		
5/4 PR WHND						5,004
Soft Maple RW		4,206 (6'-8')			798 (13'-14')	
5/4 1CB WHND			1,147 (9')	327 (9'-10')		2,941
Soft Maple RW	42 (4'-5')	951 (6'-8')	1,269 (10')	352 (11'-12')		
5/4 1&2 Com WHND						19,016
Soft Maple RW		4,603 (4'-8')	8,096 (9'-10')	5,185 (11'-12')	1,132 (13'-14')	

6/4 Sel&Btr						7,001
Soft Maple RW		6,334 (6'-8')	667 (9'-10')			
6/4 1 Com						9,822
Soft Maple RW		2,594 (6'-8')	4,425 (9'-10')	2,803 (11'-12')		
6/4 2 Com						3,267
Soft Maple RW		1,325 (6'-8')	1,293 (9'-10')	649 (11'-12')		
6/4 1CB WHND						25,183
Soft Maple RW		5,355 (6'-8')	13,047 (9'-10')	6,781 (11'-12')		
6/4 2 Com WHND						8,953
Soft Maple RW		3,766 (6'-8')	1,542 (9'-10')	3,469 (11'-12')	176 (13'-14')	

8/4 Sel&Btr				1,638 (11'-12')		16,072
Soft Maple RW		12,917 (7'-8')		1,517 (11'-12')		
8/4 1 Com		2,983 (7'-8')	3,709 (9'-10')	4,600 (11'-12')		19,109
Soft Maple RW		3,418 (6'-8')	1,611 (9'-10')	1,312 (11'-12')	6,077 (13'-16')	
8/4 1CB WHND	dressed 1-3/4"					17,740
Soft Maple RW	122 (11'-12')	8,749 (7'-8')	8,869 (9'-10')			
8/4 2C WHND	twist / bow					11,220
Soft Maple RW	361 (6'-12')	4,637 (6'-8')	4,211 (9'-10')	1,487 (11'-12')	524 (13'-14')	

10/4 Sel&Btr						470
Soft Maple RW					470 (12'-16')	
10/4 1 Com						8,524
Soft Maple RW			2,799 (9'-10')	4,096 (11'-12')	1,629 (13'-16')	
10/4 2CB WHND						5,470
Soft Maple RW		897 (7'-8')		4,573 (11'-12')		

12/4 Sel&Btr						3,451
Soft Maple RW				3,023 (11'-12')	428 (13'-16')	
12/4 1 Com						4,920
Soft Maple RW			1,301 (9'-10')	1,909 (11'-12')	1,710 (13'-16')	

12/4 2CB WHND							
Soft Maple	RW				2,375	(11'-12')	2,375

4/4 Sel&Btr	90/80 black	dressed 15/16"	dressed 15/16"				
Walnut	RW	89	(7')	176	(9'-10')	593	(6'-8')
						1,187	(11'-12')
4/4 Sel&Btr	90/80 ro rules			1,700	(7')		
Walnut	RW			240	(8')		
							1,940
4/4 Sel&Btr	ro rules - unsel			354	(7')		
Walnut	7.0" & wdr			679	(8')	1,610	(9'-10')
						657	(11'-12')
4/4 Sel&Btr	rift&qtrd						
Walnut	RW			2,470	(7'-8')	3,752	(9'-10')
						351	(11')
4/4 Sel&Btr		dressed 15/16"					
Walnut	RW	470	(11'-12')				
							470
4/4 Sel&Btr				132	(7')		
Walnut	4.0 - 4.75"			495	(8')	1,560	(9'-10')
						718	(11'-12')
							2,905
4/4 Sel&Btr				29	(7'-8')	76	(9'-10')
Walnut	4.0 - 4.99"					273	(11'-12')
							378
4/4 Sel&Btr				524	(7')		
Walnut	7.0" & wdr			1,045	(8')	1,164	(9'-10')
						853	(11'-12')
							3,586
4/4 1 Com							
Walnut	RW					479	(9'-10')
							479
4/4 1 Com							
Walnut	7.5" & wdr			2,765	(6'-8')	4,086	(9'-10')
						1,708	(11'-12')
							8,559
4/4 2 Com							
Walnut	RW			333	(6'-8')	633	(9'-10')
							966

5/4 Sel&Btr	100/80 black						
Walnut	RW					676	(9'-10')
							676
5/4 Sel&Btr	100/80 ro rules						
Walnut	RW					87	(9'-10')
						237	(11'-12')
							324
5/4 Sel&Btr				824	(7')		
Walnut	RW			2,949	(8')	163	(9'-10')
							3,936

6/4 Sel&Btr	100/80 ro rules						
Walnut	RW			1,681	(8')	1,227	(9'-10')
						1,125	(11'-12')
							4,033
6/4 Sel&Btr	ro rules						
Walnut	RW			667	(8')	6,562	(9'-10')
						1,986	(11'-12')
							9,215
6/4 Sel&Btr							
Walnut	RW			2,213	(7')	1,420	(9'-10')
							3,633

8/4 Sel&Btr	90/80 ro rules						
Walnut	RW			1,335	(8')		
						3,505	(11'-12')
							4,840
8/4 Sel&Btr	90/80 black	dressed 1-15/16"					
Walnut	RW	574	(9'-10')			647	(11'-12')
							1,221
8/4 Sel&Btr	ro rules						
Walnut	RW					15,727	(9'-10')
						5,327	(11'-12')
							21,054
8/4 Sel&Btr				4,620	(7')		
Walnut	RW			1,027	(8')	2,531	(9'-10')
							101
							(13')
							8,279
8/4 1 Com		dressed 1-15/16"		733	(4'-6')		
Walnut	RW	254	(9'-10')	9,860	(6'-8')	4,133	(9'-10')
							587
							(13'-16')
							14,834

8/4 2 Com							
Walnut	RW	746 (4'-6')	8,602 (5'-8')	4,860 (9'-10')	2,935 (11'-12')	477 (13'-16')	17,620

4/4 Sel&Btr	plain sawn						291
White Oak	RW	79 (6')	212 (7'-8')				
4/4 Sel&Btr	plain sawn	checking					4,191
White Oak	5.75" & wdr	4,191 (6'-12')					
4/4 Sel&Btr	plain sawn			84 (9')			4,023
White Oak	7.0 - 7.6"		2,787 (6'-8')	111 (9'-10')	1,041 (11'-12')		
4/4 1 Com	plain sawn						22,179
White Oak	RW	188 (4'-5')	5,655 (6'-8')	12,469 (9'-10')	2,628 (11'-12')	1,239 (13'-16')	
4/4 1 Com	plain sawn			1,134 (9'-10')	223 (11'-12')		1,357
White Oak	4.99" und						
4/4 1 Com	plain sawn		1,378 (5'-8')	1,590 (9'-10')	1,473 (11'-12')	376 (13'-16')	4,817
White Oak	5.0 - 5.49"						
4/4 1 Com	plain sawn		4,388 (5'-8')	3,404 (9'-10')	3,479 (11'-12')	1,058 (13'-16')	12,329
White Oak	5.5 - 6.49"						
4/4 1 Com	plain sawn		1,153 (4'-8')	727 (9'-10')	563 (11'-12')	358 (13'-16')	2,801
White Oak	6.5 - 7.49"						
4/4 2 Com	plain sawn			197 (4'-10')			14,463
White Oak	RW		794 (6'-8')	10,209 (9'-10')	2,738 (11'-12')	525 (13'-16')	
4/4 2 Com	plain sawn						2,122
White Oak	4.99" & und		976 (4'-8')	1,146 (9'-10')			
4/4 2 Com	plain sawn						6,355
White Oak	5.0 - 5.49"		1,566 (4'-8')	2,724 (9'-10')	2,065 (11'-12')		
4/4 2 Com	plain sawn						20,334
White Oak	5.5 - 6.49"		6,428 (4'-8')	7,092 (9'-10')	5,853 (11'-12')	961 (13'-16')	
4/4 2 Com	plain sawn						4,132
White Oak	6.5 - 7.49"		1,665 (4'-8')	1,866 (9'-10')	601 (11'-12')		
4/4 Outs							2,022
White Oak	RW			760 (9'-10')	850 (11'-12')	412 (13'-16')	

5/4 Sel&Btr	plain sawn			1,005 (9'-10')			12,000
White Oak	RW		3,755 (7'-8')	2,334 (9'-10')	4,221 (11'-12')	685 (15'-16')	

6/4 Sel&Btr	plain sawn			7,536 (9'-10')		432 (13'-14')	12,186
White Oak	RW		3,104 (6'-8')	628 (9'-10')		486 (15'-16')	

8/4 Sel&Btr	plain sawn			1,882 (9'-10')		1,526 (13'-14')	14,380
White Oak	RW		2,888 (6'-8')	6,407 (9'-10')	767 (11'-12')	910 (15'-16')	

4/4 Sel&Btr	rift						1,285
White Oak	RW	324 (6')			300 (11'-12')	661 (13'-14')	
4/4 Sel&Btr	rift						465
White Oak	7.0 - 7.6"	465 (6'-7')					
4/4 Sel&Btr	rift						424
White Oak	7.6" & und		424 (6'-8')				

5/4 Sel&Btr	rift						4,069
White Oak	RW		959 (8')	2,146 (9'-10')	964 (11'-12')		

6/4 Sel&Btr	rift						
White Oak	RW		807 (8')	4,990 (9'-10')			5,797

8/4 Sel&Btr	rift	174 (6')					
White Oak	RW	784 (7')	2,659 (7'-8')				3,617

4/4 Sel&Btr	qtrd						
White Oak	5.6" & und		130 (6'-8')	138 (9'-10')	120 (11'-12')		388
4/4 Sel&Btr	qtrd						
White Oak	5.75 - 6.9"			1,158 (9'-10')	1,774 (11'-12')	301 (13'-16')	3,233
4/4 Sel&Btr	qtrd						
White Oak	7.0 - 7.6"		216 (6'-8')	895 (9'-10')	333 (11'-12')	93 (13'-15')	1,537

5/4 Sel&Btr	qtrd - S2S	dressed 1-3/16"	dressed 1-3/16"	112 (6'-7')			
White Oak	RW	634 (7', 8')	1,276 (9'-10')	605 (8')	1,542 (9'-10')		4,169

6/4 Sel&Btr	qtrd						
White Oak	RW		3,082 (8')	3,690 (9'-10')	1,555 (11'-12')		8,327

8/4 Sel&Btr	qtrd	dressed 1-15/16"	914 (7'-8')				
White Oak	RW	451 (8')	2,519 (6'-8')	1,323 (9'-10')	1,418 (11'-12')		6,626

4/4 1 Com	rift&qtrd						
White Oak	RW		286 (4'-8')				286
4/4 1 Com	rift&qtrd						
White Oak	6.5 - 7.6"		887 (5'-8')				887
4/4 1 Com	rift&qtrd						
White Oak	7.74" & und			2,110 (9'-10')	1,033 (11'-12')	250 (13'-16')	3,393
4/4 2 Com	rift&qtrd	dressed 15/16"					
White Oak	RW	154 (6'-8')					154
4/4 2 Com	rift&qtrd						
White Oak	7.74" & und			166 (9'-10')			166