



Cherry Forest Products
Lumber - Dimensional - Veneer

Cherry Forest Products

24 Kerr Crescent, Puslinch, ON N0B 2J0

P - 519-763-1466 F - 519-763-7353

info@cherryforest.ca www.cherryforest.ca



The mark of responsible forestry

Jan 07-2019

Species & Grade	FBM	Length	FBM	Length	FBM	Length	FBM	Length	FBM	Length	Total (GRS)
4/4 Sel&Btr rift/qtrd											
ASH RW					763	(9'-10')					763
4/4 Sel&Btr W1F											
ASH 6.0 - 7.49"			979	(7'-8')							979
4/4 Sel&Btr											
ASH 7.5" & wdr					478	(9'-10')	3,657	(11'-12')			4,135
4/4 1 Com									3,554	(13'-14')	
ASH RW							530	(11'-12')	428	(15'-16')	4,512
4/4 2 Com											
ASH RW			22,968	(6'-8')	43,048	(9'-10')	7,280	(11'-12')			73,296
4/4 outs											
ASH RW							1,024	(11'-12')			1,024

5/4 Sel&Btr rift/qtrd											
Ash RW					929	(9'-10')					929
5/4 Sel&Btr											
Ash RW			122	(8')	357	(9'-10')	571	(11'-12')			1,050
5/4 Sel&Btr											
Ash 5.5 - 7.49"			464	(8')							464
5/4 1 Com											
Ash RW			35	(6'-8')					235	(13'-14')	270
5/4 2 Com											
Ash RW			662	(6'-8')	1,434	(9'-10')	383	(11'-12')			2,479

8/4 Sel&Btr rift/qtrd											
Ash RW					913	(9'-10')					913
8/4 1 Com											
Ash RW			1,095	(8')							1,095
8/4 Outs											
Ash RW			2,386	(6'-8')	679	(9'-10')	180	(11'-12')			3,245

4/4 Sel&Btr											
Aspen RW					1,768	(9'-10')					1,768

5/4 Sel&Btr													
Basswood RW		STAIN	164	(6'-8')	4,979	(6'-8')	5,861	(9'-10')	241	(11'-12')	187	(13')	11,432
5/4 1 Com													
Basswood RW			55	(4'-5')	1,146	(6'-8')	2,085	(9'-10')	920	(11'-12')		4,206	

4/4 Sel&Btr sap&btr											
Birch RW			592	(7'-8')	538	(7'-8')	358	(9'-10')			1,488

4/4 Sel&Btr Cherry	90/80 Red RW				1,340 467	(11'-12') (11'-12')	911 (13'-16')	2,718
4/4 Sel&Btr Cherry	Sappy RW		1,362 (8')	802 (9'-10')	465 (11'-12')			2,629
4/4 1 Com Cherry	RW		201 (6'-8')					201
4/4 2 Com Cherry	RW	732 (4'-5')	1,856 (8')	322 (9'-10')	555 (11'-12')			3,465

5/4 Sel&Btr Cherry	90/50 Red C RW	411 (6')	639 (7'-8')					1,050
5/4 Sel&Btr Cherry	90/50 Red A RW		1,903 (8')	3,100 (9'-10')	164 (11'-12')	257 (13'-16')		5,424
5/4 Sel&Btr Cherry	90/50 Red RW				799 (11'-12')			799
5/4 Sel&Btr Cherry	sappy RW				95 (11'-12')			95
5/4 2 Com Cherry	unsel RW		5,022 (4'-8')	3,430 (9'-10')	1,476 (11'-12')			9,928

6/4 Sel&Btr Cherry	90/80 Red RW		1,091 (8')					1,091
6/4 Sel&Btr Cherry	90/50 Red RW			615 (9'-10')				615
6/4 Sel&Btr Cherry	RW		440 (8')			736 (13'-14')		1,176

8/4 Sel&Btr Cherry	90/80 Red RW			5,205 (9'-10')				5,205
8/4 1 Com Cherry	RW		820 (6'-8')	1,472 (9'-10')	492 (11'-12')			2,784

4/4 Sel&Btr Hard Maple	# 1 white RW			dressed 15/16" 23,779 (9'-10')				23,779
4/4 Sel&Btr Hard Maple	# 1&2 white RW		539 (8')	1,235 (9'-10')	2,797 (11'-12') 629 (11'-12')			5,200
4/4 Sel&Btr Hard Maple	# 1&2 white 5.5 - 6.49"		1,374 (8')					1,374
4/4 Sel&Btr Hard Maple	sap&btr 5.0 - 5.5"				514 (11'-12')			514
4/4 Sel&Btr Hard Maple	brown RW			1,101 (9'-10')	392 (11'-12')			1,493
4/4 1 Com Hard Maple	sap&btr RW		3,226 (4'-8')	2,825 (9'-10')	1,242 (11'-12')			7,293
4/4 2 Com Hard Maple	RW		4,514 (4'-8')	8,302 (9'-10')	1,642 (11'-12')			14,458
4/4 3 Com Hard Maple				1,054 (9'-10')	727 (11'-12')			1,781

5/4 Sel&Btr Hard Maple	# 1&2 white RW	814 (7')		1,140 (9'-10')				1,954
---------------------------	-------------------	----------	--	----------------	--	--	--	-------

4/4 2 Com Hickory	4.9 - 6.0"		6,214 (4'-8')	3,970 (9'-10')	2,652 (11'-12')		12,836
4/4 Rustic Hickory	RW			dressed 15/16" 630 (9'-10')			630

5/4 1 Com Hickory	RW			247 (9'-10')	830 (11'-12')	214 (14'-16')	1,291
----------------------	----	--	--	--------------	---------------	---------------	-------

5/4 Sel&Btr Poplar	Bright 10" & wdr	1,254 (8')		1,946 (11'-12')	677 (13'-14')	702 (15'-16')	4,579
5/4 Sel&Btr Poplar	Stain RW	5,203 (8')	7,343 (9'-10)	3,880 (11'-12')	10,863 (11'-12')	3,017 (13'-14')	6,432 (15'-16')
8/4 Sel&Btr Poplar	Bright RW				1,820 (13'-14')	4,177 (15'-16')	5,997
12/4 Sel&Btr Poplar	RW	915 (7'-8')	2,217 (9'-10')	232 (11'-12')	885 (13'-14')	514 (15'-16')	4,763

4/4 Sel&Btr Red Oak	Wheat RW			dressed 15/16" 4,367 (9'-10')			4,367
4/4 Sel&Btr Red Oak	Rift RW		2,576 (7'-8')	2,024 (8')	4,757 (9'-10')	1,324 (11'-12')	10,681
4/4 Sel&Btr Red Oak	Qtrd RW		926 (7'-8')				926
4/4 Sel&Btr Red Oak	dressed RW		dressed 15/16" 323 (8')	dressed 15/16" 2,613 (9'-10')	dressed 15/16" 3,228 (11'-12')		6,164
4/4 Sel&Btr Red Oak	rough RW	670 (6')		4,222 (9'-10')			4,892
4/4 Sel&Btr Red Oak	4.0 - 6.0"		dressed 15/16" 1,585 (7'-8')				1,585
4/4 Sel&Btr Red Oak	5.749" & und	dressed 15/16" 452 (6'-8')	dressed 15/16" 793 (9'-10')				1,245
4/4 Sel&Btr Red Oak	5.75 - 6.49"		962 (5'-8')	3,291 (9'-10')			4,253
4/4 Sel&Btr Red Oak	5.75 - 9.75"	dressed 15/16" 2,488 (8')		5,814 (9'-10')	4,388 (11'-12')		12,690
4/4 1 Com Red Oak	Wheat RW			dressed 15/16" 1,926 (9'-10')			1,926
4/4 1 Com Red Oak	Wheat 5.0 - 6.99"		dressed 15/16" 2,188 (7'-8')				2,188
4/4 1 Com Red Oak	Rift/Qtrd RW		5,444 (4'-8')	8,444 (9'-10')	1,997 (11'-12')		15,885
4/4 1 Com Red Oak	5.5 - 6.99"	1,151 (4'-5')		4,391 (9'-10')	1,446 (11'-12')	1,891 (13'-16')	8,879
4/4 2 Com Red Oak	5.5 - 6.99"			252 (9'-10')			252
4/4 2 Com Red Oak	5.75 - 6.75"	dressed 15/16" 298 (4'-6')	dressed 15/16" 6,435 (7'-8')	dressed 15/16" 17,207 (9'-10')	dressed 15/16" 2,534 (11'-12')	dressed 15/16" 1,022 (14'-16')	27,496
4/4 2 Com Red Oak	6.24 - 6.75"		dressed 15/16" 2,781 (4'-8')	dressed 15/16" 2,939 (9'-10')	dressed 15/16" 1,763 (11'-12')		7,483

5/4 Sel&Btr		960 (6')			1,229 (9'-10')	3,138 (11'-12')	
Red Oak	RW	359 (7')	1,393 (8')	549 (9'-10')	7,512 (10')	11,556 (11'-12')	26,696
5/4 Sel&Btr		stain					1,207
Red Oak	RW	1,207 (8'-10')					
5/4 Sel&Btr	10.0" & wdr						8,125
Red Oak	RW		1,538 (8')	6,587 (9'-10')			

6/4 Sel&Btr			979 (8')	4,572 (9')			42,660
Red Oak	RW	1,147 (7')	2,164 (8')	2,583 (10')	31,215 (11'-12')		

8/4 Sel&Btr				12,091 (9')	8,198 (9'-10')	5,792 (9'-10')	52,084
Red Oak	RW	93 (6')	4,728 (8')	18,508 (10')	1,840 (11'-12')	834 (13')	
8/4 Sel&Btr		dressed 1-7/8"	checking				1,179
Red Oak	RW	465 (10')	714 (7'-12')				
8/4 2 Com							1,002
Red Oak	RW			841 (9'-10')	161 (12')		

10/4 Sel&Btr							1,790
Red Oak	RW		338 (7'-8')	1,452 (9'-10')			

4/4 Sel&Btr	Plain Sawn					807 (13')	3,707
Sapelli	RW	466 (6'-7')	104 (8')		330 (11'-12')	2,000 (14')	
6/4 Sel&Btr	Plain Sawn					835 (14')	1,598
Sapelli	RW		346 (8')	100 (10')		317 (16')	
4/4 Sel&Btr	Qtrd			568 (9')	537 (11')	4,858 (13',14')	11,252
Sapelli	RW		2,039 (8')	853 (10')	984 (11'-12')	1,413 (15'-16')	
4/4 Sel&Btr	Qtrd						838
Sapelli	8.49" und	329 (6')	509 (7')				
6/4 Sel&Btr	Qtrd			1,450 (9')	1,868 (13')		6,777
Sapelli	RW		903 (8')	611 (10')	1,228 (14')	717 (16')	
8/4 Sel&Btr	Qtrd				1,042 (11')		2,514
Sapelli	RW	380 (6')			1,091 (11'-12')		
10/4 Sel&Btr	Qtrd						1,149
Sapelli	RW		105 (7')			1,043 (13'-14')	
12/4 Sel&Btr	Qtrd						2,548
Sapelli	RW	39 (6')	308 (7')	1,439 (9'-10')	762 (11')		

4/4 Sel&Btr			638 (6'-8')				1,528
Soft Maple	RW		890 (7'-8')				
4/4 1 Com AD				142 (9'-10')			3,085
Soft Maple	RW		492 (7'-8')	2,451 (9'-10')			
4/4 1CB WHND		dressed 15/16"					3,113
Soft Maple	RW	3,113 (5'-8')					

5/4 Sel&Btr							1,029
Soft Maple	RW		763 (6'-8')		202 (11'-12')	64 (13'-14')	
5/4 1 Com							12,768
Soft Maple	RW		4,113 (4'-8')	4,736 (9'-10')	3,919 (11'-12')		
5/4 PR WHND							7,111
Soft Maple	RW		5,870 (6'-8')	1,241 (9'-10')			

5/4 1&2 Com WHND		dressed 1-3/16"										
Soft Maple	RW	1,401	(9'-10')	11,726	(6'-8')	15,566	(9'-10')	9,806	(11'-12')	2,095	(13'-14')	40,594
5/4 2 Com WHND												1,789
Soft Maple	RW	137	(4'-5')	911	(4'-8')	492	(9'-10')	249	(11'-12')			
5/4 OUTS												1,454
Soft Maple	RW			1,070	(5'-8')	282	(9'-10')	102	(12')			

6/4 1 Com		dressed 1-7/16"										4,690
Soft Maple	RW	618	(7'-8')	2,728	(6'-8')	1,344	(9'-10')					
6/4 1CB WHND												2,194
Soft Maple	RW			2,194	(6'-8')							
6/4 2 Com WHND		dressed 1-7/16"										659
Soft Maple	RW	659	(6'-8')									

8/4 Sel&Btr												3,516
Soft Maple	RW			3,516	(7'-8')							
8/4 1 Com				993	(7'-8')							7,145
Soft Maple	RW			2,356	(6'-8')			1,513	(11'-12')	2,283	(13'-16')	
8/4 1CB WHND												3,816
Soft Maple	RW			3,816	(7'-8')							
8/4 2C WHND												4,050
Soft Maple	RW					2,563	(9'-10')	1,487	(11'-12')			

10/4 1 Com												5,436
Soft Maple	RW					1,340	(9'-10')	4,096	(11'-12')			
10/4 2CB WHND												5,136
Soft Maple	RW			563	(7'-8')			4,573	(11'-12')			

12/4 Sel&Btr												3,451
Soft Maple	RW							3,023	(11'-12')	428	(13'-16')	
12/4 1 Com												4,534
Soft Maple	RW					1,301	(9'-10')	1,523	(11'-12')	1,710	(13'-16')	
12/4 2CB WHND												2,017
Soft Maple	RW									2,017	(13'-16')	

4/4 Sel&Btr	90/80 black											1,187
Walnut	RW							1,187	(11'-12')			
4/4 Sel&Btr	90/80 ro rules			182	(7')	1,120	(9')					21,049
Walnut	RW	2,022	(6'-7')	6,836	(8')	5,066	(9'-10')	5,200	(11'-12')	623	(13'-14')	
4/4 Sel&Btr	ro rules - unsel											1,077
Walnut	7.0" & wdr			762	(8')	315	(9'-10')					
4/4 Sel&Btr	rift&qtrd											6,402
Walnut	RW			2,470	(7'-8')	3,581	(9'-10')	351	(11')			
4/4 Sel&Btr												850
Walnut	4.0 - 4.75"			132	(7')			718	(11'-12')			
4/4 Sel&Btr												814
Walnut	4.0 - 4.99"			495	(7'-8')			319	(11'-12')			
4/4 Sel&Btr												2,341
Walnut	4.9 - 6.99"			2,189	(7'-8')			152	(11'-12')			
4/4 Sel&Btr												1,355
Walnut	5.75 - 6.99"					1,121	(9'-10')	234	(11'-12')			

4/4 Sel&Btr	Walnut	7.0" & wdr		877 (7')	716 (9'-10')	1,039 (11'-12')		2,632
4/4 Sel&Btr	Walnut	sappy RW	dressed 15/16"	203 (11'-12')				203
4/4 1 Com	Walnut	4.99" und		451 (5'-8')		117 (11'-12')		568
4/4 1 Com	Walnut	6.5 - 7.49"		805 (4'-8')		305 (11'-12')		1,110
4/4 1 Com	Walnut	8.5" & wdr		1,936 (4'-8')	475 (9'-10')	1,185 (11'-12')		3,596

5/4 Sel&Btr	Walnut	RW		824 (7')				3,773
				2,949 (8')				

6/4 Sel&Btr	Walnut	ro rules RW	dressed 1-7/16"	1,454 (9'-10')	166 (8')	3,653 (9'-10')		5,273
6/4 Sel&Btr	Walnut	MX rules RW		878 (7')				878
6/4 Sel&Btr	Walnut	RW		880 (7')	1,211 (9'-10')			2,091

8/4 Sel&Btr	Walnut	90/80 black RW				647 (11'-12')		647
8/4 Sel&Btr	Walnut	ro rules RW			8,388 (9'-10')	4,840 (11'-12')		13,228
8/4 Sel&Btr	Walnut	WAL rules RW			1,939 (9'-10')			1,939
8/4 1 Com	Walnut	RW	317 (4'-6')	1,901 (6'-8')	2,754 (9'-10')			4,972
8/4 2 Com	Walnut	RW	340 (4'-5')	4,095 (6'-8')	2,186 (9'-10')	1,382 (11'-12')	192 (13'-16')	8,195

4/4 Sel&Btr	White Oak	plain sawn			1,189 (9'-10')	1,282 (11'-12')		2,471
4/4 Sel&Btr	White Oak	plain sawn				1,509 (11'-12')		1,509
4/4 Sel&Btr	White Oak	plain sawn		2,930 (6'-8')	1,868 (9'-10')	1,253 (11'-12')	567 (13'-16')	6,618
4/4 Sel&Btr	White Oak	plain sawn			454 (9'-10')			454
4/4 1 Com	White Oak	plain sawn			1,134 (9'-10')			1,134
4/4 2 Com	White Oak	plain sawn	159 (4')	3,710 (4'-8')	6,226 (9'-10')	1,240 (11'-12')		11,335
4/4 2 Com	White Oak	plain sawn		2,289 (4'-8')				2,289
4/4 2 Com	White Oak	plain sawn		1,665 (4'-8')	1,866 (9'-10')	601 (11'-12')		4,132

5/4 Sel&Btr	White Oak	plain sawn RW			2,334 (9'-10')			2,334
-------------	-----------	---------------	--	--	----------------	--	--	-------

6/4 Sel&Btr	plain sawn					432	(13'-14')	12,450		
White Oak	RW		3,104	(6'-8')	4,402	(9'-10')	4,026		(11'-12')	486

8/4 Sel&Btr	plain sawn							7,078	
White Oak	RW		1,725	(6'-8')	1,377	(10')			1,309

4/4 Sel&Btr	rift							639	
White Oak	RW								639
4/4 Sel&Btr	rift							465	
White Oak	7.0 - 7.6"	465	(6'-7')						
4/4 Sel&Btr	rift							503	
White Oak	7.749" & und		503	(6'-8')					
4/4 Sel&Btr	rift							491	
White Oak	7.75" & wdr		491	(6'-8')					

6/4 Sel&Btr	rift					944	(9')	4,539
White Oak	RW		807	(8')	2,788	(9'-10')		

8/4 Sel&Btr	rift	174	(6')	1,692	(7'-8')	1,760	(9')	13,391	
White Oak	RW	1,865	(7')	2,971	(8')	2,699	(10')		2,230

4/4 Sel&Btr	qtrd							120
White Oak	5.6" & und					120	(11'-12')	
4/4 Sel&Btr	qtrd							1,228
White Oak	7.0 - 7.6"				895	(9'-10')	333	
4/4 Sel&Btr	qtrd							313
White Oak	7.0 - 7.74"				313	(9'-10')		
4/4 Sel&Btr	qtrd							1,943
White Oak	7.75" & wdr				932	(9'-10')	1,011	

5/4 Sel&Btr	qtrd - S2S	dressed 1-3/16"	dressed 1-3/16"		112	(6'-7')		2,401	
White Oak	RW	84	(7')	1,276	(9'-10')	383	(9'-10')		546

6/4 Sel&Btr	qtrd							7,374
White Oak	RW		2,417	(8')	3,690	(9'-10')	1,267	

8/4 Sel&Btr	qtrd	dressed 1-15/16"		914	(7'-8')	1,005	(9'-10')	1,418	(11'-12')	10,308
White Oak	RW	451	(8')	3,717	(6'-8')	2,081	(9'-10')	721	(11'-12')	

4/4 Sel&Btr	rift&qtrd	s2s 15/16", rip 5.3"						1,174
White Oak	5.0 - 5.6"	1,174	(6'-8')					
4/4 Sel&Btr	rift&qtrd							300
White Oak	7.75" & wdr	93	(6')			207	(11'-12')	