



**Cherry Forest Products**  
Lumber - Dimensional - Veneer

**Cherry Forest Products**

24 Kerr Crescent, Puslinch, ON N0B 2J0

P - 519-763-1466 F - 519-763-7353

info@cherryforest.ca www.cherryforest.ca



The mark of responsible forestry

Nov 30-2018

Species & Grade	FBM	Length	FBM	Length	FBM	Length	FBM	Length	FBM	Length	Total (GRS)		
4/4 Sel&Btr <b>rift/qtrd</b> ASH RW					763	(9'-10')					763		
4/4 Sel&Btr W1F ASH 6.0 - 7.49"			979	(7'-8')							979		
4/4 Sel&Btr ASH RW	888	(6')									888		
4/4 Sel&Btr ASH 4.0 - 5.49"	222	(6')									222		
4/4 Sel&Btr ASH 7.5" & wdr			773	(8')	2,850	(9'-10')	2,235	(11'-12')			5,858		
4/4 1 Com ASH RW	5,273	(4'-5')	466	(6')	4,180	(6'-8')	852	(9'-10')	3,554	(13'-14')	428	(15'-16')	14,753
4/4 2 Com ASH RW					39,177	(6'-8')	51,588	(9'-10')	5,828	(11'-12')		96,593	
4/4 2/3 Com ASH 5.75 - 6.99"							1,246	(9'-10')			849	(13'-16')	2,095

5/4 Sel&Btr <b>rift/qtrd</b> Ash RW					929	(9'-10')					929
5/4 Sel&Btr Ash RW					261	(9'-10')					261

8/4 Sel&Btr <b>rift/qtrd</b> Ash RW					913	(9'-10')					913	
8/4 Sel&Btr Ash RW	1,393	(6')	2,375	(7')	7,625	(8')	6,903	(9'-10')	5,634	(11'-12')		23,930
8/4 1 Com Ash RW					110	(6'-8')			1,947	(11'-12')		2,057
8/4 2 Com Ash RW					1,050	(6'-8')			849	(11'-12')		1,899
8/4 Outs Ash RW					1,814	(6'-8')			180	(11'-12')		1,994

12/4 Sel&Btr Ash RW					742	(9'-10')					742
------------------------	--	--	--	--	-----	----------	--	--	--	--	-----

4/4 Sel&Btr Aspen RW					1,768	(9'-10')					1,768
-------------------------	--	--	--	--	-------	----------	--	--	--	--	-------

5/4 Sel&Btr Basswood RW												
		<b>STAIN</b>										
	164	(6'-8')	4,979	(6'-8')	5,861	(9'-10')	241	(11'-12')	187	(13')		11,432
5/4 1 Com Basswood RW	55	(4'-5')	1,824	(6'-8')	2,085	(9'-10')	920	(11'-12')				4,884

5/4 2 Com								
Basswood	RW		438 (4'-8')	183 (9'-10')	749 (11'-12')			1,370

4/4 Sel&Btr	sap&btr		592 (7'-8')					1,488
Birch	RW		538 (7'-8')	358 (9'-10')				

4/4 Sel&Btr	90/80 Red				1,340 (11'-12')			
Cherry	RW			499 (9'-10')	467 (11'-12')	911 (13'-16')		3,217
4/4 Sel&Btr	Sappy							
Cherry	RW		1,362 (8')	802 (9'-10')	465 (11'-12')			2,629
4/4 1 Com								
Cherry	RW		430 (7'-8')					430
4/4 2 Com								
Cherry	RW	732 (4'-5')	1,856 (8')	322 (9'-10')	555 (11'-12')			3,465

5/4 Sel&Btr	90/50 Red C							
Cherry	RW	411 (6')	639 (7'-8')					1,050
5/4 Sel&Btr	90/50 Red A							
Cherry	RW		1,903 (8')	3,697 (9'-10')	164 (11'-12')	257 (13'-16')		6,021
5/4 Sel&Btr	90/50 Red							
Cherry	RW				799 (11'-12')			799
5/4 Sel&Btr	sappy							
Cherry	RW				95 (11'-12')			95
5/4 2 Com	unsel							
Cherry	RW		5,022 (4'-8')	3,430 (9'-10')	1,476 (11'-12')			9,928

6/4 Sel&Btr	90/80 Red							
Cherry	RW		1,091 (8')					1,091
6/4 Sel&Btr	90/50 Red							
Cherry	RW			615 (9'-10')				615
6/4 Sel&Btr								
Cherry	RW		440 (8')			736 (13'-14')		1,176

8/4 Sel&Btr	90/80 Red							
Cherry	RW			5,205 (9'-10')	1,377 (11'-12')			6,582
8/4 1 Com								
Cherry	RW		820 (6'-8')	1,577 (9'-10')	492 (11'-12')			2,889

4/4 Sel&Btr	# 1 white				dressed 15/16"			
Hard Maple	RW				1,295 (9'-10')			1,295
4/4 Sel&Btr	# 1&2 white							
Hard Maple	RW	815 (7')	5,120 (8')	879 (8')		3,009 (11'-12')		9,822
4/4 Sel&Btr	brown							
Hard Maple	RW		920 (6'-8')	663 (9'-10')	305 (11'-12')			1,888
4/4 1 Com	sap&btr							
Hard Maple	4.99" & und		1,099 (4'-8')	902 (9'-10')	361 (11'-12')			2,362
4/4 1 Com	sap&btr							
Hard Maple	5.0 - 5.49"				535 (11'-12')			535
4/4 1 Com	sap&btr							
Hard Maple	5.5 - 6.49"			1,141 (9'-10')	1,141 (11'-12')			2,282

4/4 1 Com	sap&btr							
Hard Maple	6.5 - 7.49"		798 (4'-8')	1,833 (9'-10')	795 (11'-12')			3,426
4/4 1 Com	sap&btr							1,102
Hard Maple	7.5" & wdr		1,102 (4'-8')					
4/4 2 Com								13,618
Hard Maple	RW		3,929 (4'-8')	8,180 (9'-10')	1,509 (11'-12')			
4/4 3 Com								1,781
Hard Maple				1,054 (9'-10')	727 (11'-12')			

5/4 Sel&Btr	# 1&2 white	1,080 (6')						4,341
Hard Maple	RW	814 (7')		2,447 (9'-10')				
5/4 Sel&Btr	brown							144
Hard Maple	RW		102 (6'-8')	42 (10')				
5/4 1 Com	sap&btr							18,669
Hard Maple	RW	25 (4'-6')	5,986 (6'-8')	8,851 (9'-10')	3,367 (11'-12')	440 (13'-16')		
5/4 2 Com								1,070
Hard Maple	RW	96 (4'-6')	974 (4'-8')					

6/4 Sel&Btr	# 1&2 white		1,690 (7')					14,973
Hard Maple	RW	396 (6')	6,294 (8')	6,593 (9'-10')				
6/4 Sel&Btr	sap							1,202
Hard Maple	RW			1,202 (9'-10')				
6/4 1 Com	sap&btr							13,474
Hard Maple	RW		4,874 (4'-8')	5,206 (9'-10')	3,394 (11'-12')			
6/4 2 Com								3,318
Hard Maple	RW		1,179 (6'-8')	1,357 (9'-10')	782 (11'-12')			
6/4 Outs								228
Hard Maple	RW		123 (7'-8')	105 (9'-10')				

8/4 Sel&Btr	# 1 white							20,074
Hard Maple	RW		5,540 (8')	11,531 (9'-10')	3,003 (11'-12')			
8/4 Sel&Btr	# 1 white							1,515
Hard Maple	5.5 - 6.49"		700 (6'-8')	815 (9'-10')				
8/4 Sel&Btr	# 1 white							1,043
Hard Maple	6.5 - 9.49"		1,043 (8')					
8/4 Sel&Btr	# 1&2 white	171 (6')						4,641
Hard Maple	RW	922 (7')		3,548 (9'-10')				
8/4 Sel&Btr	S2W							8,096
Hard Maple	RW		3,577 (7'-8')	3,743 (9'-10')	776 (11'-12')			
8/4 1 Com	sap/btr							17,832
Hard Maple	RW		2,331 (6'-8')	11,355 (9'-10')	3,637 (11'-12')			
8/4 2 Com								2,943
Hard Maple	RW		978 (4'-8')	1,446 (9'-10')	519 (12')			

4/4 Sel&Btr	80/70 Hrtwood							1,324
Hickory	RW				1,324 (11'-12')			
4/4 Sel&Btr	90/70 Hrtwood							2,556
Hickory	6.5" & wdr		674 (8')	925 (9'-10')	957 (11'-12')			
4/4 Sel&Btr	unsel							2,116
Hickory	4.89" & und		1,045 (6'-8')	826 (9'-10')	245 (11'-12')			

4/4 Sel&Btr Hickory	unsel 4.9 - 6.49"		2,002 (6'-8')	827 (9'-10')	530 (11'-12')		3,359
4/4 1 Com Hickory	unsel RW					385 (13'-16')	385
4/4 1 Com Hickory	4.89" & und		1,520 (4'-8')	1,295 (9'-10')	779 (11'-12')		3,594
4/4 1 Com Hickory	4.9 - 6.0"		1,420 (4'-8')	1,758 (9'-10')	515 (11'-12')		3,693
4/4 2 Com Hickory	4.9 - 6.0"		6,214 (4'-8')	3,970 (9'-10')	2,652 (11'-12')		12,836

5/4 Sel&Btr Hickory	RW		349 (6'-8')				349
5/4 1 Com Hickory	RW			469 (9'-10')	830 (11'-12')	214 (14'-16')	1,513

4/4 Sel&Btr Poplar	Bright RW	7,330 (8')			495 (13'-14')		7,825
4/4 Sel&Btr Poplar	Stain RW				1,821 (13'-14')	2,078 (15'-16')	3,899
5/4 Sel&Btr Poplar	Bright 10" & wdr	1,254 (8')		2,315 (11'-12')	677 (13'-14')	702 (15'-16')	4,949
5/4 Sel&Btr Poplar	Stain RW		3,355 (9'-10)	12,114 (11'-12')	1,808 (13'-14')		17,277
8/4 Sel&Btr Poplar	Bright RW			2,141 (11'-12')	5,409 (13'-14')	4,177 (15'-16')	11,727
12/4 Sel&Btr Poplar	RW	915 (7'-8')	2,217 (9'-10')	232 (11'-12')	885 (13'-14')	514 (15'-16')	4,763

4/4 Sel&Btr Red Oak	Wheat RW			dressed 15/16" 4,367 (9'-10')			4,367
4/4 Sel&Btr Red Oak	Rift RW		2,576 (7'-8')	4,757 (9'-10')	1,324 (11'-12')		10,681
4/4 Sel&Btr Red Oak	Qtrd RW	228 (6'-7')	926 (7'-8')	516 (9'-10')			1,670
4/4 Sel&Btr Red Oak	dressed RW		dressed 15/16" 2,625 (8')	dressed 15/16" 13,185 (9'-10')	dressed 15/16" 7,043 (11'-12')		22,853
4/4 Sel&Btr Red Oak	rough RW	2,166 (6')		4,222 (9'-10')			6,388
4/4 Sel&Btr Red Oak	4.0 - 6.0"		dressed 15/16" 1,585 (7'-8')	dressed 15/16" 7,499 (9'-10')			9,084
4/4 Sel&Btr Red Oak	5.749" & und		3,779 (6'-8')	3,183 (9'-10')			6,962
4/4 Sel&Btr Red Oak	5.75 - 6.49"		962 (5'-8')	3,291 (9'-10')			4,253
4/4 Sel&Btr Red Oak	5.75 - 9.75"		4,987 (8')	6,997 (9'-10')	7,333 (11'-12')		19,317
4/4 Sel&Btr Red Oak	6.5 - 9.9"			1,142 (9'-10')			1,142
4/4 Sel&Btr Red Oak	10.0" & wdr			1,133 (9'-10')			1,133

4/4 1 Com Red Oak	Wheat RW			dressed 15/16" 1,926 (9'-10')				1,926
4/4 1 Com Red Oak	Wheat 5.0 - 6.99"		2,188 (7'-8')					2,188
4/4 1 Com Red Oak	Rift/Qtrd RW		5,444 (4'-8')	8,647 (9'-10')	1,997 (11'-12')			16,088
4/4 1 Com Red Oak	RW	325 (6')	1,324 (6'-8')	1,161 (9'-10')	3,441 (11'-12')			6,251
4/4 1 Com Red Oak	5.5 - 6.99"	1,151 (4'-5')		4,673 (9'-10')	1,446 (11'-12')	1,891 (13'-16')		9,161
4/4 2 Com Red Oak	6.24 - 6.75"		dressed 15/16" 1,644 (4'-8')	dressed 15/16" 2,185 (9'-10')	dressed 15/16" 1,370 (11'-12')			5,199

5/4 Sel&Btr Red Oak	RW	stain 1,207 (8'-10')	960 (6') 359 (7')	4,252 (8') 1,080 (9')	4,967 (9'-10') 9,441 (10')	13,906 (11'-12')		36,172
5/4 Sel&Btr Red Oak	RW			549 (9'-10')	4,676 (11'-12')			5,225
5/4 Sel&Btr Red Oak	10.0" & wdr RW		2,530 (8')	7,789 (9'-10')				10,319

6/4 Sel&Btr Red Oak	RW	57 (6') 1,147 (7')	979 (8') 2,685 (8')	4,688 (9') 3,849 (10')		34,291 (11'-12')	1,466 (13'-14')	49,162
------------------------	----	-----------------------	------------------------	---------------------------	--	------------------	-----------------	--------

8/4 Sel&Btr Red Oak	RW	93 (6') 1,410 (7')	2,553 (9'-10') 4,828 (8')	12,091 (9') 19,459 (10')	10,648 (9'-10') 6,158 (11'-12')	5,792 (9'-10') 834 (13')		63,866
8/4 Sel&Btr Red Oak	RW	dressed 1-7/8" 465 (10')						465
8/4 2 Com Red Oak	RW			841 (9'-10')	161 (12')			1,002

10/4 Sel&Btr Red Oak	RW		338 (7'-8')	1,452 (9'-10')				1,790
-------------------------	----	--	-------------	----------------	--	--	--	-------

4/4 Sel&Btr Sapelli	Plain Sawn RW	466 (6'-7')	104 (8')	1,161 (9'-10')	330 (11'-12')	807 (13') 2,000 (14')		4,868
6/4 Sel&Btr Sapelli	Plain Sawn RW		346 (8')	100 (10')		835 (14') 317 (16')		1,598
4/4 Sel&Btr Sapelli	Qtrd RW		2,039 (8')	568 (9') 853 (10')	537 (11') 984 (11'-12')	4,858 (13',14') 1,413 (15'-16')		11,252
4/4 Sel&Btr Sapelli	Qtrd 8.49" und	329 (6')	509 (7')					838
6/4 Sel&Btr Sapelli	Qtrd RW		903 (8')	1,450 (9') 611 (10')	1,868 (13') 1,228 (14')	717 (16')		6,777
8/4 Sel&Btr Sapelli	Qtrd RW	380 (6')		905 (10'-11')	2,082 (11') 1,091 (11'-12')	896 (14') 674 (15')		6,028
12/4 Sel&Btr Sapelli	Qtrd RW				762 (11')			762

4/4 Sel&Btr Soft Maple	RW		638 (6'-8') 1,714 (8')	104 (9'-10')				2,456
---------------------------	----	--	---------------------------	--------------	--	--	--	-------

4/4 Sel&Btr	selects							
Soft Maple	RW		1,804 (7'-8')			687 (11'-12')		2,491
4/4 1 Com AD								1,143
Soft Maple	RW		1,001 (7'-8')	142 (9'-10')				
4/4 1CB WHND								5,456
Soft Maple	RW		3,475 (4'-8')	1,152 (9'-10')		829 (13'-16')		
4/4 1CB WHND	dressed 15/16"	dressed 15/16"						3,957
Soft Maple	RW	3,957 (5'-8')						

5/4 Sel&Btr								925
Soft Maple	RW		513 (6'-8')			412 (11'-12')		
5/4 1 Com								11,251
Soft Maple	RW		4,077 (4'-8')	4,562 (9'-10')	2,612 (11'-12')			
5/4 1&2 Com WHND								12,483
Soft Maple	RW			6,908 (9'-10')	4,443 (11'-12')	1,132 (13'-14')		
5/4 2 Com WHND								1,789
Soft Maple	RW	137 (4'-5')	911 (4'-8')	492 (9'-10')	249 (11'-12')			

6/4 Sel&Btr								1,349
Soft Maple	RW		677 (6'-8')	557 (9'-10')	115 (11'-12')			
6/4 1 Com		dressed 1-7/16"						10,688
Soft Maple	RW	618 (7'-8')	2,728 (6'-8')	4,349 (9'-10')	2,993 (11'-12')			
6/4 1CB WHND								7,976
Soft Maple	RW		4,277 (6'-8')	3,699 (9'-10')				

8/4 Sel&Btr								9,648
Soft Maple	RW		9,648 (7'-8')					
8/4 1 Com						1,255 (11'-12')		9,885
Soft Maple	RW		2,526 (7'-8')	2,356 (6'-8')			3,748 (13'-16')	
8/4 1CB WHND		dressed 1-3/4"						4,004
Soft Maple	RW	122 (11'-12')	3,882 (7'-8')					
8/4 2C WHND		twist / bow						10,577
Soft Maple	RW	242 (6'-12')	4,637 (6'-8')	4,211 (9'-10')	1,487 (11'-12')			

10/4 1 Com								5,367
Soft Maple	RW			1,271 (9'-10')	4,096 (11'-12')			
10/4 2CB WHND								5,136
Soft Maple	RW		563 (7'-8')		4,573 (11'-12')			

12/4 Sel&Btr								3,451
Soft Maple	RW				3,023 (11'-12')	428 (13'-16')		
12/4 1 Com								4,920
Soft Maple	RW			1,301 (9'-10')	1,909 (11'-12')	1,710 (13'-16')		
12/4 2CB WHND								1,047
Soft Maple	RW		1,047 (7'-8')					

4/4 Sel&Btr	90/80 black							1,187
Walnut	RW				1,187 (11'-12')			
4/4 Sel&Btr	90/80 ro rules							2,820
Walnut	RW		182 (7')		1,409 (11'-12')	434 (13'-14')		
			795 (8')					

4/4 Sel&Btr	ro rules - unsel								
Walnut	7.0" & wdr		762 (8')	610 (9'-10')					1,372
4/4 Sel&Btr	rift&qtrd								
Walnut	RW		2,470 (7'-8')	3,581 (9'-10')	351 (11')				6,402
4/4 Sel&Btr									
Walnut	4.0 - 4.75"		132 (7')	1,166 (9'-10')	718 (11'-12')				2,016
4/4 Sel&Btr									
Walnut	4.0 - 4.99"		495 (7'-8')		319 (11'-12')				814
4/4 Sel&Btr									
Walnut	4.9 - 6.99"		2,189 (7'-8')		152 (11'-12')				2,341
4/4 Sel&Btr									
Walnut	5.75 - 6.99"		1,766 (7'-8')	1,121 (9'-10')	234 (11'-12')				3,121
4/4 Sel&Btr									
Walnut	7.0" & wdr	392 (6')	877 (7')	716 (9'-10')	1,039 (11'-12')				3,692
4/4 Sel&Btr	sappy	dressed 15/16"							
Walnut	RW	203 (11'-12')							203
4/4 1 Com									
Walnut	7.49" & und		3,374 (5'-8')	2,299 (9'-10')	833 (11'-12')				6,506
4/4 1 Com									
Walnut	7.5" & wdr		3,036 (6'-8')	4,071 (9'-10')	1,875 (11'-12')				8,982
4/4 2 Com									
Walnut	RW		5,363 (6'-8')	958 (9'-10')					6,321

5/4 Sel&Btr	100/80 ro rules								
Walnut	RW			87 (9'-10')					87
5/4 Sel&Btr									
Walnut	RW		824 (7')						3,773

6/4 Sel&Btr	100/80 ro rules								
Walnut	RW		540 (8')						540
6/4 Sel&Btr	ro rules	dressed 1-7/16"							
Walnut	RW	1,454 (9'-10')	166 (8')	3,653 (9'-10')					5,273
6/4 Sel&Btr	MX rules								
Walnut	RW		878 (7')						878
6/4 Sel&Btr									
Walnut	RW		880 (7')	1,211 (9'-10')					2,091

8/4 Sel&Btr	90/80 black								
Walnut	RW				647 (11'-12')				647
8/4 Sel&Btr	ro rules								
Walnut	RW			8,388 (9'-10')	5,327 (11'-12')				13,715
8/4 Sel&Btr									
Walnut	RW			2,531 (9'-10')					2,531
8/4 1 Com									
Walnut	RW	733 (4'-6')	7,731 (6'-8')	4,133 (9'-10')		587 (13'-16')			13,184
8/4 2 Com									
Walnut	RW	746 (4'-6')	8,602 (5'-8')	4,860 (9'-10')	2,935 (11'-12')	477 (13'-16')			17,620

4/4 Sel&Btr	plain sawn								
White Oak	5.75 - 6.9"			2,729 (9'-10')	1,282 (11'-12')				4,011

4/4 Sel&Btr White Oak	plain sawn 7.0 - 7.6"				1,509 (11'-12')		1,509
4/4 Sel&Btr White Oak	plain sawn 7.75 - 8.99"		2,930 (6'-8')	4,092 (9'-10')	1,253 (11'-12')	567 (13'-16')	8,842
4/4 Sel&Btr White Oak	plain sawn 11.0" & wdr			454 (9'-10')			454
4/4 1 Com White Oak	plain sawn 4.99" und	123 (4'-5')		1,134 (9'-10')			1,257
4/4 2 Com White Oak	plain sawn 4.99" & und	159 (4')	3,710 (4'-8')	6,226 (9'-10')	1,240 (11'-12')		11,335
4/4 2 Com White Oak	plain sawn 5.5 - 6.49"		2,289 (4'-8')				2,289
4/4 2 Com White Oak	plain sawn 6.5 - 7.49"		1,665 (4'-8')	1,866 (9'-10')	601 (11'-12')		4,132

5/4 Sel&Btr White Oak	plain sawn RW		3,755 (7'-8')	2,334 (9'-10')			6,089
--------------------------	------------------	--	---------------	----------------	--	--	-------

6/4 Sel&Btr White Oak	plain sawn RW		3,104 (6'-8')	4,402 (9'-10')	4,026 (11'-12')	432 (13'-14') 486 (15'-16')	12,450
--------------------------	------------------	--	---------------	----------------	-----------------	--------------------------------	--------

8/4 Sel&Btr White Oak	plain sawn RW		1,725 (6'-8')	280 (9'-10') 4,795 (9'-10')		1,309 (13'-14')	8,109
--------------------------	------------------	--	---------------	--------------------------------	--	-----------------	-------

4/4 Sel&Btr White Oak	rift RW					661 (13'-14')	661
4/4 Sel&Btr White Oak	rift 7.0 - 7.6"	465 (6'-7')					465
4/4 Sel&Btr White Oak	rift 7.749" & und		503 (6'-8')				503
4/4 Sel&Btr White Oak	rift 7.75" & wdr		521 (6'-8')				521

5/4 Sel&Btr White Oak	rift RW				964 (11'-12')		964
--------------------------	------------	--	--	--	---------------	--	-----

6/4 Sel&Btr White Oak	rift RW		807 (8')	944 (9') 2,788 (9'-10')			4,539
--------------------------	------------	--	----------	----------------------------	--	--	-------

8/4 Sel&Btr White Oak	rift RW	174 (6') 784 (7')	1,692 (7'-8')	126 (9')			2,776
--------------------------	------------	----------------------	---------------	----------	--	--	-------

4/4 Sel&Btr White Oak	qtrd 5.6" & und				120 (11'-12')		120
4/4 Sel&Btr White Oak	qtrd 7.0 - 7.6"			895 (9'-10')	333 (11'-12')	93 (13'-15')	1,321
4/4 Sel&Btr White Oak	qtrd 7.0 - 7.74"			313 (9'-10')			313
4/4 Sel&Btr White Oak	qtrd 7.75" & wdr			932 (9'-10')	1,011 (11'-12')		1,943



5/4 Sel&Btr	qtrd - S2S	dressed 1-3/16"	dressed 1-3/16"	112 (6'-7')				
White Oak	RW	84 (7')	1,276 (9'-10')	383 (9'-10')	546 (9'-10')			2,401

6/4 Sel&Btr	qtrd							
White Oak	RW		3,082 (8')	3,690 (9'-10')	1,555 (11'-12')			8,327

8/4 Sel&Btr	qtrd	dressed 1-15/16"	914 (7'-8')					
White Oak	RW	451 (8')	2,519 (6'-8')	1,005 (9'-10')	1,418 (11'-12')			6,308

4/4 Sel&Btr	rift&qtrd	s2s 15/16", rip 5.3"						
White Oak	5.0 - 5.6"	1,174 (6'-8')						1,174

4/4 Sel&Btr	rift&qtrd							
White Oak	7.75" & wdr	93 (6')			207 (11'-12')			300